

# NACOMATIC

Effective: 08-April-2010

Expires: 03-June-2010

**Your Ad Here**

~ 100,000 Page views/month

**Contact:**

Doug Ranz

248-318-0011

[NACOMATIC@hotmail.com](mailto:NACOMATIC@hotmail.com)

# Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <http://naco.faa.gov/index.asp?xml=naco/onlineproducts>

# Copyright

This compilation is protected by US copyright laws and international copyright treaties.

# Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

# Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

08F	=>	39	MKO	=>	60
17K	=>	32	MLC	=>	58
37K	=>	34	OJA	=>	84
44M	=>	40	OKC	=>	65
407	=>	59	OKM	=>	66
501	=>	82	OUN	=>	62
80F	=>	29	OWP	=>	71
86F	=>	35	PNC	=>	68
90F	=>	33	PVJ	=>	67
91F	=>	34	PWA	=>	64
92F	=>	36	RCE	=>	63
93F	=>	37	RKR	=>	69
95F	=>	38	RQO	=>	43
97F	=>	41	RVS	=>	79
99F	=>	43	SNL	=>	73
ADH	=>	26	SRE	=>	72
ADM	=>	30	SUD	=>	74
AQR	=>	30	SWO	=>	74
AVK	=>	28	TIK	=>	77
AXS	=>	28	TQH	=>	75
BFK	=>	33	TUL	=>	80
BKN	=>	31	WDG	=>	44
BVO	=>	31	WWR	=>	85
CHK	=>	37			
CLK	=>	39			
CQB	=>	35			
CSM	=>	39			
CUH	=>	40			
DUA	=>	42			
DUC	=>	41			
ELK	=>	42			
END	=>	81			
FDR	=>	46			
FSI	=>	51			
GAG	=>	46			
GCM	=>	38			
GMJ	=>	48			
GOK	=>	48			
GUY	=>	49			
GZL	=>	74			
HAX	=>	61			
HBR	=>	52			
HHW	=>	54			
HMY	=>	60			
HSD	=>	63			
JSV	=>	71			
JWG	=>	83			
LAW	=>	56			
LTS	=>	27			
MDF	=>	60			
MIO	=>	59			

## GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the FAA, Department of Transportation, National Aeronautical Navigation Services, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

### CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

**CRITICAL** information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

**FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE:** <http://nfdc.faa.gov/portal/airportchanges.do>

FAA, Aeronautical Information Services, ATO-R, Rm. 626  
800 Independence Ave., SW  
Washington, DC 20591  
Telephone 1-866-295-8236  
Fax 202-267-5322  
Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

Effective Date	Airport Information	Airspace Information*
	Cut-off date	Cut-off date
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10
23 Sep 10	11 Aug 10	22 Jul 10
18 Nov 10	6 Oct 10	16 Sep 10
13 Jan 11	1 Dec 10	11 Nov 10

\*Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Navigation Services  
SSMC-4 Sta. #4259  
1305 East West Highway  
Silver Spring, MD 20910-3281  
Telephone 1-800-626-3677  
Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our website at <http://aeronav.faa.gov>.

See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Navigation Services  
REDIS/Distribution Team  
10201 Good Luck Road  
Glenn Dale, MD 20769-9700  
Online at <http://aeronav.faa.gov>  
Email 9-AMC-Chartsales@faa.gov  
Telephone 1-800-638-8972  
Fax 301-436-6829  
or any authorized chart agent.

**New or Changed Information**—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.



TABLE OF CONTENTS

General Information.....	Inside Front Cover
Abbreviations .....	2
Directory Legend .....	4
Airport/Facility Directory	
Arkansas .....	22
Louisiana .....	66
Mississippi .....	102
Oklahoma .....	136
Texas .....	196
City/Military Airport Cross Reference .....	360
Seaplane Landing Areas .....	361
Special Notices.....	363
Regulatory Notices .....	376
FAA and National Weather Service	
Telephone Numbers .....	377
Key to Aviation Weather Reports .....	378
Air Traffic Facilities Telephone Numbers .....	380
Air Route Traffic Control Centers .....	382
Flight Service Station Communication Frequencies .....	384
Flight Standards District Offices.....	386
Routes/Waypoints	
Low Altitude Directional Routes .....	388
High Altitude Preferred Routes.....	389
High Altitude Directional Routes .....	398
Q-Routes.....	399
RNAV Routing Pitch and Catch Points .....	402
VFR Waypoints.....	413
VOR Receiver Check .....	421
Parachute Jumping Areas .....	426
Aeronautical Chart Bulletins .....	430
Supplemental Communication Reference .....	444
Airport Diagrams .....	450
National Weather Service (NWS) Upper Air Observing Stations .....	552
Enroute Flight Advisory Service (EFAS) .....	Inside Back Cover

## GENERAL INFORMATION

## ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	C	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control Center	CGAS	Coast Guard Air Station
acft	aircraft	CIV	Civil
ADCC	Air Defense Control Center	clsd	closed
AER	approach end rwy	comd	command
AFB	Air Force Base	CONUS	Continental United States
AFHP	Air Force Heliport	CSTMS	Customs
afld	airfield	ctc	contact
AFOD	US Army Flight Operations Detachment	ctl	control
AFRC	Armed Forces Reserve Center/Air Force Reserve Command	dalgt	daylight
AFSS	Automated Flight Service Station	Dec	December
AG	Agriculture	DIAP	DoD Instrument Approach Procedure
A-GEAR	Arresting Gear	DoD	Department of Defense
AGL	above ground level	DSN	Defense Switching Network (Telephone)
AHP	Army heliport	dsplcd	displaced
ALS	Approach Light System	durn	duration
alt	altitude	eff	effective
AMC	Air Mobility Command	emerg	emergency
ANGS	Air National Guard Station	EOR	End of Runway
apch	approach	ETA	Estimated Time of Arrival
Apr	April	ETD	Estimated Time of Departure
APU	Auxiliary Power Unit	exc	except
ARB	Air Reserve Base	extd	extend
arpt	airport	FBO	fixed-base operator
ARS	Air Reserve Station	Feb	February
AS	Air Station	fld	field
ASDE-X	Airport Surface Detection Equipment—Model X	FLIP	Flight Information Publication
ASU	Aircraft Starting Unit	fit	flight
ATC	Air Traffic Control	flw	follow
Aug	August	Fri	Friday
AUW	All Up Weight (gross weight)	FSS	Flight Service Station
avbl	available	GA	glide angle
bcn	beacon	GCA	Ground Controlled Approach
blo	below	GS	glide slope
		haz	hazard
		HQ	Headquarters

CONTINUED ON NEXT PAGE

## CONTINUED FROM PRECEDING PAGE

hr	hour	npi	non precision instrument
IAP	Instrument Approach Procedure	NS ABTMT	Noise Abatement
ICAO	International Civil Aviation Organization	NSTD	nonstandard
IFR	Instrument Flight Rules	ntc	notice
ILS	Instrument Landing System	obsn	observation
IM	Inner Marker	Oct	October
IMG	Immigration	OLF	Outlying Field
incr	increase	opr	operate, operator, operational
indef	indefinite	ops	operations
ints	intensity	OTS	out of service
invoF	in the vicinity of	ovrn	overrun
IMC	Instrument Meteorological Conditions	PAEW	personnel and equipment working
Jan	January	pat	pattern
JASU	Jet Aircraft Starting Unit	p-line	power line
JOAP	Joint Oil Analysis Program	PMSV	Pilot-to-Metro Service
JOSAC	Joint Operational Support Airlift Center	POL	Petrol, Oils and Lubricants
JRB	Joint Reserve Base	PPR	prior permission required
Jul	July	PRM	Precision Runway Monitoring
Jun	June	PTD	Pilot to Dispatcher
Kt	Knots	RAMCC	Regional Air Movement Control Center
LAA	Local Airport Advisory	req	request
LAHSO	Land and Hold Short Operations	rgt tfc	right traffic
lbs	pounds	RON	Remain Overnight
ldg	landing	rqr	require
lgt	lighted	rstd	restricted
lghts	lights	RSRS	reduced same runway separation
LMM	Compass locator at Middle Marker ILS	rwy	runway
LOC	Localizer	Sat	Saturday
LOM	Compass locator at Outer Marker ILS	SELF	Strategic Expeditionary Landing Field
ltd	limited	Sep	September
MACC	Military Area Control Center	SFA	Single Frequency Approach
Mar	March	sfc	surface
MCAF	Marine Corps Air Facility	SFRA	Special Flight Rules Area
MCALF	Marine Corps Auxiliary Landing Field	SOAP	Spectrometric Oil Analysis Program
MCAS	Marine Corps Air Station	SOF	Supervisor of Flying
MCB	Marine Corps Base	SPB	Seaplane Base
med	medium	SR	sunrise
METRO	Pilot-to-Metro voice call	SS	sunset
Mil	military	std	standard
min	minute	Sun	Sunday
MLS	Microwave Landing System	svc	service
MM	Middle Marker of ILS	tfc	traffic
Mon	Monday	thld	threshold
MP	Maintenance Period	Thu	Thursday
MSL	mean sea level	tkf	take-off
MSAW	minimum safe altitude warning	tmpry	temporary
NAAS	Naval Auxiliary Air Station	tran	transient
NADC	Naval Air Development Center	Tue	Tuesday
NADEP	Naval Air Depot	twr	tower
NAEC	Naval Air Engineering Center	twy	taxiway
NAES	Naval Air Engineering Station	UC	Under Construction
NAF	Naval Air Facility	USA	United States Army
NALCO	Naval Air Logistics Control Office	USAF	United States Air Force
NALO	Navy Air Logistics Office	USCG	United States Coast Guard
NALF	Naval Auxiliary Landing Field	USN	United States Navy
NAS	Naval Air Station	V	Defense Switching Network (telephone, formerly AUTOVON)
NAWC	Naval Air Warfare Center	VFR	Visual Flight Rules
NAWS	Naval Air Weapons Station	VIP	Very Important Person
ngt	night	VMC	Visual Meteorological Conditions
NOLF	Naval Outlying Field	Wed	Wednesday
Nov	November	wx	weather

DIRECTORY LEGEND

SAMPLE

① CITY NAME  
 ② AIRPORT NAME (ALTERNATE NAME) ③ (LTS) (KLTS) ④ CIV/MIL ⑤ 3 N ⑥ UTC-6(-5DT) N34°41.93' W99°20.20' JACKSONVILLE  
 200 B S4 FUEL 100 OX 1 TPA-1000(800) AOE Class IV, ARFF Index A NOTAM FILE ORL Not insp. COPTER  
 ⑪ ⑫ ⑬ ⑭ ⑮ ⑯ ⑰ ⑱ ⑲ ⑳ ⑲  
 H-4G, L-19C IAP, DIAP, AD ⑨

⑳ → RWY 18-36: H12004X200 (ASPH-CONC-GRVD)  
 S-90, D-160, DT-300 PCN 80 R/B/W/T HIRL CL  
 RWY 18: LDIN. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0° TCH 36'.  
 Thld displcd 300'. Trees. Rgt tfc. 0.3% up.  
 RWY 36: ALSF1. 0.4% down.  
 RWY 09-27: H6000X150 (ASPH) MIRL  
 RWY 173-353: H3515X150 (ASPH-PFC) AUW PCN 59 F/A/W/T

LAND AND HOLD SHORT OPERATIONS  
 LANDING HOLD SHORT POINT DIST AVBL  
 RWY 18 09-27 6500  
 RWY 36 09-27 5400

RUNWAY DECLARED DISTANCE INFORMATION  
 RWY 18: TORA-12004 TODA-12704 ASDA-11704 LDA-11504  
 RWY 36: TORA-12004 TODA-12004 ASDA-12004 LDA-11704

㉒ → ARRESTING GEAR/SYSTEM  
 RWY 18 → HOOK E5 (65' OVRN) BAK-14 BAK-12B (1650')  
 BAK-14 BAK-12 (B) (1087') HOOK E5 (74' OVRN) ← RWY 36

㉓ → MILITARY SERVICE: A-GEAR E-5 connected on dep end, disconnected on  
 apch end. JASU 3(AM32A-60) 2(A/M32A-86)

⑳ → FUEL J8(Mil) (NC-100, A) FLUID W SP PRESAIR LOX ← ㉔  
 OIL O-128 TRAN ALERT Avbl 1300-0200Z†, svc limited weekends.

㉑ → AIRPORT REMARKS: Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200-0300Z†. Parachute  
 Jumping. Deer invof arpt. Heavy jumbo jet training surface to 9000'. Twy A clsd indef. Flight Notification Service  
 (ADCUS) avbl.

㉒ → MILITARY REMARKS: ANG PPR/Official Business Only. Base OPS DSN 638-4390, C503-335-4222. Ctc Base OPS 15  
 minutes prior to ldg and after dep. Limited tran parking.

㉓ → WEATHER DATA SOURCES: AWOS-1 120.3 (202) 426-8000, LLWAS.

㉔ → COMMUNICATIONS: SFA ATIS 127.25 273.5 (202) 426-8003 UNICOM 122.95 PTD 372.2  
 NAME FSS (ORL) on arpt. 123.65 122.65 122.2  
 NAME RCO 112.2T 112.1R (NAME RADIO)

Ⓡ NAME APP/DEP CON 128.35 257.725 (1200-0400Z†)  
 TOWER 119.65 255.6 (1200-0400Z†) GND CON 121.7 GCO 135.075 (ORLANDO CLNC) CLNC DEL 125.55  
 NAME COMD POST (GERONIMO) 311.0 321.4 6761 PMSV METRO 239.8 NAME OPS 257.5

㉕ → AIRSPACE: CLASS B See VFR Terminal Area Chart.

㉖ → RADIO AIDS TO NAVIGATION: NOTAM FILE ORL. VHF/DF ctc FSS.  
 (H) VORTAC 112.2 MCO Chan 59 N28°32.55' W81°20.12' at fld. 1110/8E.  
 (H) TACAN Chan 29 CBU (109.2) N28°32.65' W81°21.12' at fld. 1115/8E.  
 HERNY NDB (LOM) 221 OR N28°37.40' W81°21.05' 177° 5.4 NM to fld.  
 ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.  
 ASR/PAR (1200-0400Z†)

㉗ → COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

HELIPAD H1: H100X75 (ASPH)


HELIPAD H2: H60X60 (ASPH)

HELIPORT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.

187 TPA 1000(813)

WATERWAY 15-33: 5000X425 (WATER)

SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of  
 arpt not visible from twr and are required to ctc twr.



All bearings and radials are magnetic unless otherwise specified.  
 All mileages are nautical unless otherwise noted.  
 All times are Coordinated Universal Time (UTC) except as noted.  
 All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.  
 The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes  
 is considered equivalent to World Geodetic System 1984 (WGS 84).

10

SKETCH LEGEND

RUNWAYS/LANDING AREAS

- Hard Surfaced . . . . .
- Metal Surface . . . . .
- Sod, Gravel, etc. . . . .
- Light Plane, . . . . .
- Ski Landing Area or Water Under Construction . . . . .
- Closed . . . . .
- Helicopter Landings Area . . . . .
- Displaced Threshold . . . . .
- Taxiway, Apron and Stopways . . . . .

MISCELLANEOUS BASE AND CULTURAL FEATURES

- Buildings . . . . .
- Power Lines . . . . .
- Fence . . . . .
- Towers . . . . .
- Tanks . . . . .
- Oil Well . . . . .
- Smoke Stack . . . . .
- Obstruction . . . . .
- Controlling Obstruction . . . . .
- Trees . . . . .
- Populated Places . . . . .
- Cuts and Fills . . . . .
- Cliffs and Depressions . . . . .
- Ditch . . . . .
- Hill . . . . .

RADIO AIDS TO NAVIGATION

- VORTAC . . . . .
- VOR . . . . .
- VOR/DME . . . . .
- NDB . . . . .
- TACAN . . . . .
- NDB/DME . . . . .

MISCELLANEOUS AERONAUTICAL FEATURES

- Airport Beacon . . . . .
- Wind Cone . . . . .
- Landing Tee . . . . .
- Tetrahedron . . . . .
- Control Tower . . . . .

APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g. (A1) Negative symbology, e.g., (A1) (V) indicates Pilot Controlled Lighting (PCL).

- Runway Centerline Lighting . . . . .
- (A) Approach Lighting System ALSF-2 . . . . .
- (A1) Approach Lighting System ALSF-1 . . . . .
- (A2) Short Approach Lighting System SALS/SALSF . . . . .
- (A3) Simplified Short Approach Lighting System (SSALR) with RAIL . . . . .
- (A4) Medium Intensity Approach Lighting System (MALS and MALSF)/(SSALS and SSALF) . . . . .
- (A5) Medium Intensity Approach Lighting System (MALS) and RAIL . . . . .
- (P) Omnidirectional Approach Lighting System (ODALS) . . . . .
- (D) Navy Parallel Row and Cross Bar . . . . .
- (F) Air Force Overrun . . . . .
- (V) Visual Approach Slope Indicator with Standard Threshold Clearance provided
- (V2) Pulsating Visual Approach Slope Indicator (PVASI)
- (V3) Visual Approach Slope Indicator with a threshold crossing height to accommodate long bodied or jumbo aircraft
- (V4) Tri-color Visual Approach Slope Indicator (TRCV)
- (V5) Approach Path Alignment Panel (APAP)
- (P) Precision Approach Path Indicator (PAPI)

## LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Nav aids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

### ① CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

### ② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

### ③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

### ④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	N	Navy
AF	US Air Force	NAF	Naval Air Facility
ANG	Air National Guard	NAS	Naval Air Station
AR	US Army Reserve	NASA	National Air and Space Administration
ARRG	US Army National Guard	P	US Civil Airport Wherein Permit Covers Use by Transient Military Aircraft
CG	US Coast Guard	PVT	Private Use Only (Closed to the Public)
CIV/MIL	Joint Use Civil/Military		
DND	Department of National Defense Canada		

### ⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

### ⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

**7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)**

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

**8 CHARTS**

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER. IFR Gulf of Mexico West and IFR Gulf of Mexico Central will be depicted as GOMW and GOMC.

**9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS**

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5-4-5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

**10 AIRPORT SKETCH**

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

**11 ELEVATION**

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

**12 ROTATING LIGHT BEACON**

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

**13 SERVICING—CIVIL**

- |  |  |
|--|--|
| S1: Minor airframe repairs.                      | S5: Major airframe repairs.                      |
| S2: Minor airframe and minor powerplant repairs. | S6: Minor airframe and major powerplant repairs. |
| S3: Major airframe and minor powerplant repairs. | S7: Major powerplant repairs.                    |
| S4: Major airframe and major powerplant repairs. | S8: Minor powerplant repairs.                    |

**14 FUEL**

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP** minus 50° C.
100	Grade 100 gasoline (Green)	J4 (JP4)	(JP-4 military specification) FP** minus 58° C.
100LL	100LL gasoline (low lead) (Blue)	J5 (JP5)	(JP-5 military specification) Kerosene with FS-11, FP** minus 46°C.
115	Grade 115 gasoline (115/145 military specification) (Purple)	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C.
A	Jet A, Kerosene, without FS-II*, FP** minus 40° C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C, with-fuel additive package that improves thermo stability characteristics of JP-8.
A+	Jet A, Kerosene, with FS-II*, FP** minus 40°C.	J	(Jet Fuel Type Unknown)
A1	Jet A-1, Kerosene, without FS-II*, FP** minus 47°C.	MOGAS	Automobile gasoline which is to be used as aircraft fuel.
A1+	Jet A-1, Kerosene with FS-II*, FP** minus 47° C.		
B	Jet B, Wide-cut, turbine fuel without FS-II*, FP** minus 50° C.		

\*(Fuel System Icing Inhibitor)

\*\* (Freeze Point)

**NOTE:** Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

**15 OXYGEN—CIVIL**

- |                    |  |
|--------------------|--|
| OX 1 High Pressure | OX 3 High Pressure—Replacement Bottles |
| OX 2 Low Pressure  | OX 4 Low Pressure—Replacement Bottles  |

**16 TRAFFIC PATTERN ALTITUDE**

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

**17 AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS**

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)	407-975-1740
Southeast Sector (Atlantic States—DC, WV, VA to FL)	407-975-1780
Central Sector (Interior of the US, including Gulf states—MS, AL, LA)	407-975-1760
Southwest East Sector (OK and eastern TX)	407-975-1840
Southwest West Sector (Western TX, NM and AZ)	407-975-1820
Pacific Sector (WA, OR, CA, HI and AK)	407-975-1800

**18 CERTIFICATED AIRPORT (14 CFR PART 139)**

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS  
AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

**14 CFR—PART 139 CERTIFICATED AIRPORTS**

## INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90'	≥ 1	500#DC or HALON 1211 or 450#DC + 100 gal H <sub>2</sub> O
B	1 or 2	≥90', <126' ----- ≥126', <159'	≥ 5 ----- <5	Index A + 1500 gal H <sub>2</sub> O
C	2 or 3	≥126', <159' ----- ≥159', <200'	≥ 5 ----- <5	Index A + 3000 gal H <sub>2</sub> O
D	3	≥159', <200' ----- >200'	<5	Index A + 4000 gal H <sub>2</sub> O
E	3	≥200'	≥ 5	Index A + 6000 gal H <sub>2</sub> O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H<sub>2</sub>O—Water; DC—Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

**19 NOTAM SERVICE**

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and



ATC Procedures for detailed description of NOTAM's. Current NOTAMS are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMS are available using the DoD Internet NOTAM Distribution System (DINS) [www.notams.jcs.mil](http://www.notams.jcs.mil).

**20 FAA INSPECTION**

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

**21 RUNWAY DATA**

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

**RUNWAY DESIGNATION**

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault strips are shown by magnetic bearing.

**RUNWAY DIMENSIONS**

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

**RUNWAY SURFACE AND LENGTH**

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

- |                                     |   |                                      |
|-------------------------------------|---|--------------------------------------|
| (AFSC)—Aggregate friction seal coat | (GRVL)—Gravel, or cinders                                 | (PSP)—Pierced steel plank            |
| (ASPH)—Asphalt                      | (MATS)—Pierced steel planking,<br>landing mats, membranes | (RFSC)—Rubberized friction seal coat |
| (CONC)—Concrete                     | (PEM)—Part concrete, part asphalt                         | (TURF)—Turf                          |
| (DIRT)—Dirt                         | (PFC)—Porous friction courses                             | (TRTD)—Treated                       |
| (GRVD)—Grooved                      |   | (WC)—Wire combed                     |

**RUNWAY WEIGHT BEARING CAPACITY**

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340-600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g., PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
  - R — Rigid
  - F — Flexible
- (3) The pavement subgrade category:
  - A — High
  - B — Medium
  - C — Low
  - D — Ultra-low
- (4) The maximum tire pressure authorized for the pavement:
  - W — High, no limit
  - X — Medium, limited to 217 psi
  - Y — Low, limited to 145 psi
  - Z — Very low, limited to 73 psi
- (5) Pavement evaluation method:
  - T — Technical evaluation
  - U — By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

#### RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL—Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN—Air Force Overrun 1000' Standard Approach Lighting System.

LDIN—Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF—Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE—OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.			
PNIL	APAP on left side of runway	PNIR	APAP on right side of runway
PAPI—Precision Approach Path Indicator			
P2L	2-identical light units placed on left side of runway	P4L	4-identical light units placed on left side of runway
P2R	2-identical light units placed on right side of runway	P4R	4-identical light units placed on right side of runway
PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.			
PSIL	PVASI on left side of runway	PSIR	PVASI on right side of runway
SAVASI—Simplified Abbreviated Visual Approach Slope Indicator			
S2L	2-box SAVASI on left side of runway	S2R	2-box SAVASI on right side of runway
TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.			
TRIL	TRCV on left side of runway	TRIR	TRCV on right side of runway
VASI—Visual Approach Slope Indicator			
V2L	2-box VASI on left side of runway	V6L	6-box VASI on left side of runway
V2R	2-box VASI on right side of runway	V6R	6-box VASI on right side of runway
V4L	4-box VASI on left side of runway	V12	12-box VASI on both sides of runway
V4R	4-box VASI on right side of runway	V16	16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

**22** ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

## BI-DIRECTIONAL CABLE (B)

<u>TYPE</u>	<u>DESCRIPTION</u>
BAK-9	Rotary friction brake.
BAK-12A	Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK-12B	Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)
H	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.)

## UNI-DIRECTIONAL CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>
MB60	Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5-1/E5-3	Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

## FOREIGN CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>US EQUIVALENT</u>
44B-3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E-5

## UNI-DIRECTIONAL BARRIER

<u>TYPE</u>	<u>DESCRIPTION</u>
MA-1A	Web barrier between stanchions attached to a chain energy absorber.
BAK-15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

## OTHER

<u>TYPE</u>	<u>DESCRIPTION</u>
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

**23** MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

**24** JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

## ELECTRICAL STARTING UNITS:

A/M32A-86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC-1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD-3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw

MD-4 AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire

AIR STARTING UNITS

AM32-95 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia  
 AM32A-95 150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)  
 LASS 150 +/- 5 lb/min @ 49 +/- 2 psia  
 MA-1A 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press  
 MC-1 15 cfm, 3500 psia  
 MC-1A 15 cfm, 3500 psia  
 MC-2A 15 cfm, 200 psia  
 MC-11 8,000 cu in cap, 4000 psig, 15 cfm

COMBINED AIR AND ELECTRICAL STARTING UNITS:

AGPU AC: 115/200v, 400 cycle, 3 phase, 30 kw gen  
 DC: 28v, 700 amp  
 AIR: 60 lb/min @ 40 psig @ sea level  
 AM32A-60\* AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia  
 AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva  
 DC: 28v, 500 amp, 15 kw  
 AM32A-60A AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia  
 AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire  
 DC: 28v, 200 amp, 5.6 kw  
 AM32A-60B\* AIR: 130 lb/min, 50 psia  
 AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire  
 DC: 28v, 200 amp, 5.6 kw

\*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.

USN JASU

ELECTRICAL STARTING UNITS:

NC-8A/A1 DC: 500 amp constant, 750 amp intermittent, 28v;  
 AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.  
 NC-10A/A1/B/C DC: 750 amp constant, 1000 amp intermittent, 28v;  
 AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AIR STARTING UNITS:

GTC-85/GTE-85 120 lbs/min @ 45 psi.  
 MSU-200NAV/A/U47A-5 204 lbs/min @ 56 psia.  
 WELLS AIR START SYSTEM 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.

COMBINED AIR AND ELECTRICAL STARTING UNITS:

NCP-105/RCPT 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.

JASU (ARMY)

59B2-1B 28v, 7.5 kw, 280 amp.

OTHER JASU

ELECTRICAL STARTING UNITS (DND):

CE12 AC 115/200v, 140 kva, 400 Hz, 3 phase  
 CE13 AC 115/200v, 60 kva, 400 Hz, 3 phase  
 CE14 AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp  
 CE15 DC 22-35v, 500 amp continuous 1100 amp intermittent  
 CE16 DC 22-35v, 500 amp continuous 1100 amp intermittent soft start

AIR STARTING UNITS (DND):

CA2 ASA 45.5 psig, 116.4 lb/min

COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

CEA1 AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp  
 AIR 112.5 lb/min, 47 psig

ELECTRICAL STARTING UNITS (OTHER)

C-26 28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire  
 C-26-B, C-26-C 28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire  
 E3 DC 28v/10kw

AIR STARTING UNITS (OTHER):

A4 40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)  
 MA-1 150 Air HP, 115 lb/min 50 psia  
 MA-2 250 Air HP, 150 lb/min 75 psia

CARTRIDGE:

MXU-4A USAF

**25 FUEL—MILITARY**

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at [www.desc.dla.mil/Static/ProductsAndServices.asp](http://www.desc.dla.mil/Static/ProductsAndServices.asp); click on the Commercial Airports button.

See legend item 14 for fuel code and description.

**26 SUPPORTING FLUIDS AND SYSTEMS—MILITARY****CODE**

ADI	Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De-Ice	Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).
<b>OXYGEN:</b>	
LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
OXRB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

**NITROGEN:**

LPNIT	Low pressure nitrogen servicing.
HPNIT	High pressure nitrogen servicing.
LHNIT	Low and high pressure nitrogen servicing.

**27 OIL—MILITARY**

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TYPE
0-113	1065, Reciprocating Engine Oil (MIL-L-6082)
0-117	1100, Reciprocating Engine Oil (MIL-L-6082)
0-117+	1100, 0-117 plus cyclohexanone (MIL-L-6082)
0-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
0-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
0-132	1005, Jet Engine Oil (MIL-L-6081)
0-133	1010, Jet Engine Oil (MIL-L-6081)
0-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
0-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
0-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
0-155	None, MIL-L-6086C, Aircraft, Medium Grade
0-156	None, MIL-L-23699 (Synthetic Base), Turbo prop and Turbo shaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

**28 TRANSIENT ALERT (TRAN ALERT)—MILITARY**

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

**29 AIRPORT REMARKS**

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

**30 MILITARY REMARKS**

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on board are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

**31 WEATHER DATA SOURCES**

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

## **32 COMMUNICATIONS**

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation. (See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies—Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remote facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

### **TERMINAL SERVICES**

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol **Ⓡ** indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the



VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol **(R)** indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900-0000Z+" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

### **(33) AIRSPACE**

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

**AIRSPACE: CLASS C** svc "times" ctc **APP CON** other times CLASS E:

or

**AIRSPACE: CLASS D** svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

**AIRSPACE: CLASS C** svc "times" ctc **APP CON** other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

**AIRSPACE: CLASS D** svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

**AIRSPACE: CLASS E** svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

**NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS.** Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

**NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.**


Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

**34 RADIO AIDS TO NAVIGATION**

The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Navigation Services Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDS.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information.

**HIWAS**—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETS and urgent PIREPs. HIWAS is presently broadcast over selected VOR's throughout the U.S.

**ASR/PAR**—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

**RADIO CLASS DESIGNATIONS**

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance (NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45,000' to 60,000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

**CONTINUED ON NEXT PAGE**

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB _____	Automatic Weather Broadcast.
DF _____	Direction Finding Service.
DME _____	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y) _____	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS _____	Glide slope.
H _____	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH _____	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB _____	Non-directional radio beacons providing automatic transcribed weather service.
ILS _____	Instrument Landing System (voice, where available, on localizer channel).
IM _____	Inner marker.
ISMLS _____	Interim Standard Microwave Landing System.
LDA _____	Localizer Directional Aid.
LMM _____	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM _____	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH _____	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS _____	Microwave Landing System.
MM _____	Middle marker.
OM _____	Outer marker.
S _____	Simultaneous range homing signal and/or voice.
SABH _____	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF _____	Simplified Direction Facility.
TACAN _____	UHF navigational facility-omnidirectional course and distance information.
VOR _____	VHF navigational facility-omnidirectional course only.
VOR/DME _____	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC _____	Collocated VOR and TACAN navigational facilities.
W _____	Without voice on radio facility frequency.
Z _____	VHF station location marker at a LF radio facility.

## ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

↖

ILS Facility Performance  
Classification Code

## FREQUENCY PAIRING PLAN AND MLS CHANNELING

MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

## FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	-	102X	115.50	-
37Y	110.05	580	70X	112.30	-	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	-	103Y	115.65	666
39X	110.20	-	71Y	112.45	-	104X	115.70	-
39Y	110.25	584	72X	112.50	-	104Y	115.75	668
40X	110.30	522	72Y	112.55	-	105X	115.80	-
40Y	110.35	586	73X	112.60	-	105Y	115.85	670
41X	110.40	-	73Y	112.65	-	106X	115.90	-
41Y	110.45	588	74X	112.70	-	106Y	115.95	672
42X	110.50	524	74Y	112.75	-	107X	116.00	-
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	-
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80	-	77Y	113.05	-	110X	116.30	-
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	-
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-
61X	133.40	-	93Y	114.65	646	126X	117.90	-
61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62X	133.50	-	94Y	114.75	648			
62Y	133.55	-	95X	114.80	-			

**35 COMM/NAV/WEATHER REMARKS:**

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

**ADA MUNI** (ADH) 2 N UTC-6(-5DT) N34°48.25' W96°40.27'  
 1016 B S4 FUEL 100LL, JET A TPA—1808(792) NOTAM FILE ADH  
 RWY 17-35: H6203X100 (ASPH) S-50, D-140, ST-175, DT-224 MIRL 0.6% up N

RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 44'. P-line.  
 RWY 35: REIL. PAPI(P4L)—GA 2.0° TCH 19'. Thld dsplcd 100'.  
 Trees.

RWY 13-31: H2100X50 (ASPH) S-50, D-171, ST-175, DT-280  
 0.8% up NW  
 RWY 31: Antenna.

**AIRPORT REMARKS:** Attended Mon-Sat 1400-0000Z†, Sun  
 1800-2300Z†. For fuel after hours call 580-235-5279. Twy A3  
 clsd indef. MIRL Rwy 17-35 preset low ints, to increase ints and  
 ACTIVATE REIL Rwy 35 and ODALS Rwy 17—CTAF. Landing fee for  
 acft weight 50,000 lbs or greater.

**WEATHER DATA SOURCES:** AWOS-3 118.725 (580) 332-6222.


**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.45 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 128.1

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADH.

(T) VOR/DME 117.8 ADH Chan 125 N34°48.15'  
 W96°40.21' at fld. 987/6E.  
 VOR/DME unusable 125°-145°.  
 VOR portion unusable 291°-324° byd 15 NM blo 5000', 325°-348°.



DALLAS-FT. WORTH  
 H-6H, L-17C  
 IAP

**ADDMO** N34°13.94' W96°55.99' NOTAM FILE ADM.  
 NDB (LOM) 400 AI 309° 6.1 NM to Ardmore Muni. Unmonitored when twr clsd.

DALLAS-FT WORTH

## AFTON

**CHEROKEE SPB** (406) 7 SW UTC-6(-5DT) N36°35.00' W94°55.01'

KANSAS CITY

739 TPA—1239(500) NOTAM FILE MLC

WATERWAY ALL WAY: 10000X800 (WATER)

WATERWAY NE-SW: 4000X200 (WATER)

SEAPLANE REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

**GRAND LAKE RGNL** (309) 9 SE UTC-6(-5DT) N36°34.66' W94°51.71'

KANSAS CITY

792 FUEL 100LL, JET A NOTAM FILE MLC

L-16F

RWY 17-35: H3925X60 (CONC) S-30, D-60, DT-80 MIRL

RWY 17: REIL. VASI(V2L)—GA 4.25° TCH 35'. Dsplcd thld 230'.  
 Trees.


RWY 35: VASI(V2L)—GA 3.75° TCH 29'. Dsplcd thld 230'.

**AIRPORT REMARKS:** Attended 1200-0300Z†. +130' twr 1,200' E of Rwy  
 17. Rwy 17 end is 30' higher than Rwy 35 end. Rwy 17-35 230'  
 safety zone on either end of rwy marked as dsplcd thld. Birds on  
 and in/ov arpt. VASI Rwy 17 OTS indef. VASI Rwy 35 OTS indef.  
 REIL Rwy 17 OTS indef. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17,  
 VASI Rwy 17 and Rwy 35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

**RADIO AIDS TO NAVIGATION:** NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55'  
 W94°26.14' 225° 26.0 NM to fld. 1200/7E.



**ALTUS AFB** (LTS)(KLTS) AF 3 E UTC-6(-5DT) N34°39.99' W99°16.09' **DALLAS-FT WORTH**  
 1382 B TPA—See Remarks NOTAM FILE LTS Not insp. **H-6H, L-17B**  
**RWY 17R-35L:** H13440X150 (CONC) PCN 50 R/C/W/T HIRL (NSTD) **DIAP, AD**  
**RWY 17R:** ALSF1. PAPI(P4L). **RWY 35L:** ALSF1. PAPI(P4L).  
**RWY 17L-35R:** H9001X150 (ASPH) PCN 69 R/B/W/T HIRL  
**RWY 17L:** ALSF1. PAPI(P4L). 0.3% down. **RWY 35R:** ALSF1. PAPI(P4L).  
**RWY 17A-35A:** H3501X94 (ASPH) PCN 59 F/A/W/T MIRL 0.4% up N  
**MILITARY SERVICE:** LGT: Rwy 35R and 35L SFL OTS indef. Reduced primary sfc obstruction lghts for Rwy 17L-35 during  
 night vision device ops.  
**JASU** (A/M32A-86) (AM32A-95) (MXU-4A-A) **FUEL J8 FLUID W SP PRESAIR LHOX LOX OIL O-133-148-156**  
**SOAP** (24 hr prior notice) **TRAN ALERT** Svc avbl Mon-Fri 1500-0001Z† cldd Sat, Sun and holidays. Tran  
 maintenance and parts support extremely limited. No maintenance avbl for magnetic chip indicator inspection on  
 F16 acft with GE F110 engines.  
**MILITARY REMARKS:** Opr Mon-Fri 1430-0830Z†, cldd weekends and holidays. Aflid Management Ops opr weekdays  
 1245-0830Z†, cldd weekends and federal holidays. See FLIP AP/1 Supplementary Arpt Info. **RSTD** PPR rqr 48 hr  
 prior notice rqr. Ctc Aflid Management Ops DSN 866-6200/6415, C 580-481-6200/6415. PPR valid +/- 30  
 min prior/after ETA. Early/late arrival/ departure must re-coordinate with aflid management ops. Transient  
 aircrews must contact aflid management ops for pattern work request. Limited to one apch Mon-Fri. Altus acft  
 take priority over tran acft. Rwy 17A-35A for assault strip training only. Transient acft ctc Current Ops for  
 scheduling/approval, DSN 866-6544. Due to unscheduled aflid closings, aircrews utilizing Altus AFB as an  
 alternate must advise their dep Aflid Management Ops or local FSS to include KLTSYXYX as an addressee on the  
 orig DD 175 Flight Plan and on any change, delay, dep and cancel message. All inbound passenger/cargo acft  
 ctc command post (Geronimo 349.4) no later than 30 min prior to ldg. All acft with haz cargo (including MJU7  
 and MJU10 flares) notify Aflid Management Ops (PTD 372.2) and Command Post no later than 30 min prior to  
 ldg. Minimum Communications Security aids and overnight storage avbl for transient aircrews only. Parking  
 spots 21-26 rstd to push back/taxi off. Acft on parking spot 41 taxiing toward taxilane A eastbound will begin  
 turn 80° past C17 nose gear box on spot 41. Acft will be marshaled by maintenance. Parking spot 47 rstd to  
 push back/taxi off only, engine runs cannot exceed minimum power. All eng runs must be coord thru aflid mgr  
 dur nml duty hr, after nml hr ctc Cmd Post. Eng runs not authorized in front of the asphalt vehicle access road to  
 the compass rose. Aircrews advised not to exceed min power to taxi off parking spots 1-8, no engine runs. All  
 Taxiway VFR holding positions correct, but do not coincide with rwy hold position signs. Movement area thru  
 wash rack cldd. All acft must use minimum taxi power on Twy C. **CAUTION** Heavy/jumbo jet training surface to  
 9000' within 25 NM radius. NSTD twy widths: Twy C, south of Twy G to Twy D 50'. Rwy 17L-35R NSTD assault  
 strip marked from thld to approximately 3500' each end. Exercise extreme caution for acft (1428') taxiing 350'  
 east of dep end Rwy 17A. Ngt Vision Devices trng Tue-Sat 0230-0630Z, tran acft will ctc Aflid Management Ops  
 (372.2) or Comd Post (Geronimo 349.4) 30 min prior to arrival. No twy edge lgt: on Twy H, Twy J, Twy M, from  
 midpoint of Twy D southside to Twy B turnoff on Twy C abeam closed Twy F westside, retro-reflective twy edge  
 stripes in place those locations. Altus AFB has the following NSTD markings: wingtip clnc lines in the Mass Acft  
 Park Area, driving lane lines located on Twy B and Twy A, and C17 star turn markings located on the North  
 Ramp, Twy J and Twy L/M ground ops area. **TFC PAT** TPA—East, overhead 3400(2018), rectangular 2900(1518),  
 helicopter 1900(518). West (fighter acft only) overhead Rwy 17R 3400(2018). **MISC** Twr visibility obstruction of  
 Rwy 35L apch end and Twy C, south of Twy E-1 intersection.  
**COMMUNICATIONS:** ATIS 109.8 273.5 PTD 372.2  
 (R) **APP CON** 125.1 257.725, other times ctc  
**FORT WORTH CENTER APP CON** 128.4 269.375 133.5 350.35  
**TOWER** 119.65 255.6 (Mon-Fri 1430-0830Z†) **GND CON** 121.85 275.8 **CLNC DEL** 120.65 284.7  
 (R) **DEP CON** 125.1 290.9, other times ctc  
**FORT WORTH CENTER DEP CON** 128.4 290.2 133.5 350.35  
**COMD POST** (Call GERONIMO) 311.0 321.0 349.4 6761 **SOF** 349.4 **PMSV METRO** 239.8. Opr weekdays 24 hrs.  
 Cldd weekends and holidays. Forecast svc avbl 1800Z† Mon-end of flying day Fri. Remote briefing svc avbl  
 Barksdale AFB. DSN 781-4775 C318-456-4775. AN/FMQ-19 in use and augmented as required. Auto obsn  
 when aflid closed.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.  
 (L) **VORTAC** 109.8 LTS Chan 35 N34°39.78' W99°16.27' at fld. 1370/8E. No NOTAM MP Mon, Wed  
 1100-1400Z†.  
**ILS** 110.55 I-RUK Rwy 17L. No NOTAM MP Tue-Thu 1100-1400Z†.  
**ILS** 110.55 I-FNM Rwy 35R. No NOTAM MP Tue-Thu 1100-1400Z†.  
**ASR/PAR** Radar see Terminal FLIP for Radar Minima.

**ALTUS/QUARTZ MOUNTAIN RGNL** (AXS) 3 N UTC-6(-5DT) N34°41.93' W99°20.31'

DALLAS-FT. WORTH

1433 B S4 FUEL 100LL, JET A TPA-2433(1000) NOTAM FILE AXS

H-6H, L-17B

RWY 17-35: H5501X75 (CONC) S-30, D-48, DT-90 MIRL 0.3% up N

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 50'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 50'.

**AIRPORT REMARKS:** Attended 1300-0300Z†. For svc after hrs call 580-471-0992. Do not mistake Altus AFB 4 miles southeast of arpt. 320' tower 2.6 miles south of arpt. Numerous agricultural acct ops invof arpt. Numerous heavy military jet acct ops invof arpt. Ultralight activity on and invof arpt. MIRL Rwy 17-35 preset med ints, to incr ints ACTIVATE—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.825 (580) 477-1745.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ APP/DEP CON 125.1 (Mon-Fri 1430-0830Z† except Federal hols)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z†, Sat-Sun and Federal hols 24 hrs)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE HBR.


HOBART (L) VORTAC 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 224° 16.9 NM to fld. 1472/10E.

(L) VORTAC 109.8 LTS Chan 35 N34°39.77'

W99°16.26' 295° 4.0 NM to fld. 1370/8E. NOTAM

FILE MLC.



**ALVA RGNL** (AVK) 2 S UTC-6(-5DT) N36°46.39' W98°40.20'

WICHITA

1474 B S2 FUEL 100LL, JET A NOTAM FILE AVK

L-15D

RWY 17-35: H4386X75 (ASPH) S-15 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 52'. Building.

RWY 35: PAPI(P2L) Thld dspcd 145'.

RWY 08-26: 1850X170 (TURF)

RWY 26: P-line.

**AIRPORT REMARKS:** Attended Oct-Mar 1400-2300Z†, Apr-Sep 1400-0000Z†. Fuel 24 hr automated credit card system. Rwy 08-26 CLOSED infed. PAEW adjacent Rwy 17-35. Rwy 08-26 gopher holes in rwy.

**WEATHER DATA SOURCES:** AWOS-3 121.125 (580) 327-6778.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ VANCE APP/DEP CON 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†,

(1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun

2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat

and Federal holidays. Other times by NOTAM.

Ⓡ KANSAS CITY CENTER APP/DEP CON 127.8. (1 Mar-31 Oct) Mon-Fri


0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†,

(1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun

2300-1900Z†, 24 hrs Sat and Federal holidays.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ICT.

ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54' W98°10.24' 219° 33.3 NM to fld. 1390/7E.





**ANADARKO MUNI** (F68) 2 SW UTC-6(-5DT) N35°03.13' W98°15.84'

DALLAS-FT. WORTH

1286 B FUEL 100LL NOTAM FILE MLC

L-17C


RWY 17-35: H3100X50 (ASPH) S-12.5 LIRL

**AIRPORT REMARKS:** Unattended. Fuel avbl by phone req 405-247-2481 between 1400-2300Z±. After hours call police 405-247-2411.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 234° 37.1 NM to fld. 1237/7E. **HIWAS.**



**ANTLERS MUNI** (8ØF) 1 SW UTC-6(-5DT) N34°11.56' W95°38.99'

DALLAS-FT. WORTH

575 B FUEL 100LL NOTAM FILE MLC

L-17D

RWY 17-35: H3299X60 (ASPH) S-12 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.

**AIRPORT REMARKS:** Unattended. Fuel avbl 24 hr with automated credit card system. Rwy has moderate to severe cracking. ACTIVATE MIRL Rwy 17-35—CTAF.


**COMMUNICATIONS:** CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 124.875

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 162° 39.9 NM to fld. 820/8E. **HIWAS.**

**NDB (MHW)** 391 AEE N34°11.51' W95°39.12' at fld.



**ARDMORE****ARDMORE DOWNTOWN EXECUTIVE**

(1F0) 1 SE UTC-6(-5DT) N34°08.82' W97°07.36'

DALLAS-WORTH

844 B FUEL 100LL, JET A TPA-1800(956) NOTAM FILE 1F0

H-6H, L-17C

RWY 17-35: H5000X75 (ASPH) S-20 MIRL

IAP

RWY 17: REIL. PAPI(P4L)—GA 4.0° TCH 30'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Sat 1400-2300, Sun 1800-2300Z†.

Fuel avbl 24 hrs with credit card. Ultralights on and invof arpt.

Rotating bcn OTS indef. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17

and Rwy 35—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.15 (580) 226-1536.**COMMUNICATIONS:** CTAF/UNICOM 122.7

® FORT WORTH CENTER APP/DEP CON 128.1


GCO 121.725 (FLIGHT SERVICES)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.

(H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 144° 4.5 NM to fld. 937/6E. Unusable

316°-326° blo 4,000'.

**ARDMORE MUNI** (ADM) 10 NE UTC-6(-5DT) N34°18.26' W97°01.24'

DALLAS-FT. WORTH

777 B S2 FUEL 100LL, JET A NOTAM FILE ADM

H-6H, L-17C

RWY 13-31: H9001X150 (CONC) S-24 HIRL

IAP, AD

RWY 13: PAPI(P4L). Gnd. 0.5% down SE

RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 52'. Trees. 0.6% up NW

RWY 17-35: H5350X100 (ASPH) S-36 MIRL 0.5% up N

RWY 17: Trees. RWY 35: Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1300-0500Z†, Sat-Sun

1300-2300Z†. Deer on and invof arpt. Twr 37' AGL 800' east of

Rwy 31. Rwy 13-31 open daylight only. HIRL OTS indef. ACTIVATE

HIRL Rwy 13-31, MIRL Rwy 17-35 and MALSR Rwy 31—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 (580) 389-5078. LAWRS.**COMMUNICATIONS:** CTAF 118.5 ATIS 125.6 UNICOM 122.95

RCO 122.55 (MCALESTER RADIO)

FORT WORTH CENTER APP/DEP CON 128.1

TOWER 118.5 (Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†)

GND CON 121.8

**AIRSPACE:** CLASS D svc Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†

other times CLASS G.


**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.

(H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 047° 9.2 NM to fld. 937/6E.

ADDMO NDB (LOM) 400 AI N34°13.94' W96°55.99' 309° 6.1 NM to fld. Unmonitored when twr clsd.

ILS 108.9 I-AIW Rwy 31. LOM ADDMO NDB. Unmonitored when twr clsd.

**ARROWHEAD** (See CANADIAN)**ATOKA MUNI** (AQR) 1 NW UTC-6(-5DT) N34°23.90' W96°08.88'

DALLAS-FT. WORTH

590 B FUEL 100LL NOTAM FILE AQR

L-17D

RWY 18-36: H3015X40 (ASPH) S-4 MIRL

RWY 18: Thld dsplcd 197'. Trees. RWY 36: Thld dsplcd 233'. Trees.

**AIRPORT REMARKS:** Unattended. Fuel avbl 24 hrs with automated credit card system.**WEATHER DATA SOURCES:** AWOS-3 121.125 (580) 889-6924.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 206° 32.5 NM to fld. 820/8E.

HIWAS.

**BARTLESVILLE MUNI** (BVO) 1 NW UTC-6(-5DT) N36°45.85' W96°00.67'

KANSAS CITY

711 B S2 FUEL 100LL, JET A TPA-1795(1084) NOTAM FILE BVO

H-6I, L-15E

RWY 17-35: H6200X100 (ASPH-CONC-GRVD) S-50, D-100, ST-127, DT-170 MIRL 0.4% up S IAP

RWY 17: MALSR. PAPI(P4L)-GA 3.0° TCH 53'. Rgt tfc.

RWY 35: REIL. PAPI(P4L)-GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended Oct-Mar 1300-0100Z†, Apr-Sep 1300-0300Z†. PAEW on Rwy 17 end. ACTIVATE MIRL Rwy 17-35, MALSR Rwy 17, REIL Rwy 35, PAPI Rwy 17 and Rwy 35-CTAF.

WEATHER DATA SOURCES: ASOS 132.675 (918)336-2070.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 123.6 (MC ALESTER RADIO)

Ⓡ KANSAS CITY CENTER APP/DEP CON 128.8

BARTLESVILLE ADVISORY 122.825 (1200-0000Z†)


AIRSPACE: CLASS E svc 1200-0000Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.

(L) VORW/DME 117.9 BVO Chan 126 N36°50.06' W96°01.10' 167° 4.2 NM to fld. 940/8E.

DEWIE NDB (LOM) 201 BV N36°50.37' W96°00.84' 171° 4.5 NM to fld.

ILS 111.3 I-BVO Rwy 17. LOM DEWIE NDB. LOC only. LOC unusable byd 20° right of course. LOC unmonitored.



**BEAVER MUNI** (K44) 1 SW UTC-6(-5DT) N36°47.93' W100°31.79'

WICHITA

2491 B NOTAM FILE MLC

RWY 17-35: H3030X43 (ASPH-GRVL) S-4

RWY 17: Tower. RWY 35: Road.

RWY 04-22: 3025X95 (TURF)

RWY 22: P-line.

AIRPORT REMARKS: Unattended. Rwy 17-35 CLOSED indef for reconstruction. Rwy 17-35 surface rough.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66' W100°58.27' 114° 25.8 NM to fld. 2981/11E.

HIWAS.

**BLACKWELL-TONKAWA MUNI** (BKN) 5 SW UTC-6(-5DT) N36°44.71' W97°20.98'

WICHITA

1030 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 17-35: H3501X60 (ASPH) S-30, D-48, DT-98 MIRL 0.6% up N IAP

RWY 17: VASI(V2L)-GA 3.0° TCH 26'.

RWY 35: VASI(V2L)-GA 3.0° TCH 26'.

AIRPORT REMARKS: Attended Sun-Fri 1400-0000Z†.


WEATHER DATA SOURCES: AWOS-3 120.575 (580) 363-0688.

COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79' W97°09.61' 264° 9.1 NM to fld. 1054/6E.



**BLAKI** N36°14.17' W97°05.24' NOTAM FILE SWO

WICHITA

NDB (LOM) 255 SW 174° 4.5 NM to Stillwater Rgnl.

**BOISE CITY** (17K) 3 N UTC-6(-5DT) N36°46.46' W102°30.63'

**WICHITA**

4178 B NOTAM FILE MLC

L-15B

RWY 04-22: H4210X60 (ASPH) S-4 MIRL

IAP

RWY 04: Trees.

Rwy 22: Road.


**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 04-22—CTAF.

**COMMUNICATIONS:** CTAF 122.9

Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85

**RADIO AIDS TO NAVIGATION:** NOTAM FILE DHT.

**DALHART (L) VORTACW** 112.0 DHT Chan 57 N36°05.49'  
W102°32.68' 350° 41.0 NM to fld. 4020/12E. HIWAS.



## BRISTOW

**JONES MEM** (3F7) 3 SW UTC-6(-5DT) N35°48.41' W96°25.31'

**DALLAS-FT. WORTH**

851 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3400X45 (ASPH) S-4 MIRL 1.4% up S

IAP

RWY 17: Trees. RWY 35: P-line.

**AIRPORT REMARKS:** Unattended. 24 hr automated fuel service system.

ACTIVATE MIRL Rwy 17-35—CTAF. NOTE: See Special Notices—


Aerobic Practice Area.

**COMMUNICATIONS:** CTAF 122.9

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.8

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'  
W95°47.29' 225° 38.7 NM to fld. 770/8E.



**BROKEN BOW** (90F) 2 SW UTC-6(-5DT) N34°00.84' W94°45.51'

MEMPHIS

404 B NOTAM FILE MLC

L-17D

RWY 17-35: H3200X50 (ASPH) S-17 MIRL

RWY 17: PAPI(P2L)—GA 2.0° TCH 26'. Trees.

RWY 35: PAPI(P2L)—GA 2.0° TCH 26'. Trees.


**AIRPORT REMARKS:** Unattended. High speed, low altitude military activity in vicinity of Broken Bow Lake. Ultralights on and invof arpt.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

**RICH MOUNTAIN (L) VORTACW** 113.5 PGO Chan 82 N34°40.83'

W94°36.54' 187° 40.6 NM to fld. 2700/4E.



**BUFFALO MUNI** (BFK) 2 N UTC-6(-5DT) N36°51.80' W99°37.12'

WICHITA

1822 B NOTAM FILE MLC

L-15C

RWY 17-35: H4000X60 (ASPH) S-4 MIRL 0.7% up N

IAP

RWY 17: Road. RWY 35: Trees.

**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.

**COMMUNICATIONS:** CTAF 122.9

Ⓡ KANSAS CITY CENTER APP/DEP CON 126.95


**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.

**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 012° 33.6 NM to fld. 2430/10E. HIWAS.

**NDB (MHW)** 215 BFK N36°51.85' W99°37.21' at fld.

NOTAM FILE MLC.




**BURNEYVILLE****FALCONHEAD** (37K) 2 NW UTC-6(-5DT) N33°55.56' W97°17.78'

DALLAS-FT. WORTH

690 NOTAM FILE MLC

L-17C

**RWY 18-36:** H4400X75 (ASPH)**RWY 18:** Trees. **RWY 36:** Trees.**AIRPORT REMARKS:** Unattended. Rwy 18-36 asph has weak spots in base; severe raveling and potholes.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.**ARDMORE (H) VORTACW** 116.7 ADM Chan 114 N34°12.70' W97°10.09' 195° 18.3 NM to fld. 937/6E.**BURNS FLAT** N35°14.22' W99°12.37' NOTAM FILE CSM.

DALLAS-FT. WORTH

(L) **VORTACW** 110.0 BFV Chan 37 355° 6.2 NM to Clinton-Sherman. 1780/08E.


L-15C

**BUZZARD'S ROOST** (See INOLA)**CANADIAN****ARROWHEAD** (91F) 3 E UTC-6(-5DT) N35°09.38' W95°37.28'

DALLAS-FT. WORTH

851 B NOTAM FILE MLC

L-17D

**RWY 15-33:** H3500X60 (ASPH) S-19**RWY 15:** Trees.**RWY 33:** Thld dspcd 125'. P-line.**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Deer on and invof of rwy. Rotating bcn OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 015° 20.0 NM to fld. 820/8E. **HIWAS.**

**CARNEGIE MUNI** (86F) 2 NE UTC-6(-5DT) N35°07.42' W98°34.51'

DALLAS-FT. WORTH  
L-15D


1354 NOTAM FILE MLC  
RWY 17-35: H3000X50 (ASPH) S-11 LIRL  
RWY 35: P-line.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'  
W99°03.80' 047° 28.6 NM to fld. 1472/10E.



**CATOOSA**

**MOLLY'S LANDING HELIPORT** (034) 2NE UTC-6(-5DT) N36°12.44' W95° 43.55'

KANSAS CITY

575 NOTAM FILE MLC

HELIPAD H1: 45X40 (TURF) PERIMETER LGTS.

HELIPAD REMARKS: Unattended. Helipad H1 +40' trees on north and east sides, +42' wires along highway, +4' rock fence along entrance on west side of helipad and +35' trees invof helipad. Helipad H1 ingress/egress routes are limited to south of helipad. Heliport for use by small helicopters only. Numerous trees invof helipad.

COMMUNICATIONS: CTAF 122.9

**PORT OF CATOOSA HELIPORT** (064) 3 N UTC-6(-5DT) N36°13.89' W95° 44.35'

KANSAS CITY

601 NOTAM FILE MLC

HELIPAD H1: H50X50 (CONC)

HELIPORT REMARKS: Attended irregularly. Helipad H1 perimeter lgts. Helipad H1 ingress/egress 030°-210°.

COMMUNICATIONS: CTAF 122.9

**CHANDLER RGNL** (CQB) 3 NE UTC-6(-5DT) N35°43.43' W96°49.22'

DALLAS-FT. WORTH  
L-15E  
IAP

984 B NOTAM FILE CQB

RWY 17-35: H4000X60 (ASPH) S-12.5 MIRL 0.6% up N

RWY 17: PAPI(P2L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P2L)—GA 2.5° TCH 30'. Trees.

AIRPORT REMARKS: Unattended.

WEATHER DATA SOURCES: AWOS-3 119.275 (405) 258-6724.

COMMUNICATIONS: CTAF 122.9


Ⓡ KANSAS CITY CENTER APP/DEP CON 128.3

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 053° 44.4 NM to fld. 1230/7E. HIWAS.

TILGHMAN NDB (MHW) 396 CQB N35°43.34' W96°49.12'  
at fld. NOTAM FILE CQB.



**CHATTANOOGA SKY HARBOR** (92F) 3 SW UTC-6(-5DT) N34°22.12' W98°40.92'

DALLAS-FT. WORTH


1135 B NOTAM FILE MLC

RWY 17-35: H3400X60 (ASPH) S-7 MIRL

RWY 17: Road. RWY 35: Road.

**AIRPORT REMARKS:** Attended irregularly. Ultralights on and invof arpt.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'  
W98°35.61' 339° 23.3 NM to fld. 1100/10E.

L-17B

**CHEROKEE MUNI** (405) 3 N UTC-6(-5DT) N36°47.28' W98°21.51'

WICHITA

1177 B NOTAM FILE MLC

RWY 17-35: H3570X50 (ASPH) S-4 MIRL

RWY 17: APAP(PNIL)—GA 4.0° TCH 9'. Fence.


RWY 35: Thld dspicd 180'. P-line.

**AIRPORT REMARKS:** Unattended. Rwy 17 APAP OTS indef. ACTIVATE

MIRL Rwy 17-35—CTAF.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ICT.ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54'  
W98°10.24' 195° 24.0 NM to fld. 1390/7E.

L-15D

**CHEROKEE SPB** (See AFTON)



**CHEYENNE****MIGNON LAIRD MUNI** (93F) 2 W UTC-6(-5DT) N35°36.19' W99°42.18'

DALLAS-FT. WORTH

2084 B NOTAM FILE MLC

L-15C

RWY 18-36: H4036X60 (ASPH) S-4 MIRL

RWY 18: Tree.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 338° 15.8 NM to fld. 1990/10E.

**CHICKASHA MUNI** (CHK) 3 NW UTC-6(-5DT) N35°05.84' W97°58.06'

DALLAS-FT. WORTH

1152 B S4 FUEL 100LL, JET A TPA-1952(800) NOTAM FILE CHK

H-6H, L-17C

RWY 17-35: H5101X100 (CONC) S-40, D-52 MIRL 0.4% up N

IAP

RWY 17: PAPI(P4L)-GA 3.0° TCH 44'.

RWY 35: PAPI(P4L)-GA 3.0° TCH 44'. Trees.

RWY 18-36: 2840X145 (TURF)

RWY 18: Fence. RWY 36: Building.

RWY 02-20: 2525X100 (TURF)

RWY 20: Trees.

AIRPORT REMARKS: Attended 1400-2300Z. Fuel avbl 24 hrs self serve with credit card. PAPI Rwy 17 OTS indef. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (405) 574-1016.


COMMUNICATIONS: CTAF/UNICOM 123.0

OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 221° 23.6 NM to fld. 1230/7E. HIWAS.

**CHRISTMAN AIRFIELD** (See OKEENE)**CITY OF COALGATE** (See COALGATE)

**CLAREMORE****CLAREMORE RGNL** (GCM) 7E UTC-6(-5DT) N36°17.56' W95°28.78'

733 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE GCM

RWY 17-35: H5200X75 (ASPH-PFC) S-30, D-58.5, DT-119.5

MIRL 0.7% up S

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Hill.

**AIRPORT REMARKS:** Attended 1430-2300Z†. 24 hr automatic fuel svc system. Rwy 35 thld displcd 250' indef. ACTIVATE MIRL Rwy 17-35—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.925 (918) 343-0184.**COMMUNICATIONS:** CTAF/UNICOM 122.7

TULSA APP/DEP CON 119.1

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 061° 16.0 NM to fld. 770/8E.

KANSAS CITY

H-6I, L-15E

IAP

**SAM RIGGS AIRPARK** (K11) 7 S UTC-6(-5DT) N36°13.09' W95°39.11'

KANSAS CITY

580 NOTAM FILE MLC

RWY 04-22: 2760X35 (TURF)

RWY 04: Trees. Rgt tfc.

RWY 22: Trees.

RWY 18-36: 1550X110 (TURF)

RWY 18: Tree.

RWY 36: Trees.

**AIRPORT REMARKS:** Unattended. Parachute Jumping. Rwy 04-22 CLOSED indef. Rwy 04-22 covered in tall grass and weeds. Surface rough.**COMMUNICATIONS:** CTAF 122.9**CLARENCE E PAGE MUNI** (See OKLAHOMA CITY)**CLEVELAND MUNI** (95F) 2 S UTC-6(-5DT) N36°17.03' W96°27.80'

KANSAS CITY

912 B S2 NOTAM FILE MLC

RWY 18-36: H4000X60 (ASPH) S-4 MIRL

RWY 18: VASI(V2L)—GA 2.75°. Trees.


RWY 36: VASI(V2L)—GA 2.75°. Trees.

**AIRPORT REMARKS:** Attended irregularly. Golfers on and invof arpt. PAEW adjacent Rwy 18-36. Rotating bcn OTS indef. Rwy 18 VASI OTS indef. Rwy 36 VASI OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 271° 33.2 NM to fld. 770/8E.

L-15E



**CLINTON****CLINTON RGNL** (CLK) 3 NE UTC-6(-5DT) N35°32.30' W98°55.97'

DALLAS-FT. WORTH

1616 B FUEL 100LL NOTAM FILE CLK

L-15C

RWY 17-35: H4306X75 (ASPH) S-7 MIRL 0.3% up N

IAP

RWY 17: Tree.

RWY 35: VASI(V4L)—GA 3.0° TCH 24'.

RWY 13-31: 1348X245 (TURF)


**AIRPORT REMARKS:** Attended 1400-2300Z†. Rwy 13-31 rough. MIRL Rwy 17-35 and taxiway lgts preset med ints, to increase ints and ACTIVATE VASI Rwy 35—CTAF. Rwy 13-31 boundaries marked by orange barrels.

**WEATHER DATA SOURCES:** AWOS-3 119.225 (580) 323-8477.**COMMUNICATIONS:** CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 128.4

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.

**BURNS FLAT (L) VORTACW** 110.0 BFV Chan 37 N35°14.22' W99°12.37' 029° 22.5 NM to fld. 1780/8E.

**CLINTON-SHERMAN** (CSM) 15 SW UTC-6(-5DT) N35°20.39' W99°12.03'

DALLAS-FT. WORTH

1922 B FUEL 100LL, JET A TPA-2699(777) NOTAM FILE CSM

H-6H, L-15C

RWY 17R-35L: H13503X150 (CONC) S-50, D-200, ST-175, DT-390 HIRL (NSTD)

IAP, AD

RWY 17R: Rgt tfc. RWY 35L: VASI(V4L)—GA 3.0° TCH 52'.

RWY 17L-35R: H5193X75 (CONC) S-50, D-200, ST-175, DT-390

RWY 17L: Antenna. RWY 35R: Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Fri 1500-0600Z†, except holidays. For arpt attendant after hours call 580-562-4713. Rwy 17L-35R is laid out on parallel twy to Rwy 17R-35L. Rwy 17L-35R VFR dalgt use only. Military jet training, heavy jets surface to 5000' within 25 NM radius. Extensive student pilot training from surface to 5000' within 10 NM radius between 1500-1800Z†. Military jet ngt vision training, etc twr 10 minutes prior to ldg after SS to adjust fld lighting. VFR acft advised to ctc twr 15 NM out for sequencing. Rwy 17R-35L NSTD HIRL. Rwy lgts located 75' off each side of rwy. Rotating bcn OTS indef. ACTIVATE HIRL Rwy 17R-35L, taxiway lgts and windsock—119.6.

**WEATHER DATA SOURCES:** ASOS 135.225 (580) 562-4811. LAWRS.**COMMUNICATIONS:** CTAF 119.6 UNICOM 122.95


FORT WORTH CENTER APP/DEP CON 128.4.

TOWER 119.6 (Mon-Fri 1500-0600Z† except Federal holidays.)

GND CON 121.7

**AIRSPACE:** CLASS D svc (Mon-Fri 1500-0600Z† except Federal holidays.) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.**BURNS FLAT (L) VORTACW** 110.0 BFV Chan 37 N35°14.22' W99°12.37' 355° 6.2 NM to fld. 1780/8E.**FOSSI NDB (MHW/LOM)** 393 BZ N35°27.04' W99°12.09' 172° 6.6 NM to fld. Unmonitored when twr clsd.

ILS 109.5 I-BZF Rwy 17R. LOM FOSSI NDB. Unmonitored when twr clsd.

**COALGATE****CITY OF COALGATE** (Ø8F) 1 W UTC-6(-5DT) N34°31.91' W96°13.98'

DALLAS-FT. WORTH

615 NOTAM FILE MLC

RWY 17-35: 2584X80 (TURF)

RWY 17: Thld dspld 250'. Road. RWY 35: Thld dspld 275'. Fence.

**AIRPORT REMARKS:** Unattended. Rwy 17 thld dspld dalgt ops only. Rwy 35 thld dspld dalgt ops only. Rwy 17-35 thlds marked by flush mounted conc slabs painted white. Two 185' water towers 1320' from Rwy 17 end and 350' left of centerline.

**COMMUNICATIONS:** CTAF 122.9

**COOKSON****TENKILLER LAKE AIRPARK** (44M) 1 SW UTC-6(-5DT) N35°42.30' W94°56.16'

MEMPHIS

877 B FUEL 100LL NOTAM FILE MLC

RWY 05-23: 2600X75 (TURF) LIRL

RWY 05: VASI(V2L)—GA 3.0°TCH 31'. RWY 23: VASI(V2L)—GA 3.5°TCH 33'. Trees.

**AIRPORT REMARKS:** Attended continuously. For fuel call 918-457-5444. Deer on and invof rwy. Rwy 05-23 CLOSED to acft over 6,000 lbs. VASI Rwy 05 OTS indef. VASI Rwy 23 OTS indef. ACTIVATE LIRL Rwy 05-23—CTAF. NOTE:

See Special Notices—Aerobic Practice Area.

**COMMUNICATIONS:** CTAF/UNICOM 122.8**CORDELL MUNI** (F36) 1 E UTC-6(-5DT) N35°17.85' W98°58.05'

DALLAS-FT. WORTH


1589 B NOTAM FILE MLC

RWY 17-35: H3650X60 (ASPH) S-12.6 MIRL

RWY 17: PVASI(PSIL). RWY 35: Road.

RWY 04-22: 2000X100 (TURF)

RWY 04: P-line. RWY 22: Ground.

**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z. For attendant after hrs call 580-832-3046. Ultralights on and invof arpt. PVASI Rwy 17 OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.**BURNS FLAT (L) VORTACW** 110.0 BFV Chan 37 N35°14.22' W99°12.37' 065° 12.3 NM to fld. 1780/8E.**CRAZY HORSE MUNI** (See DAVIS)**CUSHING MUNI** (CUH) 2 S UTC-6(-5DT) N35°57.00' W96°46.38'

DALLAS-FT. WORTH

916 B FUEL 100LL, JET A NOTAM FILE CUH

RWY 18-36: H5201X100 (CONC-GRVD) S-30 PCN 4 R/B/X/T MIRL 0.7% up N

RWY 18: PAPI(P4L). Trees. RWY 36: PAPI(P4L). Trees.

RWY 08-26: 2700X55 (TURF)

RWY 08: Trees.

RWY 02-20: 2860X80 (TURF)

RWY 02: Trees. RWY 20: Pole.

RWY 11-29: 2500X75 (TURF)

RWY 11: Trees. RWY 29: Tree.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 18: TORA-5201 TODA-5201 ASDA-4986 LDA-4986

RWY 36: TORA-5201 TODA-5201 ASDA-5201 LDA-4986


**AIRPORT REMARKS:** Attended 1400-2300Z. Arpt unattended Christmas, New Years and Thanksgiving. Fuel avbl 24 hr with automated credit card system. Parachute Jumping. Rwy 02-20, Rwy 08-26 and Rwy 11-29 soft when wet. Rwy 02-20, Rwy 08-26 and Rwy 11-29 CLOSED to acft over 5,000 lbs. MIRL Rwy 18-36 preset medium ints, to increase ints ACTIVATE—CTAF. PAPI Rwy 18 and Rwy 36 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.25.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® KANSAS CITY CENTER APP/DEP CON 128.3

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 245° 50.1 NM to fld. 770/8E.

NDB (MHW) 242 CUH N35°53.40' W96°46.52' 357° 3.6 NM to fld. NOTAM FILE CUH. Unmonitored.

**DAVID JAY PERRY** (See GOLDSBY)

**DAVIS****CRAZY HORSE MUNI** (97F) 3 NE UTC-6(-5DT) N34°32.79' W97°06.50'

DALLAS-FT. WORTH

940 NOTAM FILE MLC

RWY 17-35: H2600X34 (ASPH)

RWY 17: Road. RWY 35: Road.

AIRPORT REMARKS: Unattended. Rwy 17-35 has moderate to severe cracking and severe grass encroachment.

COMMUNICATIONS: CTAF 122.9

**DAVIS FLD** (See MUSKOGEE)**DECKER FLD** (See MENO)**DEWIE** N36°50.37' W96°00.84' NOTAM FILE BVO.

KANSAS CITY

NDB (LOM) 201 BV 171° 4.6 NM to Bartlesville Muni.

**DOBIE'S** (See INOLA)**DUNCAN****HALLIBURTON FLD** (DUC) 2 S UTC-6(-5DT) N34°28.28' W97°57.59'

DALLAS-FT. WORTH

1114 B S4 FUEL 100LL, JET A NOTAM FILE DUC

H-6H, L-17C

RWY 17-35: H6326X100 (CONC) S-44, D-56, DDT-101 MIRL 0.4% up N

IAP

RWY 17: REIL VASI(V4L)—GA 3.0° TCH 43'. Trees.

RWY 35: REIL. VASI(V4L)—GA 3.0° TCH 44'.

AIRPORT REMARKS: Attended 1300-0000Z†. REIL Rwy 17 OTS indef.

VASI Rwy 35 OTS indef. Rwy 17 VASI unusable byd 5° right of centerline. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35 and VASI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (580) 252-4547.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT SILL APP/DEP CON 118.6 CLNC DEL 118.4


RADIO AIDS TO NAVIGATION: NOTAM FILE DUC.

DUNCAN (L) VORW/DME 111.0 DUC Chan 47 N34°23.07'

W97°55.01' 329° 5.6 NM to fld. 1090/9E.

ILS 111.5 I-DUC Rwy 35. LOC only. LOC unmonitored

Mon-Fri 0500-1300Z†, Sat-Sun unmonitored.

**DUNCAN** N34°23.07' W97°55.01' NOTAM FILE DUC.

DALLAS-FT. WORTH

(L) VORW/DME 111.0 DUC Chan 47 329° 5.6 NM to Halliburton Fld. 1090/9E.

H-6H, L-17C

VOR/DME unusable:

030°-044° byd 10 NM blo 9000'

030°-044° byd 35 NM

044°-076° byd 10 NM

076°-086° byd 10 NM blo 9000'

086°-188° byd 10 NM

188°-204° byd 10 NM blo 9000'

188°-204° byd 32 NM

204°-316° byd 10 NM

316°-336° byd 10 NM blo 7600'

316°-336° byd 25 NM

336°-030° byd 10 NM

**DURANT****EAKER FLD** (DUA) 3 SW UTC-6(-5DT) N33°56.54' W96°23.67'


699 B S4 FUEL 100LL, JET A TPA—See remarks. NOTAM FILE DUA

**RWY 17-35:** H5001X100 (ASP) S-35, D-50 MIRL (NSTD)**RWY 17:** REIL. PAPI(P4L)—GA 3.0° TCH 49'. Trees.**RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 48'. Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z†, Sat-Sun 1500-2300Z†. 100LL avbl 24 hrs with automated credit card system. For fuel after hrs call 580-230-1188. PAEW adjacent Rwy 17-35. Large flocks of birds invof arpt. 372' tower 2.5 miles north of arpt. Extensive student training invof arpt and over Lake Texoma. Rwy 17 REIL OTS indef. PAPI Rwy 35 OTS indef. Rwy 17-35 NSTD MIRL. MIRL located 37' from rwy edges. TPA for light aircraft 1701(1002) and for large aircraft 2201(1502). ACTIVATE MIRL Rwy 17-35—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 124.175 (580) 931-3790.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **FORT WORTH CENTER APP/DEP CON** 124.75**RADIO AIDS TO NAVIGATION:** NOTAM FILE DUA.

**TEXOMA (L) VORW/DME** 114.3 URH Chan 90 N33°56.65' W96°23.51' at fld. 681/5E.

**DALLAS-FT. WORTH****H-6H, L-17C****IAP****EAKER FLD** (See DURANT)**ELK CITY RGNL BUSINESS** (ELK) 1 NE UTC-6(-5DT) N35°25.85' W99°23.66'


2013 B S4 FUEL 100LL, JET A TPA—3013(1000) NOTAM FILE MLC

**RWY 17-35:** H5399X75 (CONC) S-30 MIRL 0.5% up N**RWY 17:** REIL. PAPI(P2L)—GA 3.0° TCH 19'.**RWY 35:** PAPI(P2L)—GA 3.5° TCH 19'. Pole.

**AIRPORT REMARKS:** Attended Mon-Sat 1430-2330Z†, Sun 1600-2300Z†. Ultralight activity on and invof of airport. Ditch located off the NW side of parallel twy. Arpt bcn OTS indef. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 17—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

**WEATHER DATA SOURCES:** AWOS-3 118.225 (580) 303-9147.**COMMUNICATIONS:** CTAF/UNICOM 122.8**FORT WORTH CENTER APP/DEP CON** 128.4.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

**SAYRE (L) VORTAC** 115.2 SYO Chan 99 N35°20.71' W99°38.12' 057° 12.9 NM to fld. 1990/10E.

**DALLAS-FT. WORTH****H-6H, L-15C****IAP**

**EL RENO****EL RENO** (99F) 2 SW UTC-6(-5DT) N35°31.00' W97°58.77'


1395 NOTAM FILE MLC

RWY 17-35: 2600X100 (TURF)

RWY 17: Trees. Rgt tfc. RWY 35: Pole.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. E/W Twy marked with orange 'L' shaped markers, do not land on twy.**COMMUNICATIONS:** CTAF 122.9

DALLAS-FT. WORTH

**EL RENO RGNL** (RQO) 4 SW UTC-6(-5DT) N35°28.36' W98°00.35'

1420 B S4 FUEL 100LL, JET A TPA-2220(800) NOTAM FILE RQO

RWY 17-35: H5600X75 (CONC-GRVD) S-12 MIRL

RWY 17: REIL. PAPI(P4L)—GA 2.0° TCH 34'. P-line.

RWY 35: REIL. PAPI(P4L)—GA 2.0° TCH 34'. Road. Rgt tfc.

RWY 18-36: 4630X190 (TURF)

RWY 18: Road. Rgt tfc. RWY 36: P-line.

**AIRPORT REMARKS:** Attended 1400-0000Z±. 24 hr. automated credit card system. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.475 (405) 262-0087.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ OKE CITY APP/DEP CON 124.6

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 282° 20.6 NM to fld. 1230/7E. HIWAS.

NDB (MHW) 335 RQO N35°28.72' W98°00.54' at fld. NOTAM FILE MLC.

DALLAS-FT. WORTH

H-6H, L-15D

IAP

**ENID WOODRING RGNL** (WDG) 4 SE UTC-6(-5DT) N36°22.70' W97°47.34'  
 1167 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE WDG  
 RWY 17-35: H6249X100 (CONC-GRVD) S-50, D-88, ST-111, DT-140 PCN 5 R/A/X/T

WICHITA  
 H-6H, L-15D  
 IAP, AD

MIRL 0.3% up N  
 RWY 17: REIL. Thld dsplcd 611'. Road.  
 RWY 35: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Rgt tfc.  
 RWY 13-31: H3149X108 (ASPH) S-42, D-55, DT-80  
 PCN 2 F/O/Z/T MIRL  
 RWY 12: Thld dsplcd 112'. Pole. RWY 30: Fence. Rgt tfc.  
**AIRPORT REMARKS:** Attended 1200-0330Z+. Fuel avbl 24 hrs with automated credit card system. TPA—2000(833) light aircraft, 2500(1333) heavy aircraft 3000(1833) jet aircraft. Military jet training dalgt 3 nautical mile radius. Rwy 13-31 has severe cracking, raveling and deterioration. PCL OTS indef. Rwy 35 MALSR OTS indef. Rwy 17 REIL OTS indef. ACTIVATE MALSR Rwy 35—CTAF. When twr clsd ACTIVATE MIRL Rwy 17-35—CTAF.  
**WEATHER DATA SOURCES:** AWOS-3 120.625 (580) 237-1475. LAWRS.

**COMMUNICATIONS:** CTAF 118.9 UNICOM 122.95

WOODRING RCO 122.6 (MC ALESTER RADIO)

Ⓡ VANCE APP/DEP CON 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z+, (1 Nov-28 Feb) Mon-Fri 1300-0100Z+, (1 Mar-31 Oct) Sun 2100-0100Z+, (1 Nov-28 Feb) Sun 1900-2300Z+, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z+, (1 Nov-28 Feb) Mon-Fri 0100-1300Z+, (1 Mar-31 Oct) Sun 0100-2100Z+, (1 Nov-28 Feb) Sun 2300-1900Z+, 24 hrs Sat and Federal holidays.

WOODRING TOWER 118.9 (1230-0300Z+). GND CON 121.925


AIRSPACE: CLASS D svc 1230-0300Z+, other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE WDG.

WOODRING (T) VORW/DME 109.0 ODG Chan 27 N36°22.43' W97°47.29' at fld. 1149/8E.

GARFY NDB (LOM) 341 EI N36°16.50' W97°47.45' 353° 6.2 NM to fld. Unmonitored when twr closed.

ILS 108.3 I-EIU Rwy 35. LOM GARFY NDB. ILS unmonitored when tower closed.



## ERICK

**HADDOCK FLD** (O13) 1 SW UTC-6(-5DT) N35°12.05' W99°53.86'

DALLAS-FT. WORTH

2097 NOTAM FILE MLC

RWY 17-35: H2650X35 (ASPH) S-4

**AIRPORT REMARKS:** Unattended. Rwy surface eroding and rough.

**COMMUNICATIONS:** CTAF 122.9

## EUFAULA

**EUFAULA MUNI** (F08) 2 W UTC-6(-5DT) N35°17.76' W95°37.52'

DALLAS-FT. WORTH

635 B NOTAM FILE MLC

RWY 17-35: H3000X60 (ASPH) S-4 MIRL


RWY 17: Trees. RWY 35: Trees.

**AIRPORT REMARKS:** Unattended. Ultralghts on and infov arpt. Rotating bcn OTS indef. Rwy 17-35 has loose aggregate, heavy grass encroachment, and severe spalling. MIRL Rwy 17-35 preset low ints, to incr ints, ACTIVATE—CTAF.

**COMMUNICATIONS:** CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 008° 27.8 NM to fld. 820/8E. HIWAS.






**FOUNTAINHEAD LODGE AIRPARK** (ØF7) 6 N UTC-6(-5DT) N35°23.32' W95°36.02'

DALLAS-FT. WORTH  
L-15E


670 B NOTAM FILE MLC  
**RWY 18-36:** H3000X50 (ASPH) S-8 MIRL  
**RWY 18:** Trees. **RWY 36:** Trees.  
**AIRPORT REMARKS:** Unattended. Deer on and invof rwy. Rotating bcn  
 OTS indef. ACTIVATE MIRL Rwy 18-36—122.8.  
**COMMUNICATIONS:** CTAF 122.9  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.  
**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97'  
 W95°46.94' 007° 33.5 NM to fld. 820/8E. **HIWAS.**



**FAIRVIEW MUNI** (6K4) 1 N UTC-6(-5DT) N36°17.41' W98°28.55'

WICHITA  
L-15D  
IAP

1272 B S2 **FUEL** 100LL NOTAM FILE MLC  
**RWY 17-35:** H3620X60 (ASPH) S-4 MIRL  
**RWY 35:** Trees.  
**AIRPORT REMARKS:** Attended Mon-Sat dalgt hrs.  
**COMMUNICATIONS:** CTAF/UNICOM 122.8  
 Ⓡ **VANCE APP/DEP CON** 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z‡,  
 (1 Nov-28 Feb) Mon-Fri 1300-0100Z‡, (1 Mar-31 Oct) Sun  
 2100-0100Z‡, (1 Nov-28 Feb) Sun 1900-2300Z‡, clsd Sat  
 and Federal holidays. Other times by NOTAM.  
 Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (1 Mar-31 Oct) Mon-Fri  
 0200-1300Z‡, (1 Nov-28 Feb) Mon-Fri 0100-1300Z‡,  
 (1 Mar-31 Oct) Sun 0100-2100Z‡, (1 Nov-28 Feb) Sun  
 2300-1900Z‡, 24 hrs Sat and Federal holidays.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.  
**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32'  
 W98°00.24' 313° 37.0 NM to fld. 1110/9E.



**FALCONHEAD** (See BURNEYVILLE)

**FORT SILL** (See HENRY POST AAF)

**FOSSI** N35°27.04' W99°12.09' NOTAM FILE CSM.  
**NDB (MHW/LOM)** 393 BZ 172° 6.6 NM to Clinton-Sherman.  
 Unmonitored when Clinton-Sherman tower clsd.

DALLAS-FT. WORTH  
L-15C

**FOUNTAINHEAD LODGE AIRPARK** (See EUFAULA)

**FREDERICK RGNL** (FDR) 3 SE UTC-6(-5DT) N34°21.13' W98°59.03'

DALLAS-FT. WORTH

1258 B FUEL 100LL, JET A NOTAM FILE FDR

H-6H, L-17B

**RWY 17-35:** H6099X150 (ASPH) S-35, D-50, DT-100 MIRL 0.3% up N

IAP

**RWY 17:** PAPI(P4L). TCH 40'. Road. **RWY 35:** PAPI(P4L). TCH 40'.**RWY 03-21:** H4812X60 (CONC) S-30 0.4% up NE**RWY 21:** Road.**RWY 12-30:** H4578X75 (CONC) S-30**RWY 30:** Road.**RWY 17L-35R:** H3180X50 (CONC) 0.6% up N**RWY 17L:** Tower.**AIRPORT REMARKS:** Attended Mon-Sat 1400-2300Z†, Sun 1900-2300Z†. For fuel after hrs call 580-335-1948. Rwy

17L-35R CLOSED indef. Rwy 12-30 marked to 75' wide, pavement 150' wide. Rwy 12-30 moderate cracking

and deterioration. Rwy 03-21 marked to 60' wide, pavement 150' wide. Rwy 03-21 moderate cracking and

deterioration. Arprt used as Sheppard AFB auxiliary: military tfc dalgt Mon-Fri. Ctc UNICOM for advisory. Military

tfc will use rgt 360° overhead apchs to Rwy 17. ACTIVATE MIRL Rwy 17-35—CTAF.

**WEATHER DATA SOURCES:** ASOS 132.675 (580) 335-7591.**COMMUNICATIONS:** CTAF/UNICOM 123.05Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)**FORT WORTH CENTER APP/DEP CON** 128.4 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal hols 24 hrs)**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.**WICHITA FALLS (H) VORTACW** 112.7 SPS Chan 74 N33°59.24' W98°35.61' 308° 29.2 NM to fld. 1100/10E.**FREEDOM MUNI** (K77) 1 SE UTC-6(-5DT) N36°45.51' W99°06.12'

WICHITA


1517 NOTAM FILE MLC

L-15C

**RWY 12-30:** H3000X35 (ASPH)**RWY 12:** Trees. **RWY 30:** Trees.**AIRPORT REMARKS:** Unattended. Rwy 12-30 edges/thlds unstable. First

300' of Rwy 30 end covered in grass. Broken asph chunks, rocks,

and tall grass on entire surface.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 046° 45.1 NM to fld. 2430/10E. **HIWAS.****GAGE** (GAG) 2 SW UTC-6(-5DT) N36°17.73' W99°46.59'

WICHITA

2223 B NOTAM FILE GAG

H-6H, L-15C

**RWY 17-35:** H5415X100 (ASPH-PFC) S-4 LIRL (NSTD)**AIRPORT REMARKS:** Unattended. Arprt CLOSED to jet acft over 12,500

lbs. Ultralight activity on and invof arprt. Rwy 17-35, Severe block


and alligator cracking with potholes and severe grass

encroachment. Rwy 17-35 NSTD LIRL, lgts +30' from edge of rwy.

ACTIVATE NSTD LIRL Rwy 17-35—123.0.

**WEATHER DATA SOURCES:** ASOS 128.625 (580) 923-7581. **HIWAS** 115.6

GAG.

**COMMUNICATIONS:** CTAF 122.9**RCO** 122.55 (MC ALESTER RADIO)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**(H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 110° 5.8 NM to fld. 2430/10E. **HIWAS.**

**GALLY** N35°17.70' W97°35.32' NOTAM FILE OKC.  
 NDB (LOM) 350 RG 347° 5.9 NM to Will Rogers World.

DALLAS—FT WORTH

**GARFY** N36°16.50' W97°47.45' NOTAM FILE WDG.  
 NDB (LOM) 341 EI 353° 6.2 NM to Enid Woodring Rgnl. Unmonitored when twr closed.

WICHITA

**GLENPOOL** N35°55.25' W95°58.12' NOTAM FILE RVS.  
 (T) VORW/DME 110.6 GNP Chan 43 348° 7.2 NM to Richard Lloyd Jones Jr. 810/6E.

DALLAS—FT. WORTH  
 L-15E

**GOLDSBY**

**DAVID JAY PERRY** (1K4) 1 NE UTC-6(-5DT) N35°09.30' W97°28.22'

DALLAS—FT. WORTH

1168 B S2 FUEL 100LL NOTAM FILE MLC  
 RWY 13-31: H3006X60 (CONC-GRVD) S-30 MIRL 0.4% up NW  
 RWY 13: Trees. RWY 31: Trees.  
 RWY 17-35: H1803X60 (ASPH) S-4 0.4% up N  
 RWY 17: Trees. RWY 35: Trees.

L-15D  
 IAP


**AIRPORT REMARKS:** Attended Tue-Sun 1400-2200Z±. 24 hour automated fuel servicing system. Coyotes on and in/ov rwy. Ultralight activity on and in/ov arpt. Intensive student training dalgt hrs.

**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ OKE CITY APP/DEP CON 120.45

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 144° 14 NM to fld. 1230/7E. HIWAS.



**GRANDFIELD MUNI** (101) 3 W UTC-6(-5DT) N34°14.26' W98°44.52'

DALLAS—FT. WORTH

1128 B S4 FUEL 100LL NOTAM FILE MLC  
 RWY 17-35: H3100X75 (ASPH) S-11 MIRL  
 RWY 17: Fence. RWY 35: Fence.  
 RWY 08-26: H1540X75 (ASPH)  
 RWY 08: Fence. RWY 26: Fence.


L-17B

**AIRPORT REMARKS:** Unattended. Parachute Jumping. For fuel call 580-479-5215 Mon-Fri 1400-2230Z±, 580-479-5274 nights and weekends. Tower 1073' AGL 12,000' south southeast of arpt. Tower 1059' AGL 8,500' southeast of arpt. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef. ACTIVATE MIRL RWY 17-35—CTAF.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.

**WICHITA FALLS (H) VORTACW** 112.7 SPS Chan 74 N33°59.24' W98°35.61' 324° 16.7 NM to fld. 1100/10E.



**GRAND LAKE RGNL** (See AFTON)

**GROVE MUNI** (GMJ) 2 NE UTC-6(-5DT) N36°36.41' W94°44.31'

**KANSAS CITY**

831 B S4 FUEL 100LL, JET A NOTAM FILE GMJ

H-6I, L-16F

RWY 18-36: H5200X75 (ASPH) S-30 MIRL

IAP

RWY 18: PAPI(P4L)—GA 2.75° TCH 26'. Trees.

RWY 36: PAPI(P4L)—GA 2.75° TCH 28'. Trees.


**AIRPORT REMARKS:** Attended 1400-2300Z†. Arpt unattended Thanksgiving, Christmas and New Years. Rwy 18 PAPI OTS indef.  
**WEATHER DATA SOURCES:** AWOS-3 119.025 (918) 786-8350. Dewpoint unreliable.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.8

**RADIO AIDS TO NAVIGATION:** NOTAM FILE COU.

**NEOSHO (H) VOR/DME** 117.3 E05 Chan 120 N36°50.55'  
W94°26.14' 219° 20.3 NM to fld. 1200/7E.



**GUNDYS** (See OWASSO)

**GUTHRIE-EDMUND RGNL** (GOK) 2 S UTC-6(-5DT) N35°51.08' W97°24.97'

**DALLAS-FT. WORTH**

1069 B S4 FUEL 100LL, JET A TPA-1895(826) NOTAM FILE GOK

H-6H, L-15D

RWY 16-34: H5001X75 (CONC) S-30, D-48, DT-78 MIRL

IAP

RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Dsplcd thld 200'.

**AIRPORT REMARKS:** Attended 1200-0000Z†. Ultralight activity on and in/ov arpt. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.


**WEATHER DATA SOURCES:** ASOS 133.975 (405) 282-0478.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **OKC CITY APP/DEP CON** 124.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC

**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32'  
W98°00.24' 075° 28.8 NM to fld. 1110/9E.



**GUYMON MUNI** (GUY) 2 W UTC-6(-5DT) N36°41.11' W101°30.47'  
 3123 B S4 FUEL 100LL, JET A TPA-4123(1000) NOTAM FILE GUY  
**RWY 18-36:** H5900X100 (ASPH) S-10 MIRL  
**RWY 18:** VASI(V4L)-GA 3.0° TCH 25'. Rgt tfc.  
**RWY 36:** PAPI(P4L)-GA 3.0° TCH 35'. Road.  
**RWY 06-24:** 1795X200 (TURF)

WICHITA

H-66, L-15B  
IAP

**AIRPORT REMARKS:** Attended Mon-Fri 1300-0030Z†, Sat 1300-0000Z†, Sun 1400-2300Z†. For attendant after hours call 580-338-0481/7700. Ultralights on and invof arpt. Numerous waterfowl invof arpt SR and SS. No tkof on Rwy 06. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE-CTAF.

**WEATHER DATA SOURCES:** ASOS 119.925 (580) 468-1476.


**COMMUNICATIONS:** CTAF/UNICOM 122.7

**KANSAS CITY CENTER APP/DEP CON** 134.0

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LBL.

**LIBERAL (H) VORTACW** 112.3 LBL Chan 70 N37°02.66' W100°58.27' 219° 33.6 NM to fld. 2891/11E. **HIWAS.**

**NDB (MHW)** 275 GUY N36°42.32' W101°30.31' 175° 1.3 NM to fld. NOTAM FILE GUY.



**HADDOCK FLD** (See ERICK)

**HALLIBURTON FLD** (See DUNCAN)

**HARVEY YOUNG** (See TULSA)

**HASKELL** (2K9) 1 NE UTC-6(-5DT) N35°49.97' W95°40.04'  
 588 FUEL 100LL NOTAM FILE MLC  
**RWY 17-35:** H3710X30 (ASPH)

DALLAS-FT. WORTH  
L-15E

**RWY 17:** Trees.


**AIRPORT REMARKS:** Attended irregularly. Dalgst ops only. Ultralight activity on and invof arpt. Rwy 17 and Rwy 35 ultralights use rgt tfc. Rwy 17 and Rwy 35 small numbers, centerline missing.

**NOTE:** See Special Notices-Model Aircraft Activity.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78' W95°47.29' 157° 22.6 NM to fld. 770/8E.



**HATBOX FLD** (See MUSKOGEE)

**HEALDTON MUNI** (F32) 2 NE UTC-6(-5DT) N34°14.96' W97°28.43'

DALLAS-FT. WORTH

956 NOTAM FILE MLC

RWY 17-35: H3000X50 (TURF) S-12.5

RWY 17: Tree. RWY 35: Tree.

**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Turf twy and parking apron muddy when wet.


**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 273° 15.4 NM to fld. 937/6E.

L-17C



**HEFNER-EASLEY** (See WAGONER)

**HENRYETTA MUNI** (F10) 3 SW UTC-6(-5DT) N35°24.41' W96°00.95'

DALLAS-FT. WORTH

849 B FUEL 100LL NOTAM FILE MLC

RWY 18-36: H3501X50 (ASPH) S-12 MIRC 0.5% up S

RWY 18: PVASI(P SIL)—GA 3.1° TCH 32'. Trees.

RWY 36: Trees.

**AIRPORT REMARKS:** Attended Tue-Sun 1400-2300Z±. Arpt unattended Thanksgiving and Christmas day. Rwy 18 PVASI OTS indef.

ACTIVATE MIRC Rwy 18-36—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'


W95°46.94' 333° 35.3 NM to fld. 820/8E. HIWAS.

NDB (MHW) 267 HET N35°24.27' W96°00.83' at fld.

Unmonitored.

L-6H, 15E

IAP



---

**HENRY POST AAF** (FORT SILL) (FSI)(KFSI) A 1 SE UTC-6(-5DT) N34°38.99' W98°24.13' DALLAS-FT. WORTH  
 1189 B TPA—See Remarks NOTAM FILE FSI Not insp. H-6H, L-17C  
 RWY 17-35: H5001X200 (CONC) PCN 61 R/B/W/T HIRL DIAP  
 RWY 17: PVAIS(P5IL)—GA 3.0° TCH 42'. RWY 35: SALS.  
**MILITARY SERVICE: LGT** ACTIVATE PVAIS Rwy 17—124.95. Apch and rwy lgt opr on req to twr or app con. FUEL J8.  
 Refuel svc avbl 24 hr, ctc Base OPS DSN 639-5808/6160 or C580-442-5808/6160. Other times  
 C580-695-1403. 45 min delay without prior notice. OIL 0-156 TRAN ALERT Limited tran svc during normal  
 Base OPS hr, hangar, towing and tie down equipment avbl for acft under 18,000 lbs.  
**MILITARY REMARKS: RSTD** 24 hr PPR all full stop acft. DSN 639-5808/6160 or C580-442-5808/6160. TFC PAT  
 TPA—rotary wing 1898(709), fixed wing 2698(1509). CAUTION Diagonal Twy C lgts OTS between rwy and parallel  
 twys. MISC Base OPS opr Mon-Fri except holidays 1300-0400Z‡, DSN 639-5808/6160,  
 C580-442-5808/6160. Wx DSN 639-4000/4887, C580-442-4000/4887. Weather forecast avbl Mon-Fri  
 1200-0600Z‡ except holidays. Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781-4775,  
 C318-456-4775, Toll Free 1-866-223-2398, HTTPS://260WS.Barksdale.AF.MIL/. Wx obsn automated  
 continuously. Wx obsn avbl 1300-0400Z‡ Mon-Fri except holidays. Wx obsn augmented/edited or manual (as  
 required) during hrs Wx observer avail. Wx obsn visibility ltd to 0.25 NM N and NE when wx obsn manual. KFSI  
 AUTO Wx Obsn (voice message) 24 hrs DSN 639-7021, C580-442-7021.  
**COMMUNICATIONS: ATIS** 135.425 354.025 PTD 123.05 376.7  
 (R) **FORT SILL APP/DEP CON** 120.55 322.4 (S Sector) 127.3 307.275 (N Sector) 118.6 290.375 (Duncan Sector VFR flt  
 following avbl)  
**POST TOWER** 124.95 229.4 (Mon-Fri 1300-0400Z‡, except holidays) **POST GND CON/CLNC DEL** 121.7 279.575  
**PMSV METRO** 306.5 (Svc avbl Mon-Fri 1200-0400Z‡, except holidays)  
**AIRSPACE: CLASS D** svc Mon-Fri 1300-0400Z‡, except holidays other times CLASS E.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAW.  
**LAWTON (L) VORW/DME** 109.4 LAW Chan 31 N34°29.77' W98°24.79' 354° 9.2 NM to fld. 1104/9E.  
**POST NDB (MHW)** 425 PFL N34°36.53' W98°24.23' 354° 2.5 NM to fld. NOTAM FILE MLC.  
**TRAIL NDB (MHW)** 388 OFZ N34°46.88' W98°24.14' 171° 7.9 NM to fld. NOTAM FILE MLC.  
 ASP/PAR  
**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.

---

**HINTON MUNI** (208) 2 NE UTC-6(-5DT) N35°30.43' W98°20.54' DALLAS-FT. WORTH  
 1587 B FUEL 100LL NOTAM FILE MLC L-150  
 RWY 17-35: H4000X60 (ASPH) MIRL IAP  
 RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. RWY 35: PAPI(P2L)—GA 3.0° TCH 40'.  
**AIRPORT REMARKS:** Attended May-Sep 1400-2300Z‡, Oct-Apr 1500-0000Z‡. Fuel avbl 24 hrs with automated credit  
 card system. Parachute Jumping. Parachute jumping and glider activity on and invof arpt. Rwy 17 and Rwy 35  
 PAPI OTS indef.  
**COMMUNICATIONS: CTAF/UNICOM** 123.05  
**FORT WORTH CENTER APP/DEP CON** 128.4  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.  
**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 284° 37.0 NM to fld.  
 1230/7E. HIWAS.

---

**HOBART RGNL** (HBR) 3 SE UTC-6(-5DT) N34°59.48' W99°03.08'

DALLAS-FT. WORTH

1563 B S4 FUEL 100LL, JET A+ NOTAM FILE HBR

H-6H, L-17B

RWY 17-35: H5507X100 (ASPH) S-20 MIRL 0.4% up S

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 35'. Road.

RWY 35: PAPI(P4L)—GA 3.0° TCH 42'.

RWY 03-21: H5297X150 (ASPH) S-9.4 0.4% up SW

RWY 12-30: H5295X150 (ASPH) S-9.4

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z†. Jet A+ fuel avbl 24 hr self svc with major credit card. For arpt attendant after hrs call 580-471-0964. Fuel avbl 24 hr self service with major credit card. Rwy 03-21 CLOSED indef. Rwy 12-30 CLOSED indef. Rwy 03-21 and Rwy 12-30 rough due to severe cracking and grass encroachment on sfc. ACTIVATE MIRL Rwy 17-35—CTAF.

**WEATHER DATA SOURCES:** ASOS 133.325 (580) 726-6651.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.2 (MCALESTER RADIO)


Ⓡ ALTUS APP/DEP CON 125.1 (Mon-Fri 1430-0830Z† except Federal holidays)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal holidays 24 hrs)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE HBR.

(L) VORTACW 111.8 HBR Chan 55 N34°51.99' W99°03.80' 355° 7.5 NM to fld. 1472/10E.

VOR portion unusable 080°-120° byd 30 NM blo 4,000'. DME unusable 080°-090° byd 25 NM blo 4,500', 100°-112° byd 25 NM blo 4,500', 240°-270° byd 25 NM blo 4,500'.



**HOLDENVILLE MUNI** (F99) 1 NW UTC-6(-5DT) N35°05.15' W96°25.00'

DALLAS-FT. WORTH

861 B NOTAM FILE MLC

L-17D

RWY 17-35: H3251X100 (CONC) S-30, D-42 MIRL

IAP

RWY 17: Trees. RWY 35: P-line.

**AIRPORT REMARKS:** Attended 1400-2300Z†. Ultralights on and invof arpt. 125' AGL silo, .3 NM west Rwy 35 thld. Rwy 17-35 surface severe cracking, spalling and deterioration.


**COMMUNICATIONS:** CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 287° 34.3 NM to fld. 820/8E. HIWAS.

NDB (MHW) 411 HDL N35°05.12' W96°24.82' at fld. Unmonitored.





**HOLLIS MUNI** (O35) 2 N UTC-6(-5DT) N34°42.50' W99°54.52'

DALLAS-FT. WORTH

1658 B FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H3000X60 (ASPH) S-4 MIRL


RWY 17: Road.

**AIRPORT REMARKS:** Attended 1400-2300Z. For fuel call Police

580-688-9216. ACTIVATE MIRL Rwy 17-35-122.8.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CDS.**CHILDRESS (L) VORTAC** 117.6 CDS Chan 123 N34°22.14'

W100°17.34' 033° 27.7 NM to fld. 1920/10E. HIWAS.

**HOMESTEAD FARMS** (See POND CREEK)**HOMINY MUNI** (H92) 2 N UTC-6(-5DT) N36°26.57' W96°23.23'

KANSAS CITY

825 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3210X60 (ASPH) S-8 MIRL

RWY 17: Thld dsplcd 180'. Trees.


RWY 35: Thld dsplcd 180'. Trees.

**AIRPORT REMARKS:** Unattended. Ultralight activity on and invof arpt.

Rotating bcn OTS indef.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.**BARTLESVILLE (L) VOR/DME** 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 209° 29.5 NM to fld. 940/8E.



**HOOKER MUNI** (O45) 0 W UTC-6(-5DT) N36°51.43' W101°13.63'

WICHITA

2998 B TPA-4000(1002) NOTAM FILE MLC

L-15B

RWY 17-35: H3312X60 (ASPH) MIRL

RWY 17: Road. Rgt tfc.

RWY 35: Pole.


**AIRPORT REMARKS:** Unattended. Twr 336' AGL 2160' northeast.

ACTIVATE MIRL Rwy 17-35-CTAF.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GCK.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66'

W100°58.27' 217° 16.7 NM to fld. 2891/11E. HIWAS.

**HUGO** N34°02.38' W95°32.36' NOTAM FILE MLC

MEMPHIS

NDB (MHW) 323 HHW at Stan Stamper Muni.

L-17D

**HUGO****STAN STAMPER MUNI** (HHW) 2 NW UTC-6(-5DT) N34°02.09' W95°32.51'

DALLAS-FT. WORTH

572 B FUEL 100LL, JET A NOTAM FILE MLC

L-17D

RWY 17-35: H4007X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. MIRL Rwy 17-35 preset low ints to increase ints ACTIVATE-CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.025 (580) 326-2134).**COMMUNICATIONS:** CTAF/UNICOM 122.8


FORT WORTH CENTER APP/DEP CON 124.875

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 158° 50.2 NM to fld. 820/8E. HIWAS.

HUGO NDB (MHW) 323 HHW N34°02.38' W95°32.36' at fld.

**IDABEL****MCCURTAIN CO RGNL** (404) 2 NW UTC-6(-5DT) N33°54.56' W94°51.56'

MEMPHIS

472 B FUEL 100LL, JET A NOTAM FILE 404

H-6I, L-17D

RWY 02-20: H5000X75 (ASPH) S-30 MIRL

IAP

RWY 02: REIL. PAPI(P4L)-GA 3.0° TCH 40'. RWY 20: REIL. PAPI(P4L)-GA 3.0° TCH 41'. Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Fri 1500-2200Z±. Fuel avbl 24 hrs self service with major credit card. Rotating bcn OTS indef. Rwy 02 and Rwy 20 west side REIL lgts OTS indef. ACTIVATE MIRL Rwy 02-20 REIL and PAPI Rwy 02 and Rwy 20-CTAF.**WEATHER DATA SOURCES:** AWOS-3 120.0 (580) 286-2217.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 123.925

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TXK.

TEXARKANA (H) VORTACW 116.3 TXK Chan 110 N33°30.83' W94°04.39' 294° 45.9 NM to fld. 270/7E.

**INOLA****BUZZARD'S ROOST** (018) 4 E UTC-6(-5DT) N36°08.64' W95°25.06'

KANSAS CITY

661 NOTAM FILE MLC

RWY 17-35: 2555X80 (TURF)

RWY 17: Road. Rgt tfc.

RWY 35: Fence. Rgt tfc.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

**DOBIE'S** (ØK6) 5 NW UTC-6(-5DT) N36°09.59' W95°34.81'

KANSAS CITY

610 NOTAM FILE MLC

RWY 17-35: 1575X150 (TURF)

RWY 17: Trees.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended irregularly.

COMMUNICATIONS: CTAF/UNICOM 122.9

**JONES MEM** (See BRISTOW)**KETCHUM****SOUTH GRAND LAKE RGNL** (1K8) 1 NE UTC-6(-5DT) N36°32.50' W95°01.26'

KANSAS CITY

775 FUEL 100LL, JET A NOTAM FILE MLC

L-15E

RWY 18-36: H4744X60 (ASPH) S-30, D-60

RWY 18: Trees

RWY 36: Thld dsplcd 437'. Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card. Parachute Jumping. NOTE: See Special Notices—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEDSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55' W94°26.14' 231° 33.5 NM to fld.1200/7E.

**KINGFISHER** (F92) 1 NW UTC-6(-5DT) N35°52.51' W97°57.15'

DALLAS-FT. WORTH

1067 FUEL 100LL NOTAM FILE MLC

RWY 17-35: 2580X375 (TURF) PCN 4 F/D/Z/U

RWY 17: Fence.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Automated credit card fuel system. Rwy 17-35 centerline marked by amber strobe lgt on Rwy 17 end and red strobe lgt on Rwy 35 end.

COMMUNICATIONS: CTAF 122.9

**KINGFISHER** N35°48.32' W98°00.24' NOTAM FILE MLC

DALLAS-FT. WORTH

(H) VORTACW 114.7 IFI Chan 94 271° 20.6 NM to Watonga Rgnl. 1110/9E.

H-6H, L-15D

**KINGSTON****LAKE TEXOMA STATE PARK** (F31) 4 E UTC-6(-5DT) N33°59.46' W96°38.56'

DALLAS-FT. WORTH

693 B NOTAM FILE MLC

L-17C

RWY 18-36: H3000X50 (ASPH) S-4 MIRL

RWY 18: Trees.

RWY 36: Trees.


AIRPORT REMARKS: Unattended. Rwy 18-36 severe cracking and raveling. Exercise CAUTION—for deer on runway. Rotating bcn OTS indef. MIRL Rwy 18-36 preset low ints, to increase ints  
ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 111° 29.3 NM to fld. 937/6E.

**LAKE MURRAY STATE PARK** (See OVERBROOK)**LAKE TEXOMA STATE PARK** (See KINGSTON)

**LAVERNE MUNI** (051) 3 NW UTC-6(-5DT) N36°44.67' W99°54.52'

WICHITA

2112 NOTAM FILE MLC

**RWY 17-35:** H3950X50 (ASPH) S-4 LIRL (NSTD)

**RWY 17:** Thld dspcd 144'. **RWY 35:** Thld dspcd 353'. P-line.

**AIRPORT REMARKS:** Unattended. Rwy 17-35 NSTD LIRL. Thld lgts all green lenses, NSTD location.


**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.

**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 347° 24.1 NM to fld. 2430/10E. **HIWAS.**

L-15C



**LAWTON-FORT SILL RGNL** (LAW) 2 S UTC-6(-5DT) N34°34.06' W98°25.00'

DALLAS-FT. WORTH

1110 B S4 FUEL 100LL, JET A1+ OX 1, 2 Class I, ARFF Index A NOTAM FILE LAW

H-6H, L-17C

**RWY 17-35:** H8599X150 (CONC-WC) S-45, D-179, ST-175, DT-344 HIRL

IAP, AD

**RWY 17:** REIL. VASI(V4L)—GA 3.0° TCH 46'. Pole. 0.3% down.

**RWY 35:** MALSR. 0.6% up.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 17:** TORA-8599 TODA-8599 ASDA-8599 LDA-8599

**RWY 35:** TORA-8599 TODA-8599 ASDA-8599 LDA-8599

**AIRPORT REMARKS:** Attended Mon-Fri 1130-0200Z† Sat-Sun

1130-0100Z†. Birds on and in/ov arpt. When twr clsd ARFF avbl through Fort Sill apch control. PPR for unscheduled Part 121 act ops with over 30 passenger seats, ctc arpt manager 580-353-4869. When twr clsd HIRL Rwy 17-35 preset med ints, to increase ints and ACTIVATE MALSR Rwy 35—CTAF.

**WEATHER DATA SOURCES:** ASOS (580) 581-1351.

**COMMUNICATIONS:** CTAF 119.9 ATIS 120.75 UNICOM 122.95

Ⓡ **FORT SILL APP/DEP CON** 120.55

**TOWER** 119.9 (1400-0100Z†) **GND CON** 121.9

**AIRSPACE:** CLASS D svc 1400-0100Z† other times CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAW.


(L) **VORW/DME** 109.4 LAW Chan 31 N34°29.77'

W98°24.79' 349° 4.3 NM to fld. 1104/9E.

**ILS** 109.1 I-LAW Rwy 35. Class IB. Unmonitored when twr clsd. GS unusable for coupled apchs blo 2000' MSL.

**ASR**

**COMM/NAV/WEATHER REMARKS:** When twr clsd weather avbl through Fort Sill apch control.



## LEXINGTON

**Mc CASLIN** (044) 4 N UTC-6(-5DT) N35°05.54' W97°20.19'

DALLAS-FT. WORTH

1135 NOTAM FILE MLC

**RWY 17-35:** 2135X80 (TURF)

**RWY 17:** P-line. **RWY 35:** Tree.

**AIRPORT REMARKS:** Unattended. Rwy 17-35 marked by white cones on east side only. Rwy 17 and Rwy 35 ends marked by white cones.

**COMMUNICATIONS:** CTAF 122.9

**LINDSAY MUNI** (1K2) 2 NE UTC-6(-5DT) N34°50.97' W97°35.12'

DALLAS-FT. WORTH

968 B NOTAM FILE MLC

L-17C

**RWY 01-19:** H3010X60 (ASPH) S-4 MIRL


**RWY 01:** Fence. **RWY 19:** Trees.

**AIRPORT REMARKS:** Unattended. Arpt CLOSED SS-SR. Rwy 01-19 surface deteriorating. MIRL Rwy 01-19 Preset low ints, to increase ints ACTIVATE—CTAF. 660' AGL antenna 3.2 miles north.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 171° 30.5 NM to fld. 1230/7E. **HIWAS.**



**MADILL MUNI** (1F4) 3 NW UTC-6(-5DT) N34°08.42' W96°48.72'

DALLAS-FT. WORTH

890 B NOTAM FILE MLC

L-17C

**RWY 18-36:** H3005X50 (ASPH) S-8 MIRL 0.6% up S

IAP

**RWY 18:** REIL. PAPI(P2L)—GA 4.0° TCH 47'. Trees.

**RWY 36:** REIL. PAPI(P2L)—GA 4.0° TCH 60'. Fence.


**AIRPORT REMARKS:** Unattended. Rwy 18 left side REIL OTS indef. Rwy 36 PAPI OTS indef. +1694' twr 6.2 miles south of Rwy 36 end. ACTIVATE MIRL Rwy 18-36—CTAF.

**COMMUNICATIONS:** CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 128.1

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.

**ARDMORE (H) VORTACW** 116.7 ADM Chan 114 N34°12.70' W97°10.09' 097° 18.2 NM to fld. 937/6E.



**MANGUM****SCOTT FLD** (2K4) 2 NW UTC-6(-5DT) N34°53.56' W99°31.69'

DALLAS-FT. WORTH

1643 B FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H4200X75 (ASPH) S-12.5 MIRL 0.6% up S.

IAP

RWY 17: Road. RWY 35: P-line.

**AIRPORT REMARKS:** Unattended. Fuel available 24 hrs automated credit card system. Ultralights on and in vicinity of arpt. Drainage ditch adjacent Rwy 17 75' west. 30' p-line 500' east end Rwy 35.


**COMMUNICATIONS:** CTAF 122.9

**ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)

**FORT WORTH CENTER APP/DEP CON** 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal hols 24 hrs)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE HBR.

**HOBART (L) VORTACW** 111.8 HBR Chan 55 N34°51.99' W99°03.80' 264° 23.0 NM to fld. 1472/10E.

**MARIETTA****McGEEHEE CATFISH RESTAURANT** (T40) 5 SW UTC-6(-5DT) N33°53.94' W97°10.23'

DALLAS-FT. WORTH

760 NOTAM FILE MLC

RWY 17-35: 2450X55 (TURF)

RWY 17: Trees. RWY 35: Trees.

**AIRPORT REMARKS:** Attended. Mar-Nov 2300-0230Z† except Wed. Dec-Feb Thu-Sun 2300-0230Z†. Dalgt ops only.

Rwy 17-35 CLOSED indef. Livestock and wildlife on and inof rwy. Rwy surrounded by tall trees. Rwy 17-35 steep terrain drop (-80°) on all sides with areas of 120' rising terrain. Service road crosses 910' from Rwy 35 end. Rwy 17-35 slippery and soft when wet, rolling and uneven.

**COMMUNICATIONS:** CTAF 122.9**MC ALESTER RGNL** (MLC) 3 SW UTC-6(-5DT) N34°52.94' W95°47.01'

DALLAS-FT. WORTH

770 B S4 FUEL 100LL, JET A NOTAM FILE MLC

H-6I, L-17D

RWY 02-20: H5602X100 (CONC) S-52, D-70, ST-89, DT-120 MIRL 0.5% up NE

IAP

RWY 02: MALS. PVASI(P SIL)—GA 3.0° TCH 39'. Trees.

RWY 20: REIL. PVASI(P SIL)—GA 2.5° TCH 45'. Road.

**AIRPORT REMARKS:** Attended 1130Z†-dusk. After hrs call

918-426-1216. Deer and coyotes on and inof rwy. Rwy 20 PVASI OTS indef. MIRL Rwy 02-20 preset low ints, to increase ints and ACTIVATE MALS Rwy 02—CTAF.

**WEATHER DATA SOURCES:** ASOS 135.125 (918) 426-1601. HIWAS 112.0 MLC.

**COMMUNICATIONS:** CTAF/UNICOM 122.95

RCO 123.6 122.65 (MC ALESTER RADIO)


Ⓡ **FORT WORTH CENTER APP/DEP CON** 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

(L) **VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 350° 2.0 NM to fld. 820/8E. HIWAS.

**WAMPA NDB (LOM)** 344 ML N34°47.87' W95°49.24' 014° 5.4 NM to fld.

**ILS** 108.3 I-MLC Rwy 02. LOM WAMPA NDB. LOC only.

**Mc CASLIN** (See LEXINGTON)

**MEDFORD MUNI** (053) 1 SW UTC-6(-5DT) N36°47.44' W97°44.94'

WICHITA

1092 B NOTAM FILE MLC

L-15D

RWY 17-35 H3007X60 (ASPH) S-13 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.51°TCH 31'. Road.

RWY 35: PAPI(P2L)—GA 3.51°TCH 33'. Fence.

AIRPORT REMARKS: Attended Mon-Fri 1430-2300Z†, 100' refinery 3300' southwest of arpt. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

- Ⓡ VANCE APP/DEP CON 118.075 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79' W97°09.61' 269° 28.5 NM to fld. 1054/6E.

**MENO****DECKER FLD** (407) 1 S UTC-6(-5DT) N36°22.32' W98°10.71'

WICHITA

1330 S4 NOTAM FILE MLC

RWY 03-21: 2215X75 (TURF)

RWY 21: P-line.

AIRPORT REMARKS: Attended 1300-0100Z†.

COMMUNICATIONS: CTAF 122.9

**MIAMI MUNI** (MIO) 2 NW UTC-6(-5DT) N36°54.55' W94°53.25'

KANSAS CITY

808 B S4 FUEL 100LL, JET A NOTAM FILE MLC

H-6I, L-16F

RWY 17-35: H5020X100 (ASPH) S-23 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 30'. Trees. Rgt tfc.

RWY 35: PAPI(P2L)—GA 4.0° TCH 40'. Stack.

AIRPORT REMARKS: Attended 1400-2300Z†. Arpt unattended Thanksgiving and Christmas. Parachute Jumping. Rwy 35 + 7' fence 855' from end of rwy. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

OSWEGO RCO 122.1R 117.6T (WICHITA RADIO)

- Ⓡ KANSAS CITY CENTER APP/DEP CON 128.6

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

OSWEGO (L) VORTAC 117.6 OSW Chan 123 N37°09.45' W95°12.22' 126° 21.3 NM to fld. 930/8E. HIWAS.

**MID-AMERICA INDUSTRIAL** (See PRYOR)**MIGNON LAIRD MUNI** (See CHEYENNE)**MOLLY'S LANDING HELIPORT** (See CATOOSA)

**MOORELAND MUNI** (MDF) 3 N UTC-6(-5DT) N36°29.09' W99°11.65'

WICHITA

1970 B S2 FUEL 100LL, MOGAS NOTAM FILE MLC

L-15C

RWY 17-35: H3500X60 (ASPH) S-4 MIRL

IAP

RWY 35: Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1500-2300Z†. Sat-Sun on call.

For arpt attendant weekend and holidays call (580) 994-9305 or (580) 216-0014. PPR for fuel call 580-994-2427. ACTIVATE MIRL Rwy 17-35—CTAF.


**COMMUNICATIONS:** CTAF/UNICOM 122.8.

KANSAS CITY CENTER APP/DEP CON 126.95

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 066° 34.3 NM to fld. 2430/10E. HIWAS.



**MULDROW AHP** (HMY) A (NG) 4 E UTC-6(-5DT) N35°01.58' W97°13.90'

DALLAS-FT WORTH

1091 B

Not insp.

L-17C

RWY 17-35: H2005X75 (ASPH) LIRL

DIAP

**MILITARY SERVICE:** LGT Rotating bcn phone req. FUEL J4

**MILITARY REMARKS:** Attended Mon 1300-2200Z†, Tue-Fri 1330-0600Z†. RSTD PPR for all tran fuel, park and night opr DSN 628-8101, C405-217-8101. CAUTION Helicopter park ramp has perimeter fence.

**COMMUNICATIONS:**

® FORT WORTH CENTER APP/DEP CON 128.1 322.4 MULDROW OPS 142.45 387.9 46.9 (Advisory svc only)

**RADIO AIDS TO NAVIGATION:**

MULDROW NDB (MHW) 512 HMY N35°01.74' W97°13.83' at fld. NOTAM FILE MLC.

**MUNICIPAL** (See TEXHOMA)

## MUSKOGEE

**DAVIS FLD** (MKO) 6 S UTC-6(-5DT) N35°39.46' W95°21.70'

DALLAS-FT. WORTH

611 B S2 FUEL 100LL, JET A NOTAM FILE MKO

H-61, L-15E

RWY 13-31: H7201X150 (ASPH) S-59, D-78, ST-99, DT-131 MIRL 0.4% up NW

IAP

RWY 13: PAPI(P4L)—GA 3.0° TCH 50'. Trees.

RWY 31: MALS. PAPI(P4L)—GA 3.0° TCH 53'.

RWY 04-22: H4498X75 (ASPH-CONC) 0.3% up SW

RWY 04: Trees.

RWY 22: Road.

RWY 18-36: H1900X60 (ASPH)

RWY 18: Road.

**AIRPORT REMARKS:** Attended Mon-Sat 1300-0000Z†, Sun 1400-2300Z†. For fuel after hrs call 918-682-4101. Bird activity on and invof arpt. Occasional deer and coyotes on and invof rwy. Ultralights on and invof arpt. Twy B clsd to acct over 25,000 lbs. MIRL Rwy 13-31 preset low ints dusk-0600Z†, after 0600Z†

ACTIVATE—CTAF. To increase ints and ACTIVATE MALS Rwy 31—CTAF. PAPI Rwy 13 and Rwy 31 opr continuously. NOTE: See Special Notices—Aerobatic Practice Area.

**WEATHER DATA SOURCES:** ASOS 135.025 (918) 683-6987.


**COMMUNICATIONS:** CTAF/UNICOM 122.8

MUSKOGEE RCO 122.5 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 139° 38.4 NM to fld. 770/8E.





**HATBOX FLD** (HAX) 2 W UTC-6(-5DT) N35°44.76' W95°24.76'

DALLAS-FT. WORTH

627 NOTAM FILE MLC

RWY 11-29: H3800X50 (ASPH)

RWY 11: Trees. Rgt tfc. RWY 29: Trees.

**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Rwy 11-29

CLOSED indef.


**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 138° 32.6 NM to fld. 770/8E.

L-15E



**NEIL'S SKY RANCH** (See NINNEKAH)

## NINNEKAH

**NEIL'S SKY RANCH** (O14) 9 SW UTC-6(-5DT) N34°53.45' W97°59.90'

DALLAS-FT. WORTH

1200 S4 NOTAM FILE MLC

RWY 17-35: 3000X150 (TURF)

RWY 35: Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. Glider activity on and infov arpt. 255' twr 1.5 NM north-northwest and 350' twr 2.4 NM east. Rwy 17-35 south 600' clsd indef.

**COMMUNICATIONS:** CTAF 122.9

**NORMAN****UNIVERSITY OF OKLAHOMA WESTHEIMER** (OUN) 3 NW UTC-6(-5DT)DALLAS-FT. WORTH  
H-6H, L-15D  
IAP, AD

N35°14.73' W97°28.33'

1182 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE OUN

**RWY 17-35:** H5199X100 (ASPH) S-30, D-50, DT-100 MIRL**RWY 17:** MALS. VASI(V2L)—GA 3.5° TCH 33'. Rgt tfc.**RWY 35:** REIL. VASI(V2L)—GA 3.5° TCH 47'.**RWY 03-21:** H4748X100 (ASPH) S-30, D-50, DT-100 MIRL**RWY 03:** MALS. VASI(V2L)—GA 3.5° TCH 30'. Pole.**RWY 21:** VASI(V2L)—GA 3.5° TCH 32'. Bldg. Rgt tfc.

**AIRPORT REMARKS:** Attended 1200-0400Z†. Use extreme care coyotes and deer on and in vicinity of rwys. High density student ops invov arpt and 5 miles south. Preferred calm wind rwy: arr Rwy 03 and Rwy 17 dep Rwy 21 and Rwy 35. 180° turns prohibited on runways for all other than single engine light aircraft. TPA—1682(500) for helicopters, 2182(1000) for single-engine, 2682(1500) for multi-engine and jet acft. VASI Rwy 03 OTS indef. Rwy 17 VASI OTS indef. Rwy 21 VASI OTS indef. Rwy 35 VASI OTS indef. When twr clsd, ACTIVATE MIRL Rwy 03-21 and Rwy 17-35, MALS Rwy 17, and MALS Rwy 03—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.55 (405) 325-7302.**COMMUNICATIONS:** CTAF 118.0 UNICOM 122.95

NORMAN RCO 122.15 (MC ALESTER RADIO)

Ⓐ OKE CITY APP/DEP CON 120.45


WESTHEIMER TOWER 118.0 (1400-0400Z) GND CON 121.6

**AIRSPACE:** CLASS D svc (1400-0400Z) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 128° 9.6 NM to fld. 1230/7E.  
HIWAS.

NORMAN NDB (MHW) 260 OUN N35°14.90' W97°28.20' at fld. NOTAM FILE OUN. NDB unmonitored when twr clsd.

ILS/DME 111.1 I-PHY Chan 48 Rwy 03. LOC only. LOC/DME unmonitored when twr clsd.

ILS/DME 111.95 I-BWM Chan 56(Y) Rwy 17. Class IE. DME unusable byd 30° left of course.

**NORMAN** N35°14.90' W97°28.20' NOTAM FILE OUN.DALLAS-FT. WORTH  
L-15D

NDB (MHW) 260 OUN at University of Oklahoma Westheimer. Unmonitored when twr clsd.

**NORMAN** N35°14.50' W97°28.02'DALLAS-FT. WORTH  
H-6H, L-15D

RCO 122.15 (MC ALESTER RADIO)

**NOWATA MUNI** (H66) 2 NE UTC-6(-5DT) N36°43.26' W95°37.52'

KANSAS CITY

679 NOTAM FILE MLC

**RWY 17-35:** H2500X45 (ASPH) S-4**RWY 17:** P-line. **RWY 35:** Trees.**RWY 05-23:** 2440X45 (TURF)**RWY 05:** P-line. **RWY 23:** Trees.

**AIRPORT REMARKS:** Unattended. Rwy 05-23 CLOSED indef. -2' ditch at Rwy 23 thld, -12' ditch 220' from Rwy 35 thld. Rwy 17-35 surface rough and uneven. Rwy 05-23 extremely rough and covered with tall grass. Rwy 35 end markings deteriorated or partially covered by asphalt patching. NOTE: See Special Notices—Aerobatic Practice Area.

**COMMUNICATIONS:** CTAF 122.9**OILLR** N36°05.84' W95°53.33' NOTAM FILE TUL.

KANSAS CITY

NDB (LOM) 338 TU 353° 6.1 NM to Tulsa Intl.

**OKEENE****CHRISTMAN AIRFIELD** (O65) 1 SE UTC-6(-5DT) N36°06.75' W98°18.52'WICHITA  
L-15D

1205 NOTAM FILE MLC

**RWY 17-35:** H3000X60 (ASPH) S-12**RWY 17:** P-line.**AIRPORT REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32' W98°00.24' 312° 23.6 NM to fld. 1110/9E.

**OKEMAH FLYING FLD** (F81) 1 E UTC-6(-5DT) N35°25.85' W96°17.03'

DALLAS-FT. WORTH

867 TPA-1800(933) NOTAM FILE MLC

RWY 17-35: 2585X100 (TURF)

RWY 17: Tree. RWY 35: Tree.

RWY 02-20: 2375X80 (TURF)

RWY 02: Trees. RWY 20: Tree.

**AIRPORT REMARKS:** Unattended. Numerous golf trails cross the rwy. Rwy 02-20 lined with +30' trees. +4' mound in center of Rwy 02-20 360' from Rwy 02 end. Trees, broken light fixtures, old tires, golf driving range, golf tees, all within primary surface and safety areas of both rwys. Water hole and drain on east side of Rwy 17-35 at twy intersection. +4' dirt mound in center of stub twy.

**COMMUNICATIONS:** CTAF 122.9**OKLAHOMA CITY****CLARENCE E PAGE MUNI** (RCE) 15 W UTC-6(-5DT) N35°29.28' W97°49.41'

DALLAS-FT. WORTH

1354 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE MLC

RWY 17R-35L: H6014X100 (CONC) S-40, D-60 HIRL

RWY 17R: PAPI(P4L)-GA 3.0° TCH 42'. Fence. Rgt tfc.

RWY 35L: PAPI(P4L)-GA 3.0° TCH 42'.

RWY 17L-35R: H3502X75 (CONC) S-17 MIRL

RWY 17L: Trees. RWY 35R: Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Sat 1330-2330Z±. Ultralights on and invof arpt. Deer on and invof rwy. Aerobatic acft blo 6400' 1NM radius of arpt. ACTIVATE HIRL Rwy 17R-35L and MIRL Rwy 17L-35R-CTAF.

**WEATHER DATA SOURCES:** AWOS-3 125.05 (405) 354-2617.**COMMUNICATIONS:** CTAF/UNICOM 123.0 Unicom unmonitored.


Ⓡ OKE CITY APP/DEP CON 124.6

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52'  
W97°36.55' 300° 13.1 NM to fld. 1230/7E. HIWAS.

H-6H, L-15D

IAP, AD

**SUNDANCE AIRPARK** (HSD) 11 NW UTC-6(-5DT) N35°36.11' W97°42.37'

DALLAS-FT. WORTH

1193 B FUEL 100LL, JET A NOTAM FILE MLC

RWY 17-35: H5001X100 (CONC) MIRL 0.8% up S

RWY 17: VASI(V2L)-GA 2.25° TCH 24'. Rgt tfc.

RWY 35: VASI(V2L)-GA 2.50° TCH 21'.

**AIRPORT REMARKS:** Attended 1400-0000Z±. 100LL avbl 24 hr self-serve with credit card. ACTIVATE MIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35-CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ OKE CITY APP/DEP CON 124.6 CLNC DEL 123.7


**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52'  
W97°36.55' 335° 15.3 NM to fld. 1230/7E. HIWAS.

ILS 109.9 I-HSD Rwy 17. LOC only.

H-6H, L-15D

IAP



**WILEY POST** (PWA) 7 NW UTC-6(-5DT) N35°32.05' W97°38.82'

DALLAS-FT. WORTH

1300 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE PWA

H-6H, L-15D

RWY 17L-35R: H7199X150 (CONC) S-35, D-50, DT-90 HIRL

IAP, AD

RWY 17L: MALSR. PAPI(P4L)—GA 3.0° TCH 54'. Rgt tfc.

RWY 35R: PAPI(P4L)—GA 3.0° TCH 45'. Thld displcd 355'.

RWY 17R-35L: H5002X75 (ASPH-CONC) S-26 MIRL

RWY 17R: PAPI(P4L)—GA 3.0° TCH 25'. Rgt tfc.

RWY 35L: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 13-31: H4214X100 (CONC) S-35, D-50, DT-90

MIRL 0.6% up SE

RWY 13: Pole. Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 13: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 17L: TORA-7199 TODA-7199 ASDA-6844 LDA-6844

RWY 17R: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 31: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 35L: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 35R: TORA-7199 TODA-7199 ASDA-7199 LDA-6844

**AIRPORT REMARKS:** Attended continuously. Fuel avbl 24 hrs self serve

with credit card. Rwy 13-31 CLOSED 0400-1300Z†. Rwy 13-31

CLOSED to jets. Rwy 13 CLOSED to tkf and Rwy 31 CLOSED to ldg

for acft over 12,500 lbs gross weight. Flocks of birds on and in/ov

arpt all quadrants. Noise abatement procedure: Acft in excess of 12,500 pounds departing Rwy 17L-35R climb

at a maximum rate consistent with safety to an altitude of 1500' AGL then reduce power setting and climb rate

to 3000' AGL or 2 NM from arpt depending on air traffic control and safety conditions. TPA for Rwy 17R/35L

1900(600) 2300(1000) all other rwys. Rwy 13-31 and Rwy 17R-35L unlighted 0400-1300Z†. Rwy 17R-35L

south and north 1000' conc. Touch &amp; go or stop &amp; go ldg's not authorized Rwy 13-31. Twy C1 north of Rwy 31

thld and Twy C from 100' east of Twy A eastbound designated nonmovement area. Numerous acft under the ctl

of Oklahoma City apch operating in Wiley Post CLASS D airspace abv 3000' MSL and 1 mile east of Wiley Post

arpt abv 2500' MSL. When twr clsd ACTIVATE HIRL Rwy 17L-35R and MALSR Rwy 17L—CTAF.

**WEATHER DATA SOURCES:** ASOS (405) 495-7192.**COMMUNICATIONS:** CTAF 126.9 ATIS 128.725 (405) 495-4063 UNICOM 122.95

RCO 122.4 122.65 (MC ALESTER RADIO)

® OKE CITY APP/DEP CON 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)


TOWER 126.9 (1300-0400Z†) GND CON 121.7

**AIRSPACE:** CLASS D svc 1300-0400Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PWA.

(T) VOR/W/DME 113.4 PWA Chan 81 N35°31.98' W97°38.83' at fld. 1271/8E.

ILS 110.15 I-PWA Rwy 17L. Unmonitored when twr clsd.

ASR



**WILL ROGERS WORLD** (OKC) 6 SW UTC-6(-5DT) N35°23.59' W97°36.04'  
 1295 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index C  
 NOTAM FILE OKC

**DALLAS-FT. WORTH**  
 H-6H, L-15D  
 IAP, AD

**RWY 17L-35R:** H9802X150 (CONC-GRVD) S-50, D-200, ST-175,  
 DT-400 HIRL CL

**RWY 17L:** MALSR. **RWY 35R:** ALSF2. TDZL. Rgt tfc.

**RWY 17R-35L:** H9800X150 (CONC-GRVD) S-50, D-200, ST-175,  
 DT-400 HIRL CL

**RWY 17R:** MALSR. PAPI(P4L)—GA 3.0° TCH 60'. Rgt tfc.

**RWY 35L:** MALSR. 0.3% up.

**RWY 13-31:** H7800X150 (ASPH-CONC-GRVD) S-50, D-200,  
 ST-175, DT-400 MIRL

**RWY 13:** REIL. VASI(V4L)—GA 3.0° TCH 52'. Rgt tfc.

**RWY 31:** REIL. VASI(V4L)—GA 3.0° TCH 52'.

**RWY 18-36:** H3078X75 (ASPH) S-50, D-150, ST-175, DT-240

**RWY 18:** Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 13:** TORA-7800 TODA-7800 ASDA-7800 LDA-7800

**RWY 17L:** TORA-9802 TODA-9802 ASDA-9802 LDA-9802

**RWY 17R:** TORA-9800 TODA-9800 ASDA-9800 LDA-9800


**RWY 18:** TORA-3079 TODA-3079 ASDA-3079 LDA-3079

**RWY 31:** TORA-7800 TODA-7800 ASDA-7800 LDA-7800

**RWY 35L:** TORA-9800 TODA-9800 ASDA-9800 LDA-9800

**RWY 35R:** TORA-9802 TODA-9802 ASDA-9802 LDA-9802

**RWY 36:** TORA-3079 TODA-3079 ASDA-3079 LDA-3079



**AIRPORT REMARKS:** Attended continuously, PPR for parking on FAA Aeronautical Center ramp phone 405-954-4137.

Pilots of acft with wing spans greater than 118' must use judgement over steering at all twy intersections. Rwy 18-36 600' W of Rwy 17R-35L on existing twy. Rwy 17R and Rwy 35L runway visual range touchdown and rollout avbl. Rwy 18-36 VFR dalgt operations only except for Air National Guard. Rwy 18-36 used as taxiway when not used as rwy. Rwy 18-36, Twy G west of Rwy 17R-35L, Twy A2 east of Twy A, Twy D southwest of Rwy 13-31, Twy A1, Twy A3, Twy A4, Twy A6, Twy B, and C2, not avbl for air carrier ops with over 9 passenger seats. Twy G west of Twy B clsd to all except U.S. Marshals Service acft. U.S. Marshals svc ramp PPR phone 405-680-3468. Twy C2 clsd to all ops except Metro Tech tfc. Twys H1, H2 and G east of Twy H clsd indef. Compass rose restricted to acft under 95,000 lbs except ANG C-130. Twy B N of compass rose restricted to acft under 120,000 lbs except ANG C-130. All ramps are uncontrolled. Rwy 17R NSTD MALSR, no thld lgts. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Continuous Power Facilities.

**WEATHER DATA SOURCES:** ASOS (405) 682-4871. **HIWAS** 114.1 IRW. TDWR.

**COMMUNICATIONS:** D-ATIS 125.85 (405) 681-9853

Ⓡ **OKC CITY APP/DEP CON** 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)

**ROGERS TOWER** 119.35 120.25 **GND CON** 121.9 **CLNC DEL** 124.35 **PRE-TAXI CLNC** 124.35

**AIRSPACE:** CLASS C svc continuous ctc **APP CON**

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

(H) **VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 004° 2.1 NM to fld. 1230/7E. **HIWAS**.

**TULOO NDB (MHW/LOM)** 406 OK N35°28.29' W97°36.33' 170° 4.7 NM to fld.

**GALLY NDB (LOM)** 350 RG N35°17.70' W97°35.32' 347° 5.9 NM to fld.

**ILS/DME** 110.9 I-RGR Chan 46 Rwy 35R. Class IIE. LOM GALLY NDB. DME unusable 15° right of course.

**ILS/DME** 110.7 I-OKC Chan 44 Rwy 17R. Class IE. LOM TULOO NDB. LOC BC unusable byd 10 NM blo 3300'. DME also serves Rwy 35L.

**ILS/DME** 110.7 I-LIK Chan 44 Rwy 35L. Class IE. DME also serves Rwy 17R. LOC unusable byd 30° rgt of course.

**ILS/DME** 110.9 I-EXR Chan 46 Rwy 17L. Class IE.

**ASR**

**OKMULGEE RGNL** (OKM) 3 N UTC-6(-5DT) N35°40.09' W95°56.92'

DALLAS-FT. WORTH

720 B FUEL 100LL, JET A NOTAM FILE OKM

H-61, L-15E

RWY 18-36: H5150X100 (CONC) S-30, D-48, DT-78 MIRL 0.7% up N

IAP

RWY 18: MALSRL. RWY 36: Trees.

**AIRPORT REMARKS:** Attended 1400-2300Z±. 24 hr fuel automated credit card system. Parachute Jumping. Flocks of migratory birds and deer on and in/ov arpt. ACTIVATE MIRL Rwy 18-36 and MALSRL Rwy 18—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.225 (918) 756-9502.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ TULSA APP/DEP CON 119.85


**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 186° 32.6 NM to fld. 770/8E.

(H) VORW/DME 114.9 OKM Chan 96 N35°41.59' W95°51.96' 242° 4.3 NM to fld. 766/8E. NOTAM FILE OKM.

PRESO NDB (LOM) 388 OK N35°45.32' W95°56.92' 176° 5.2 NM to fld.

ILS 109.1 I-OKM Rwy 18. LOM PRESO NDB. ILS unmonitored.



**OLUSTEE MUNI** (F09) 3 S UTC-6(-5DT) N34°30.75' W99°25.77'

DALLAS-FT. WORTH

1346 NOTAM FILE MLC

RWY 17-35: H2000X50 (ASPH) S-12

RWY 17: Fence.

**AIRPORT REMARKS:** Unattended.

**COMMUNICATIONS:** CTAF 122.9

## OVERBROOK

**LAKE MURRAY STATE PARK** (1F1) 2 E UTC-6(-5DT) N34°04.51' W97°06.40'

DALLAS-FT. WORTH

817 B NOTAM FILE MLC

RWY 14-32: H2500X48 (ASPH) S-4 LIRL

RWY 14: Thld dsplcd 120'. Trees. RWY 32: Trees.

**AIRPORT REMARKS:** Unattended. Occasional deer and birds on or near rwy. Rotating bcn OTS indef.

**COMMUNICATIONS:** CTAF 122.9

**OWASO** N36°18.44' W95°52.52' NOTAM FILE TUL.

KANSAS CITY

NDB (LOM) 375 DW 180° 6.6 NM to Tulsa Intl.

## OWASSO

**GUNDYS** (038) 3 E UTC-6(-5DT) N36°16.01' W95°47.02'

KANSAS CITY

720 FUEL 100LL NOTAM FILE MLC

RWY 17L-35R: H2600X26 (ASPH) MIRL (NSTD)

RWY 17L: Building.

RWY 17R-35L: 1760X100 (TURF)

RWY 17R: Trees. RWY 35L: Trees.

**AIRPORT REMARKS:** Attended irregularly. For fuel call 918-272-1523. Ultralight activity on and in/ov arpt. Rwy 17R thld marked with white tires only. Rwy 17L-35R NSTD small numbers located 50' from rwy end. Rwy 17L-35R NSTD MIRL. lgts located 35' from rwy edge, thld lights missing. Rwy 17L-35R surface cracking and uneven.

**COMMUNICATIONS:** CTAF 122.9

**PAULS VALLEY MUNI** (PVJ) 2 S UTC-6(-5DT) N34°42.57' W97°13.40'

DALLAS-FT. WORTH

971 B S4 FUEL 100LL, JET A NOTAM FILE PVJ

H-6H, L-17C

RWY 17-35: H5001X100 (CONC) S-42, D-55, DT-110 MIRL 0.4% up N

IAP

RWY 17: REIL. PAPI (P4L)—GA 3.0 TCH 55'. Trees.

RWY 35: REIL. PAPI (P4L)—GA 3.0 TCH 42'. Trees.

RWY 12-30: H3500X150 (CONC) S-42, D-55, DT-110

PCN 3 R/B/X/T 0.5% up NW

RWY 12: Trees. RWY 30: Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z†. For attendant after hours call 405-207-6610. Fuel avbl 24 hrs with automated credit card system. Ultralights on and invof arpt. ACTIVATE MIRL Rwy 17-35, PAPI and REIL Rwy 17 and Rwy 35—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.675 (405) 238-4452.**COMMUNICATIONS:** CTAF/UNICOM 122.8.

Ⓡ FORT WORTH CENTER APP/DEP CON 128.1


**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 349° 30.0 NM to fld. 937/6E.

NDB (MHW) 384 PVJ N34°42.93' W97°13.74' at fld.

NOTAM FILE PVJ.

**PAWHUSKA MUNI** (H76) 4 W UTC-6(-5DT) N36°40.30' W96°24.33'

KANSAS CITY

1000 B NOTAM FILE MLC

L-15E


RWY 17-35: H3200X60 (ASPH) S-12.5 MIRL

RWY 17: P-line. RWY 35: P-line.

**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.

BARTLESVILLE (L) VORW/DME 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 235° 21.1 NM to fld. 940/8E.

**PAWNEE MUNI** (H97) 0 NE UTC-6(-5DT) N36°23.00' W96°48.62'

KANSAS CITY

875 NOTAM FILE MLC

RWY 18-36: 2130X100 (TURF)

RWY 18: Trees. RWY 36: Trees.

**AIRPORT REMARKS:** Unattended. Rwy 18-36 south 300' muddy and soft when wet.**COMMUNICATIONS:** CTAF 122.9

**PERRY MUNI** (F22) 5 N UTC-6(-5DT) N36°23.14' W97°16.63'

1002 B S4 FUEL 100LL, JET A NOTAM FILE MLC

RWY 17-35: H5110X75 (ASPH) S-75, D-130 MIRL 0.5% up S

RWY 17: REIL. PAPI(P2L).

RWY 35: REIL. PAPI(P2L). Road.

**AIRPORT REMARKS:** Attended 1400-2300Z. CLOSED Christmas day.

Heavy mil jet tfo dalgt. Ultralight activity on and infov arpt.

ACTIVATE MIRL Rwy 17-35—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PNC.


**PIONEER (H) VORTACW** 113.2 PER Chan 79 N36°44.79'

W97°09.61' 189° 22.4 NM to fld. 1054/6E.

WICHITA

H-6H, L-15D

IAP



**PIONEER** N36°44.79' W97°09.61'. NOTAM FILE PNC.

(H) VORTACW 113.2 PER Chan 79 101° 3.0 NM to Ponca City Rgnl. 1054/6E.

WICHITA

H-6H, L-15D

**PONCA CITY RGNL** (PNC) 2 NW UTC-6(-5DT) N36°43.92' W97°05.99'

1008 B S4 FUEL 100LL, JET A OX 4 TPA-2001(993) NOTAM FILE PNC

RWY 17-35: H7201X150 (CONC-GRVD) S-51, D-65, ST-83, DT-122 HIRL

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 49'. Rgt tfc.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Building.

**AIRPORT REMARKS:** Attended 1300-0300Z. Jet A fuel and service avbl

1300Z-dusk, other times call 580-762-8647. 100LL fuel avbl

24 hrs. Ultralights on and infov arpt. N 2400' rwy NSTD plastic

grooving entire width and 25' each edge at remainder of rwy

4801'. ACTIVATE HIRL Rwy 17-35, MALSR Rwy 17, PAPI Rwy 17,

PAPI Rwy 35, and REIL Rwy 35—CTAF.

**WEATHER DATA SOURCES:** ASOS 134.075 (580) 765-0049.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.25 (MCALESTER RADIO)

KANSAS CITY CENTER APP/DEP CON 127.8

**AIRSPACE:** CLASS E svc continuous.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PNC.

**PIONEER (H) VORTACW** 113.2 PER Chan 79 N36°44.79'

W97°09.61' 101° 3.0 NM to fld. 1054/6E.

**NDB (MHW/LOM)** 515 PN N36°49.50' W97°06.03' 175° 5.6

NM to fld.


**ILS/DME** 111.9 I-PNC Chan 56 Rwy 17. LOM PONCA

NDB. LOC unmonitored. ILS unmonitored.

WICHITA

H-6H, L-15D

IAP



## POND CREEK

**HOMESTEAD FARMS** (066) 4 E UTC-6(-5DT) N36°41.50' W97°43.60'

1030 NOTAM FILE MLC

RWY 17-35: 2870X21 (ASPH-TURF)

RWY 17: Fence.

RWY 35: Pole.

**AIRPORT REMARKS:** Unattended. Rwy 17-35 ASPH strip 1659'X21' middle of rwy. 546' on north end and 665' on south end turf. Both turf rwy ends muddy when wet. Parts of asphalt portion broken and deteriorated.

**COMMUNICATIONS:** CTAF 122.9

WICHITA



**POND CREEK MUNI** (2K1) 0 SW UTC-6(-5DT) N36°39.75' W97°48.52'

WICHITA

1061 NOTAM FILE MLC

RWY 17-35: 2320X430 (TURF)

RWY 17: Pole.

RWY 15-33: H1220X30 (ASPH) PCN 2 F/D/Z/U

RWY 15: Trees.

**AIRPORT REMARKS:** Unattended. Rwy 17-35 full width of rwy not maintained, use middle of rwy surface. Rwy 15-33 surface severe cracking and deterioration. Loose rock on rwy. Thld lghts NSTD all green lenses.

**COMMUNICATIONS:** CTAF 122.9

**PORT OF CATOOSA HELIPORT** (See CATOOSA)

**POST** N34°36.53' W98°24.23' NOTAM FILE MLC

DALLAS-FT WORTH

NDB (MHW) 425 PFL 354° 2.5 NM to Henry Post AAF (Fort Sill).

L-17C

## POTEAU

**ROBERT S. KERR** (RKR) 2 S UTC-6(-5DT) N35°01.30' W94°37.28'

MEMPHIS

451 B S4 FUEL 100LL, JET A NOTAM FILE RKR

L-17D

RWY 18-36: H4006X75 (ASPH) S-27 MIRL

IAP

RWY 18: PAPI(P2L)-GA 2.75° TCH 38'. Trees.

RWY 36: Trees.

**AIRPORT REMARKS:** Attended 1400-2300Z. Fuel avbl 24 hrs with credit card. Ultralight activity on and invof arpt. Arpt bcn OTS indef.

ACTIVATE MIRL Rwy 18-36-CTAF.

**WEATHER DATA SOURCES:** AWOS-3 120.625 (918) 647-4063.

**COMMUNICATIONS:** CTAF/UNICOM 122.8


RICH MOUNTAIN RCO 122.6 (MC ALESTER RADIO)

Ⓡ RAZORBACK APP/DEP CON 120.9 (1130-0500Z)

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'  
W94°36.54' 354° 20.4 NM to fld. 2700/4E.



**PRAGUE MUNI** (O47) 2 W UTC-6(-5DT) N35°28.94' W96°43.12'

DALLAS-FT. WORTH

1042 B NOTAM FILE MLC

L-15E

RWY 17-35: H2757X60 (ASPH) S-4 MIRL 0.9% up N

IAP

RWY 17: PAPI(P2L). Road. RWY 35: PAPI(P2L)

**AIRPORT REMARKS:** Unattended. PAEW 200' south of AER 35. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE-CTAF. Rotating bcn OTS indef.


**COMMUNICATIONS:** CTAF 122.9 CTAF OTS indef.

Ⓡ FORT WORTH APP/DEP CON 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'  
W97°36.55' 073° 44.3 NM to fld. 1230/7E. HIWAS.

NDB (MHW) 314 GGU N35°31.00' W96°43.12' 174° 2.1  
NM to fld. NOTAM FILE MLC.



**PRESO** N35°45.32' W95°56.92' NOTAM FILE OKM.

DALLAS-FT WORTH

NDB (LOM) 388 OK 176° 5.2 NM to Okmulgee Rgnl.

**PRYOR****MID-AMERICA INDUSTRIAL** (H71) 4 S UTC-6(-5DT) N36°13.52' W95°19.80'KANSAS CITY  
H-61, L-15E  
IAP

622 B FUEL 100LL, JET A NOTAM FILE MLC


RWY 18-36: H5000X75 (ASPH) S-30 MIRL 0.4% up N

RWY 18: PAPI(P4L)—GA 3.0° TCH 32'.

RWY 36: PAPI(P4L)—GA 3.5° TCH 40'. Trees.

**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. Glider ops on and inof arpt on weekends. Fuel avbl 24 hrs with credit card. PAPI Rwy 36 OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ TULSA APP/DEP CON 119.1


**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'  
W95°47.29' 077° 22.3 NM to fld. 770/8E.**PURCELL MUNI-STEVEN E. SHEPARD FLD** (303) 2 SW UTC-6(-5DT)DALLAS-Ft. WORTH  
L-17C

N34°59.00' W97°22.96'

1143 B NOTAM FILE MLC

RWY 17-35: H3003X60 (ASPH) S-9.5 MIRL

RWY 35: Trees.

**AIRPORT REMARKS:** Unattended. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'  
W97°36.55' 147° 25.1 NM to fld. 1230/7E. HIWAS.**RICHARD LLOYD JONES JR** (See TULSA)**RICH MOUNTAIN** N34°40.83' W94°36.54' NOTAM FILE MLCMEMPHIS  
H-61, L-17C

(L) VORTACW 113.5 PGO Chan 82 354° 20.4 NM to Robert S. Kerr. 2700/4E.

RCO 122.6 (MC ALESTER RADIO)

**ROBERTS S. KERR** (See POTEAU)

**SALLISAW MUNI** (JSV) 1 SW UTC-6(-5DT) N35°26.30' W94°48.18'

MEMPHIS

527 B S4 FUEL 100LL NOTAM FILE JSV

L-16F

RWY 17-35: H4006X75 (ASPH) MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 46'. Tree.

RWY 35: PAPI(P2L)—GA 2.5° TCH 40'. Trees.

**AIRPORT REMARKS:** Attended 1400-2300Z†. Arpt unattended federal holidays. Fuel avbl 24 hrs with major credit card. For additional svcs call 918-571-8772. Authorized access to terminal avbl after hrs call 918-571-8772. +200' tower/antenna 2.2 miles north on extended centerline. Cracking and spalling on twys and apron parking.

**WEATHER DATA SOURCES:** AWOS-3 118.475 (918) 775-4136.

**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ RAZORBACK APP/DEP CON 120.9 (1130-0500Z‡).


MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z‡).

**RADIO AIDS TO NAVIGATION:** NOTAM FILE FSM.

FORT SMITH (L) VORTAC 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 270° 26.2 NM to fld. 430/7E. HIWAS.

NDB (MHW) 520 IQS N35°23.92' W94°47.65' 345° 2.4 NM to fld. NOTAM FILE JSV.



**SAM RIGGS AIRPARK** (See CLAREMORE)

**SAND SPRINGS**

**WILLIAM R. POGUE MUNI** (OWP) 3 NW UTC-6(-5DT) N36°10.52' W96°09.11'

KANSAS CITY

892 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE MLC

H-6H, L-15E

RWY 17-35: H5799X100 (ASPH-PFC) S-30, D-58 MIRL

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 31'.

**AIRPORT REMARKS:** Attended Mon-Sat 1300-0100Z†, Sun 1500-0000Z†. Deer invof arpt. Calm wind Rwy 17. Rwy 17 rgt tfc for helicopters. Helicopter training west twy and west ramp. TPA fixed wing light acft 1901 (1009), turboprop and jet acft 2401(1509) and helicopters 1401(509).

**WEATHER DATA SOURCES:** AWOS-3 118.325 (918) 246-2635.

**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ TULSA APP/DEP CON 124.0


**RADIO AIDS TO NAVIGATION:** NOTAM FILE RV5.

GLENPOOL (T) VOR/DME 110.6 GNP Chan 43 N35°55.25'

W95°58.12' 324° 17.7 NM to fld. 810/6E.

WILLIAM POGUE NDB (MHW) 362 OWP N36°10.38'

W96°09.25' at fld. NOTAM FILE MLC. Unmonitored.



**SAYRE MUNI** (304) 7 S UTC-6(-5DT) N35°10.05' W99°39.47'

DALLAS-FT. WORTH

1937 B NOTAM FILE MLC

RWY 17-35: H5017X130 (CONC) S-30 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 54'. Thld dsplcd 351'. Fence.

RWY 35: Thld dsplcd 374'.


**AIRPORT REMARKS:** Unattended. Rwy 17 thld dsplcd day VFR only. Rwy 35 thld dsplcd day VFR only. Rotating bcn OTS indef. Windsck lgt OTS indef. MIRL Rwy 17-35 preset low ints dusk-0430Z± after 0430Z± ACTIVATE—CTAF.

**COMMUNICATIONS:** CTAF 122.9

RCO 122.1R 115.2T (MC ALESTER RADIO)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

(L) **VORTAC** 115.2 SYO Chan 99 N35°20.71' W99°38.12'  
176° 10.7 NM to fld. 1990/10E.



**SCOTT FLD** (See MANGUM)

**SEILING** (1S4) 0 NW UTC-6(-5DT) N36°09.30' W98°56.02'

WICHITA

1746 NOTAM FILE MLC

RWY 17-35: H2435X38 (ASPH) LIRL

RWY 17: TRCV(TRIL)—GA 4.50° TCH 16'.

RWY 35: TRCV(TRIL)—GA 6.50° TCH 23'. Bldg.

**AIRPORT REMARKS:** Unattended. 496' AGL unlighted tower 18 NM south of arpt. Single wheel gross weight less than 4000 lbs. Rwy 17-35 rough and bumpy with moderate grass encroachment on sfc. Rwy 17 TRIL OTS indef. Rwy 35 TRIL OTS indef. Rwy 17-35 LIRL OTS indef. ACTIVATE LIRL Rwy 17-35—CTAF.

**COMMUNICATIONS:** CTAF 122.9

**SEMINOLE MUNI** (SRE) 3 N UTC-6(-5DT) N35°16.48' W96°40.51'

DALLAS-FT. WORTH

1024 B S4 FUEL 100LL, JET A NOTAM FILE SRE

H-6H, L-15E

RWY 16-34: H5000X75 (ASPH) S-16 MIRL 0.5% up NW

IAP

RWY 16: REIL. PAPI (P4L)—GA 3.0° TCH 47'. Trees.

RWY 34: REIL. PAPI (P4L)—GA 3.0° TCH 31'. P-line. Rgt tfc.

RWY 05-23: 2000X150 (TURF) 0.9% up NE

RWY 05: Trees.

**AIRPORT REMARKS:** Attended Mon-Sat 1400-2300Z±. Rwy 05-23 extremely rough. Gopher holes, mounds and tall grass on surface. Rwy 16-34 numbers and centerline not visible. Rotating bcn OTS indef. PAPI Rwy 16 OTS indef. PAPI Rwy 34 OTS indef. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.625 (405) 382-0111.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ FORT WORTH CENTER APP/DEP CON 132.2


**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) **VORTACW** 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 292° 50.8 NM to fld. 820/8E. **HIWAS.**

**NDB (MHW)** 278 SRE N35°16.31' W96°40.49' at fld.

NOTAM FILE SRE. Monitored dalgt hrs.



**SHAWNEE RGNL** (SNL) 2 NW UTC-6(-5DT) N35°21.47' W96°56.57'

DALLAS-FT. WORTH

1073 B S2 FUEL 100LL, JET A NOTAM FILE SNL

H-6H, L-15D

RWY 17-35: H5997X100 (ASPH) S-30, D-40, DT-60 MIRL

IAP

RWY 17: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 47'. Rgt tfc.  
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 47'. Thld dsplcd 404'.  
Trees.

AIRPORT REMARKS: Attended 1400-0000Z†. Fuel avbl 24 hrs with credit card. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE MALSR Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.275 (405) 878-1745.

COMMUNICATIONS: CTAF/UNICOM 122.7


Ⓡ OKE CITY APP/DEP CON 120.45

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 083° 32.7 NM to fld. 1230/7E. HIWAS.

SUYBE NDB (LOM) 264 HN N35°26.99' W96°56.58'. 174° 5.5  
NM to fld. NOTAM FILE SNL.ILS 108.75 I-HNQ Rwy 17. LOM SUYBE NDB. ILS and LOM  
unmonitored.**SKIATOOK MUNI** (2F6) 1 SW UTC-6(-5DT) N36°21.31' W96°00.66'

KANSAS CITY

670 B FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2900X60 (ASPH) S-4 MIRL

RWY 17: PAPI(P2L)—GA 3.25° TCH 35'. Tree.

RWY 35: PAPI(P2L)—GA 3.25° TCH 35'. Tree.

RWY N-S: 2600X40 (TURF)

RWY N: Tree. RWY S: Tree.

AIRPORT REMARKS: Attended 1500-0100Z†. Parachute Jumping. Fuel avbl 24 hrs with credit card. Rwy N-S CLOSED  
indef. Rwy 17-35 MIRL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

**SNYDER** (401) 4 SW UTC-6(-5DT) N34°37.66' W99°00.84'

DALLAS-FT. WORTH

1325 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2125X30 (ASPH)

RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Fuel on request 580-569-2153/2222.

COMMUNICATIONS: CTAF 122.9

**SOUTH GRAND LAKE RGNL** (See KETCHUM)**STAN STAMPER MUNI** (See HUGO)

**STIGLER RGNL** (GZL) 3 NE UTC-6(-5DT) N35°17.35' W95°05.63'

DALLAS-FT. WORTH

599 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3606X60 (ASPH) S-12.5 LIRL

IAP

RWY 17: VASI(V2L). Thld dspld. 95'. P-line.

RWY 35: VASI(V2L). Trees.

**AIRPORT REMARKS** Unattended. For fuel contact police 918-967-3377.

ACTIVATE LIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35—CTAF.


**WEATHER DATA SOURCES:** AWOS-3 118.575 (918) 967-8982.**COMMUNICATIONS:** CTAF 122.9

FORT WORTH CENTER APP/DEP CON 132.2

**RADIO AIDS TO NAVIGATION:** NOTAM FILE FSM.

FORT SMITH (L) VORTACW 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 255° 40.8 NM to fld. 430/7E.

**STILLWATER RGNL** (SWO) 3 NW UTC-6(-5DT) N36°09.67' W97°05.14'

WICHITA

1000 B S4 FUEL 100LL, JET A TPA—See Remarks ARFF Index—See Remarks

H-6H, L-15D

NOTAM FILE SWO

IAP, AD

RWY 17-35: H7401X100 (ASPH-GRVD) S-100, D-157, ST-175, DT-310 MIRL 0.5% up N

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 48'. RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'.

RWY 04-22: H5002X75 (ASPH) S-34, D-50 MIRL 0.5% up NE

RWY 04: PAPI(P4L)—GA 3.0° TCH 35'. Ground. RWY 22: VASI(V4L)—GA 3.0° TCH 35'.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 04: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 17: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

RWY 22: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 35: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

**AIRPORT REMARKS:** Attended 1300-0400Z±. For fuel after hrs ctc 405-377-5326. 24 hrs PPR for unscheduled air carrier ops with more than 9 passenger seats call arpt manager 405-372-7881/6760. Class IV, ARFF Index A. ARFF Index C avbl by prior arrangement. ARFF index B maintained. TPA 1800(800) for light acct, 2500(1500) for turbo prop and jets. REIL. MIRL Rwy 04-22 and Rwy 17-35 preset low ints; to increase ints and ACTIVATE MALSR Rwy 17 and REIL Rwy 35—CTAF.**WEATHER DATA SOURCES:** ASOS 135.725 (405) 743-8150.**COMMUNICATIONS:** CTAF 125.35 UNICOM 122.95

RCO 122.3 (MC ALESTER RADIO)

RCO 122.1R 108.4T (MC ALESTER RADIO)

Ⓡ KANSAS CITY CENTER APP/DEP CON 128.3

TOWER 125.35 (1400-0200Z±) GND CON 121.6

**AIRSPACE:** CLASS D svc 1400-0200Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SWO.

(T) VOR/WME 108.4 SWO Chan 21 N36°13.46' W97°04.88' 176° 3.8 NM to fld. 1020/7E.

BLAKI NDB (LOM) 255 SW N36°14.17' W97°05.24' 174° 4.5 NM to fld.

ILS/DME 109.15 I-SWO Chan 28(Y) Rwy 17. Class IE. LOM BLAKI NDB. ILS unmonitored when twr clsd.

**STROUD MUNI** (SUD) 3 N UTC-6(-5DT) N35°47.38' W96°39.34'

DALLAS-FT. WORTH

900 NOTAM FILE MLC

L-15E

RWY 18-36: H3000X60 (ASPH) S-12.5 MIRL

RWY 18: PAPI(P2L) Trees. RWY 36: PAPI(P2L). Trees.

**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKM.

OKMULGEE (H) VOR/WME 114.9 OKM Chan 96 N35°41.59' W95°51.96' 271° 39 NM to fld. 766/8E.

**SUNDANCE AIRPARK** (See OKLAHOMA CITY)

**SUYBE** N35°26.99' W96°56.58' NOTAM FILE SNL  
 NDB (LOM) 264 HN 174° 5.5 NM to Shawnee Rgnl.

**SULPHUR MUNI** (F3Ø) 2 NW UTC-6(-5DT) N34°31.47' W96°59.38'

DALLAS-FT. WORTH  
 L-17C

1051 NOTAM FILE MLC  
 RWY 17-35: H3500X60 (ASPH) S-12.5 MIRL  
 RWY 17: Tree. Rgt tfc. RWY 35: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.70' W97°10.09' 019° 20.7 NM to fld. 937/6E.

**TALHEQUAH MUNI** (TQH) 2 NW UTC-6(-5DT) N35°55.82' W95°00.27'

DALLAS-FT. WORTH  
 H-6I, L-15E  
 IAP

874 B FUEL 100LL, JET A NOTAM FILE TQH  
 RWY 17-35: H5001X75 (ASPH) S-26 MIRL 0.4% up N

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P4L)—GA 3.0° TCH 31'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For emergency call 918-931-0469. Parachute Jumping. Rwy 17 thld dspcd 357' indef. ACTIVATE MIRL Rwy 17-35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.425 (918) 453-2729.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 126.1


RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 104° 41.3 NM to fld. 770/8E.

NDB (MHW) 215 TQH N35°55.63' W95°00.40' at fld.

NOTAM FILE TQH. Unmonitored.



**TALIHINA MUNI** (6F1) 3 SW UTC-6(-5DT) N34°42.47' W95°04.43'

DALLAS-FT. WORTH  
 L-17D

687 NOTAM FILE MLC  
 RWY 01-19: H3300X60 (ASPH) S-12 MIRL  
 RWY 01: Trees. RWY 19: Trees.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'

W94°36.54' 270° 23.1 NM to fld. 2700/4E.



**TENKILLER LAKE AIRPARK** (See COOKSON)

**TERAMIRANDA** (See AFTON)

**TEXOMA** N33°56.65' W96°23.51'. NOTAM FILE DUA.  
 (L) **VOR/DME** 114.3 URH Chan 90 at Eaker fld. 681/5E.  
 VOR portion unusable:  
 340°-010° byd 10 NM blo 2500'.  
 340°-010° byd 20 NM blo 3500'.  
 DME portion unusable:  
 270°-240° byd 35 NM blo 2500'.  
 335°-350° byd 35 NM blo 2500'.

**DALLAS-FT. WORTH**  
 H-6H, L-17D


340°-010° byd 25 NM blo 4500'  
 340°-010° byd 30 NM

**TEXHOMA**

**MUNICIPAL** (K49) 2 W UTC-6(-5DT) N36°30.34' W101°48.82'

**WICHITA**  
 L-15B


3462 **FUEL** 100LL NOTAM FILE MLC  
**RWY 03-21:** H3564X48 (ASPH) MIRL  
**RWY 03:** Thld dspcd 590'. **RWY 21:** Thld dspcd 340'.  
**RWY 17-35:** 2340X75 (TURF)  
**RWY 17:** Fence. **RWY 35:** Road.  
**AIRPORT REMARKS:** Unattended. For fuel call 580-423-4293. Rwy 03-21 has severe spalling, deterioration, and base failure. Small rock on rwy. ACTIVATE MIRL Rwy 03-21—CTAF.  
**COMMUNICATIONS:** CTAF 122.9  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE DHT.  
**DALHART (L) VORTACW** 112.0 DHT Chan 57 N36°05.49' W102°32.68' 043° 43.3 NM to fld. 4020/12E. **HIWAS.**



**THOMAS MUNI** (104) 1 SE UTC-6(-5DT) N35°44.08' W98°43.84'

**DALLAS-FT. WORTH**  
 L-15D

1731 **B** NOTAM FILE MLC  
**RWY 17-35:** H3100X50 (ASPH) S-4 LIRL  
**RWY 17:** Road. **RWY 35:** Rgt tfc.  
**AIRPORT REMARKS:** Attended Mon-Fri 1500-2300Z†. Rwy 17-35 LIRL OTS indef.  
**COMMUNICATIONS:** CTAF 122.9.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.  
**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32' W98°00.24' 254° 35.7 NM to fld. 1110/9E.



**THOMAS P. STAFFORD** (See WEATHERFORD)

**TILGHMAN** N35°43.34' W96°49.12'. NOTAM FILE CQB.

**DALLAS-FT. WORTH**  
 L-15E

**NDB (MHW)** 396 **CQB** at Chandler Rgnl.



**TINKER AFB** (TIK)(KTIK) AF 8 SE UTC-6(-5DT) N35°24.88' W97°23.20' **DALLAS-FT. WORTH**  
 1291 B TPA—See Remarks NOTAM FILE MLC Not insp. **H-6H, L-15D**  
**RWY 17-35:** H11101X200 (PEM) PCN 62 R/C/W/T HIRL **DIAP, AD**  
**RWY 17:** SALS.F. PAPI(P4L). 0.3% up. **RWY 35:** ALSF1. PAPI(P4L). Rgt tfc.  
**RWY 12-30:** H10000X200 (PEM) PCN 31 R/C/W/T HIRL  
**RWY 12:** SALS. PAPI(P4L). Rgt tfc. 0.5% up. **RWY 30:** SALS. PAPI(P4L).

**RUNWAY DECLARED DISTANCE INFORMATION**  
**RWY 12:** TORA-10000 TODA-10000  
**RWY 17:** TORA-11101 TODA-11101  
**RWY 30:** TORA-10000 TODA-10000

**ARRESTING GEAR/SYSTEMS**  
**RWY 17** ← HOOK E5 (92' OVRN) HOOK E5 (70' OVRN) → **RWY 35**  
**RWY 12** ← HOOK BAK-12B(B) (1000') HOOK BAK-12B(B) (3208') → **RWY 30**

**MILITARY SERVICE:** LGT ALS Rwy 17 NSTD for Category 1 ILS. ALS Rwy 12-30 NSTD. Rwy 17 SFL unavbl. Rwy 12 windsock unlgtd. **A GEAR** Unless safe landing distance dictates otherwise plan landing to touchdown past Rwy 12 apch end BAK-12 located 1000' from thld. **JASU** 1(MC-1A) 1(MC-2A) 10(A/M32A-86) 6(AM32A-95) 8(AM32A-60) **FUEL** J8 **FLUID** PRESAIR LHOX LOX LHNIT **OIL** 7808, 23699 hyd fluid-5606, 83282 **SOAP**—Results avbl weekdays 1345-1730Z†, 1830-0600Z† except holidays, results not avbl other times.  
**TRAN ALERT** Opr 1400-0530Z†. Limited Fleet Svc (lavatory and water only).

**MILITARY REMARKS:** See FLIP AP/1 Supplementary Arpt Remark. **RSTD** All B1 acft ctc PTD 30 minutes prior to arr/dep. PPR tran acft. No tran acft arrive/dep 0530-1400Z†. Tran acft may expect only one apch during periods of intense local training. No 180° turns on apch end Rwy 12 except B52/B1/E3/KC135/E6 acft in concrete portion of 1st 500'. Notify base ops of 1 hour or more ETA change and PPR cancellations. **CAUTION** Exercise caution while taxiing portion of ramp not visible from twr. Hold short of ramp for individual acft follow-me assistance. Use caution Rwy 12-30, N-S VFR corridor surface -3000' 1 NM off dep end Rwy 30. Unlgtd security fences surround airfield. Unlighted bldgs NW, W, SW and E of Rwy 17-35. **TFC PAT** TPA—Rectangular and clsd tfc pat 3000(1709) (includes fighter/trainer acft), overhead tfc pat on req 3500(2209). Use 124.45 while in tfc pat, monitor 251.05 to maximum extent possible. **NS ABTMT** Practice circling apch to Rwy 17 prohibited. Night quiet hr in effect 0430-1200Z†, practice apch are restricted. **CSTMS/AG/IMG:** See foreign clearance guide KTIK entry. **MISC** VIP acft ctc Base OPS 30 minutes prior to ETA with firm chock time. Base OPS DSN 884-2191, C405-734-2191. Rwy 17-35 apch ends 1000' conc, remaining rwy keel 75' conc, non-keel asph; mid 8100' rwy grooved. Rwy 12 apch end 1000' conc, Rwy 30 apch end 1000' conc, remaining rwy keel 50' conc, non-keel asphalt. Hangar space for tran acft during inclement wx extremely ltd. Tran svc for B52, B1, C5, C17, C130, C135, and DC10 extremely ltd, acft should have crew chief on board. Acft with cargo req Air Freight assistance ATOC A/G or DSN 339-5553, weekdays 1300-2200Z†. Standard USAF RSRs applied. Twy M NSTD width. Twy C NSTD shoulders btn trim pad and Rwy 12-30. Twy A CLOSED E side of Rwy 17-35.

**COMMUNICATIONS:** SFA 354.125 (Sooner Con/Okie Ops 228.45 311.0) **ATIS** 270.1 (1100-0400Z†) DSN 884-5152, C405-734-5152. **PTD** 134.1 372.2

**(R) OKE CITY APP/DEP CON** 120.45 288.325 (081°-170°) 124.2 336.4 (001°-080°) 124.6 266.8 (261°-360°) 126.65 263.075 (171°-260°)

**TOWER** 124.45 251.05 **GND CON** 121.8 275.8 **CLNC DEL** 119.7 335.8

**TIK COMD POST** (Raymond 24) 139.95 141.65 225.875 305.6  
**PMSV METRO** 261.025 (Forecast svc avbl during afld opr hr.) Acft ctc 26 OWS, DSN 781-4775, C318-456-4775 for phone patches, all tran wx briefings and updates. Svc for tran acft ltd on weekends and during inclement wx. Trans RON call 26 OWS minimum 2 hrs prior to requested brief time. **TINKER AOTC** 119.15  
**AFMC FLT TEST** 382.6 (OC-ALC PDM input acft ctc Sabre Control 30 min prior arrival.)

**AIRSPACE:** CLASS C svc continuous ctc **APP CON**.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.  
**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 066° 11.4 NM to fld. 1237/7E. HIWAS.  
**WILEY POST (T) VORW/DME** 113.4 PWA Chan 81 N35°31.98' W97°38.83' 111° 14.6 NM to fld. 1271/8E.  
**(T) TACAN** Chan 105 TIK (115.8) N35°26.19' W97°22.78' 188° 1.4 NM to fld. 1251/7E. TACAN unusable 050°-055° and 150°-170° byd 15 NM blo 3000'.

**ILS 111.7** I-EVG Rwy 12. LOC only.  
**ILS 111.3** I-FRJ Rwy 17. LOC unusable from TIK .1 DME to rwy thld. ILS glide slope signal not protected from possible reflective interference caused by vehicle tfc.  
**ILS 109.5** I-TIK Rwy 35.  
**ILS 111.7** I-PLH Rwy 30. LOC only. LOC unusable from .3 NM to rwy thld.

**ASR**

**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima. Acft with AN/ARN-58 localizer receiver may experience course deviations due to interference.

**TIPTON MUNI** (108) 3 SW UTC-6(-5DT) N34°27.52' W99°10.28'

DALLAS-FT. WORTH

1248 B NOTAM FILE MLC

L-17B

RWY 17-35: H3062X50 (ASPH) S-12 MIRL

IAP

RWY 17: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

Ⓡ ALTUS APP/DEP CON 125.1 (Mon-Fri 1430-0830Z† except Federal hols)


FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z†, Sat-Sun and Federal hols 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 182° 25.0 NM to fld. 1472/10E.



**TIHOSHINGO AIRPARK** (ØF9) 2 S UTC-6(-5DT) N34°11.91' W96°40.47'

DALLAS-FT. WORTH

647 B NOTAM FILE MLC

L-17C

RWY 17-35: H3100X60 (ASPH) S-12 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Severe cracking and grass encroachment. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.70'

W97°10.09' 086° 24.6 NM to fld. 937/6E.



**TRAIL** N34°46.88' W98°24.14' NOTAM FILE MLC.

DALLAS-FT. WORTH

NDB (MHW) 388 OFZ 171° 7.9 NM to Henry Post AAF (Fort Sill).

L-17C

**TULOO** N35°28.29' W97°36.33' NOTAM FILE OKC.

DALLAS-FT. WORTH

NDB (MHW/LOM) 406 OK 170° 4.7 NM to Will Rogers World.

L-15D

## TULSA

**HARVEY YOUNG** (1H6) 7 E UTC-6(-5DT) N36°08.34' W95°49.50'

KANSAS CITY

750 B S4 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2580X40 (ASPH)

RWY 17: Trees. RWY 35: Trees.

RWY N-S: 2580X80 (TURF)

RWY N: Trees. RWY S: Trees.

AIRPORT REMARKS: Attended 1500-0000Z†. Rwy 17 rgt tfc for helicopters. Ultralights on and invof arpt. Rwy N-S thld marked by 3' red/white markers.

COMMUNICATIONS: CTAF/UNICOM 122.8

**RICHARD LLOYD JONES JR.** (RVS) 5 S UTC-6(-5DT) N36°02.38' W95°59.08'

**KANSAS CITY**

638 B S4 FUEL 100LL, JET A OX 4 TPA-1713(1075) NOTAM FILE RVS

H-6I, L-15E

RWY 01L-19R: H5102X100 (ASPH) S-30, D-60 HIRL 0.3% up N

IAP, AD

RWY 01L: PAPI(P4L)—GA 3.0° TCH 21'.

RWY 19R: PAPI(P4L)—GA 3.2° TCH 22'. Trees. Rgt tfc.

RWY 01R-19L: H4208X100 (ASPH) S-30, D-60 MIRL  
0.3% up NE

RWY 01R: VASI(V2L)—GA 3.0° TCH 21'. Rgt tfc

RWY 19L: VASI(V2L)—GA 3.0° TCH 20'. Thld dsplcd 142'. Road.

RWY 13-31: H2641X50 (ASPH) S-30 MIRL  
0.3% up NW

RWY 13: VASI(V2L)—GA 4.0° TCH 52'. Trees.

RWY 31: VASI(V2L)—GA 3.0° TCH 24'. Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended 1200-0400Z±. After hrs by prior arrangement. Fuel avbl 24 hrs with credit card. Numerous birds on and in/ov arpt. The NE, NW and SW ramps and portions of Taxiways C, D, G are not visible from tower. Noise Abatement: No turns on departure prior to 1500' MSL. When twr clsd HIRL Rwy 01L-19R preset med ints, to increase ints ACTIVATE—120.3, MIRL Rwy 13-31 and Rwy 01R-19L preset medium only.

**WEATHER DATA SOURCES:** ASOS (918) 299-0740. LAWRS.

**COMMUNICATIONS:** CTAF 120.3 ATIS 126.5 UNICOM 122.95

Ⓡ TULSA APP/DEP CON 134.7 (175°-355°) 119.85 (356°-174°)

RIVERSIDE TOWER 120.3 119.2 (1300-0400Z±) GND CON 121.7 PRE TAXI CLNC 124.5

**AIRSPACE:** CLASS D svc 1300-0400Z± other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 218° 13.4 NM to fld. 770/8E.

GLENPOOL (T) VORW/DME 110.6 GNP Chan 43 N35°55.25' W95°58.12' 348° 7.2 NM to fld. 810/6E.

NOTAM FILE RVS.

ILS 109.95 I-RVS Rwy 01L.

**COMM/NAV/WEATHER REMARKS:** Tower frequency 119.2 used only when advertised on ATIS.



**TULSA INTL** (TUL) 5 NE UTC-6(-5DT) N36°11.90' W95°53.29'

**KANSAS CITY**

677 B S4 FUEL 100LL, JET A, A1, B OX 1, 2, 3, 4 LRA Class I, ARFF Index D

H-61, L-15E

NOTAM FILE TUL

IAP, AD

**RWY 18L-36R:** H9999X200 (CONC-GRVD) S-75 +, D-200 +, ST-175, DT-400+ HIRL CL

**RWY 18L:** MALSR. PAPI(P4L)—GA 2.75° TCH 53'. Tree. 0.4% up.

**RWY 36R:** ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 57'. Tree.

**RWY 08-26:** H7376X150 (CONC-GRVD) S-75+, D-200+, ST-175, DT-350 HIRL 0.5% up W

**RWY 08:** REIL. PAPI(P4L)—GA 3.0° TCH 52'. Tree.

**RWY 26:** REIL. PAPI(P4L)—GA 3.0° TCH 57'.

**RWY 18R-36L:** H6101X150 (ASPH-GRVD) S-60, D-100, ST-127 HIRL 0.7% up S

**RWY 18R:** REIL. PAPI(P4L)—GA 2.75° TCH 63'. Tree.

**RWY 36L:** REIL. PAPI(P4L)—GA 3.0° TCH 50'. Road.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 08:** TORA-7376 TODA-7376 ASDA-7376 LDA-7376

**RWY 18L:** TORA-9999 TODA-9999 ASDA-9999 LDA-9999

**RWY 18R:** TORA-6101 TODA-6101 ASDA-6101 LDA-6101


**RWY 26:** TORA-7376 TODA-7376 ASDA-7376 LDA-7376

**RWY 36L:** TORA-6101 TODA-6101 ASDA-6101 LDA-6101

**RWY 36R:** TORA-9999 TODA-9999 ASDA-9999 LDA-9999

**ARRESTING GEAR/SYSTEM**

**RWY 08 BAK-14 BAK-12A (B) (1500')**



**BAK-14 BAK-12A (B) (1500') RWY 26**

**RWY 18L BAK-14 BAK-12A (B) (1566')**

**BAK-14 BAK-12A (B) (1312') RWY 36R**

**AIRPORT REMARKS:** Attended continuously. 4000' blacktop track 1.5 NM E Rwy 26; do not mistake for rwy. Rwy 18L-36R center 140' grooved. Irregular wind pattern AER 18R. Noise abatement in effect all rwys, climb to 3000' as soon as possible after tkf. Taxilane QQ not visible from twr. Twy DD clsd indef. Twy CC clsd indef. Taxilanes LZ, LA, and NN not visible from twr. Twy L south of Twy L5 not visible from twr. The following areas are restricted to weights indicated: Twy JJ S-35, Twy M-2 S-35/D-52, Twy HH S-45/D-60, Twy L north of Rwy 08-26 S-55/D-60, Twy L south of Twy C S-37/D-48, Twy L4 S-45/D-60. Twy J2 lead off lgts OTS indef. HIRL Rwy: 08-26 and Rwy 18R-36L turned off 0500-1100Z†. Twy lgts turned off 0500-1100Z† except Twys E, J, H, G and F. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Aerobatic Practice Area and Continuous Power Facilities.

**WEATHER DATA SOURCES:** ASOS (918) 838-8437. LLWAS. TDWR.

**COMMUNICATIONS:** D-ATIS 124.9 (918) 834-3764 UNICOM 122.95

RCO 123.65 122.2 (MC ALESTER RADIO)

Ⓡ APP/DEP CON 124.0 (175°-354°) 119.1 (355°-174°)

TOWER 118.7 (Rwy 18R-36L) 121.2 (Rwy 18L-36R and Rwy 08-26) GND CON 121.9 CLNC DEL 134.05

PRE-TAXI CLNC 134.05

**AIRSPACE:** CLASS C svc continuous ctc APP CON

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

(H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 264° 4.9 NM to fld. 770/8E.

DME unusable 248°-258° byd 23 NM blo 3100'.

OWASO NDB (LOM) 375 DW N36°18.44' W95°52.52' 180° 6.6 NM to fld.

OILLR NDB (LOM) 338 TU N36°05.84' W95°53.33' 353° 6.1 NM to fld.

ILS/DME 109.7 I-DWE Chan 34 Rwy 18L. Class IE. LOM OWASO NDB.

ILS/DME 110.3 I-TUL Chan 40 Rwy 36R. Class IIE. LOM OILLR NDB.

ILS 111.1 I-TJY Rwy 18R. Class IA.

ASR

**UNIVERSITY OF OKLAHOMA WESTHEIMER** (See NORMAN)

**VANCE AFB** (END)(KEND) AF 3 S UTC-6(-5DT) N36°20.37' W97°55.04'

**WICHITA**

1307 B NOTAM FILE MLC Not insp.

H-6H, L-15D

**RWY 17R-35L:** H9202X150 (PEM) PCN 27 R/C/W/T HIRL

DIAP, AD

**RWY 17R:** SALS. PAPI(P4L). **RWY 35L:** SALS. PAPI(P4L).

**RWY 17C-35C:** H9202X150 (PEM-GRVD) PCN 23 R/C/W/T HIRL

**RWY 17C:** SALS.F. PAPI(P4L). **RWY 35C:** SALS.F. PAPI(P4L).

**RWY 17L-35R:** H5024X150 (CONC-GRVD) PCN 28 R/C/W/T MIRL

**RWY 17L:** REIL.

**ARRESTING GEAR/SYSTEMS**

**RWY 17R BAK-15 CHAG** (152' OVRN)

**BAK-15 CHAG** (149' OVRN) **RWY 35L**

**RWY 17C BAK 15 CHAG** (154' OVRN)

**BAK-15 CHAG** (147' OVRN) **RWY 35C**

**MILITARY SERVICE: A-GEAR BAK-15** is in low position unless req by pilot to be raised. BAK-15 is 24' high when raised.

Pilot should confirm with twr that barrier is low prior to opposite direction apch. **JASU** 8(A/M32A-86) 10

(AM32-95) **FUEL** J8, 8+, 100 **FLUID** SP PRESAIR LPOX LOX **OIL** O-148-156 **SOAP** **TRAN ALERT** No fleet svc avbl.

**MILITARY REMARKS:** Opr (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM. Apch lighting system Rwy 17-C 35C NSTD (SALS) installed on precision runway. First 3350' Rwy 17C and first 1000' Rwy 35C is grooved concrete, middle 4950' is grooved asphalt. Rwy 17L-35R middle 2000' is grooved. First 1300' Rwy 17R and first 3900' Rwy 35L is concrete, middle 4000' is asphalt. **RSTD** During student training tran acft limited to one full stop ldg. Overhead apch to Rwy 17C-35C not authorized for tran acft during student training opr. During VMC, dep acft must remain blo 2300' until past dep end to ensure separation from VFR overhead tfc pattern unless otherwise cleared by ATC. PPR, ctc base OPS. Only T1, T6, and T38 acft will use Twy F, east of Rwy 17C-35C when Rwy 17L-35R is in use. All other acft must use Twy A, C, or E. **CAUTION:** BAK-15 barrier lays across the apch ends of Rwy 17C-35C and Rwy 17R-35L underruns. Barriers not connected to energy absorber (chains) at apch end of active rwy. Portion parallel twy, to include Rwy 17L-35R apch end hot brake area not visible from twr. Some obstruction lgts on afld are non-standard and only visible to 3 miles. Acft sunshades 735' east of Rwy 17L-35R. **MISC** Base OPS DSN 448-7425, C580-213-7425. Acft carrying distinguished visitor code 7 or higher ctc Vance OPS 20 min prior to ETA. Wx observation ltd all quadrant due bldg, hangar shelters and acft obstruct view. All end of rwy not visible from observation point. When fog and/or low clouds present over apch end of Rwy 17-35 condition report from the observation point may not be representative.

**COMMUNICATIONS: SFA** 392.1 **ATIS** 115.4 263.15 (1 May-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-30 Apr) Mon-Fri 1300-0100Z†, Sun 2000-0000Z†, clsd Sat and federal holidays **PTD** 372.2

Ⓡ **APP CON** 120.525 306.3 (165°-003° 10000' to FL 240, 323°-165° FL 230 to FL 240) 118.075 273.475 (330°-033° to 19 DME at or blo FL 220) 121.3 291.1 (033°-165° at or blo 6500') 125.45 388.2 (7000' to FL 220) 126.75 346.325 (205°-323° to 18 DME at or blo FL 240) 119.775 244.875 (165°-003° within 18 DME at or blo 9500') (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM. Frequencies 126.75 and 346.325 unreliable byd 60 NM from rwy end.

Ⓡ **KANSAS CITY CENTER APP CON** 127.8 319.1 369.2 (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hr Sat and Federal holidays.

**TOWER** 124.05 259.1 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM. **GND CON** 121.8 289.4 **CLNC DEL** 225.4

Ⓡ **DEP CON** 120.525 306.3 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER DEP CON** 127.8 319.1 369.2 (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-1300Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

**PMSV METRO** 342.55 (PMSV METRO Full svc during published or NOTAMed afld hrs, other times ctc 225 OWS DSN 781-4775 C318-456-4775/3024.

**AIRSPACE: Class D** svc (1 May-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-30 Apr) Mon-Fri 1300-0100Z†, Sun 2000-0000Z†, clsd Sat and federal holidays, other times Class E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

(H) **VORTAC** 115.4 END Chan 101 N36°20.70' W97°55.10' at fld. 1276/5E. Monitored during published opr hr only. VOR portion unusable 174°-194° byd 20 NM blo 3,500'. MP Thu 0900-1100Z†, Sat 1500-1900Z†.

**WOODRING (T) VORW/DME** 109.0 ODG Chan 27 N36°22.43' W97°47.29' 244° 6.6 NM to fld. 1149/8E. NOTAM FILE WDG.

**ILS** 108.9 I-LVC Rwy 17C. Monitored during published opr hr only. No NOTAM MP Tue and Wed 1100-1230Z†.

**ILS** 110.1 I-END Rwy 35C. Monitored during published opr hr only. No NOTAM MP Sat 1500-1900Z†.

**VICI MUNI** (501) 1 S UTC-6(-5DT) N36°08.50' W99°18.19'

WICHITA

2268 NOTAM FILE MLC

**RWY 16-34:** H2565X50 (ASPH) S-8 LIRL

**RWY 16:** Tree.

**AIRPORT REMARKS:** Unattended. 145' Grain elevator 3200' NE fm end of Rwy 16.

**COMMUNICATIONS:** CTAF 122.9

**VINITA MUNI** (H04) 2 SE UTC-6(-5DT) N36°36.98' W95°09.08'

KANSAS CITY

696 B TPA-1496(800) NOTAM FILE MLC

L-15E

**RWY 17-35:** H3265X60 (ASPH) MIRL

**RWY 17:** Thld dsplcd 110'. Trees. **RWY 35:** Trees.

**AIRPORT REMARKS:** Unattended. Ultralight activity on and invof arpt. +17' interstate highway 425' north of Rwy 17  
AER. ACTIVATE MIRL Rwy 17-35-122.8.

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE COU.

**NEOSHO (H) VOR/DME** 117.3 EOS Chan 120 N36°50.55' W94°26.14' 242° 37.1 NM to fld. 1200/7E.

## WAGONER

**HEFNER-EASLEY** (H68) 2 E UTC-6(-5DT) N35°57.76' W95°20.51'

DALLAS-FT. WORTH

609 B NOTAM FILE MLC

L-15E

**RWY 18-36:** H3405X60 (ASPH) S-12.5 MIRL 0.4% up S

IAP

**RWY 18:** PAPI(P2L)-GA 3.0° TCH 31'. Trees.

**RWY 36:** PAPI(P2L)-GA 3.0° TCH 31'. Trees.


**AIRPORT REMARKS:** Unattended. N-S turf used for twy only. Ultralights on or invof arpt. Rwy 36 PAPI OTS indef. PAPI Rwy 18 unusable byd 7° left of course and 8° right of course. Rwy 18-36 MIRL OTS indef.

**COMMUNICATIONS:** CTAF 122.9

**TULSA APP/DEP CON** 119.1

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'  
W95°47.29' 115° 25.8 NM to fld. 770/8E.



**WALTERS MUNI** (305) 4 W UTC-6(-5DT) N34°22.36' W98°24.35'

DALLAS-FT. WORTH

1058 B NOTAM FILE MLC

**RWY 16-34:** H2900X50 (ASPH) S-7 MIRL

**RWY 16:** P-line. **RWY 34:** P-line.

**AIRPORT REMARKS:** Unattended. Rotating bcn OTS indef.

**COMMUNICATIONS:** CTAF 122.9

**WAMPA** N34°47.87' W95°49.24' NOTAM FILE MLC.

DALLAS-FT. WORTH

**NDB (LOM)** 344 ML 014° 5.4 NM to McAlester Rgnl.

**WATONGA RGNL** (JWG) 1 NW UTC-6(-5DT) N35°51.88' W98°25.25'

DALLAS-FT. WORTH

1550 B FUEL 100LL NOTAM FILE JWG

L-15D

RWY 17-35: H4000X60 (ASPH) S-30 MIRL 0.5% up N

IAP

RWY 17: Rgt tfc. RWY 35: Tree.

**AIRPORT REMARKS:** Attended 1400-2300Z†. For aprt attendant after hours call 580-623-5911. Golfers on west side of rwy. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 134.175 (580) 623-7388.


**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **VANCE APP/DEP CON** 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95. (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32' W98°00.24' 271° 20.6 NM to fld. 1110/9E.

**WAYNOKA MUNI** (1K5) 2 SE UTC-6(-5DT) N36°34.00' W98°51.14'

WICHITA

1543 B NOTAM FILE MLC


RWY 17-35: H2507X50 (ASPH) S-8 LIRL

RWY 35: Rgt tfc.

**AIRPORT REMARKS:** Unattended. Parallel twy clsd indef. LIRL OTS indef.

Rotating bcn OTS indef.

**COMMUNICATIONS:** CTAF 122.9



**WEATHERFORD****THOMAS P. STAFFORD** (OJA) 2 NE UTC-6(-5DT) N35°32.69' W98°40.11'

DALLAS-FT. WORTH

1605 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE MLC

L-15D

RWY 17-35: H4400X75 (CONC) S-30, D-48 MIRL

IAP

RWY 17: PAPI (P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: PAPI (P2L)—GA 3.0° TCH 38'. P-line.

AIRPORT REMARKS: Attended 1400-0000Z†.

WEATHER DATA SOURCES: AWOS-3 118.575 (580) 772-7020.

COMMUNICATIONS: CTAF/UNICOM 122.8


GCO 135.075 (FLIGHT SERVICES)

FORT WORTH CENTER APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'

W98°00.24' 236° 36.0 NM to fld. 1110/9E.

**WESTPORT** (4F1) 2 E UTC-6(-5DT) N36°13.34' W96°20.77'

KANSAS CITY

900 TPA-1500(600) NOTAM FILE MLC

RWY 03-21: H2900X42 (ASPH) S-10, D-12.5 MIRL

AIRPORT REMARKS: Unattended. Rwy 21 steep uphill slope up to 130' at end of rwy. ACTIVATE MIRL Rwy

03-21—CTAF.

COMMUNICATIONS: CTAF 122.9

**WEST WOODWARD** (See WOODWARD)**WILBURTON MUNI** (HØ5) 4 W UTC-6(-5DT) N34°55.20' W95°23.64'

DALLAS-FT. WORTH

670 B NOTAM FILE MLC

L-17D

RWY 17-35: H3000X60 (ASPH) S-2 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Deer on and invof rwy. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 069° 19.6 NM to fld. 820/8E. HIWAS.

**WILEY POST** (See OKLAHOMA CITY)**WILLIAM POGUE** N36°10.38' W96°09.25' NOTAM FILE MLC.

KANSAS CITY

NDB (MHW) 362 OWP at William R. Pogue Muni. Unmonitored.

I-15E

**WILLIAM R. POGUE MUNI** (See SAND SPRINGS)**WILL ROGERS WORLD** (See OKLAHOMA CITY)



**WOODRING** N36°22.43' W97°47.29' NOTAM FILE WDG.  
 (T) VORW/DME 109.0 ODG Chan 27 at Enid Woodring Rgnl. 1149/08E.  
 RCO 122.6 (MC ALESTER RADIO)

**WICHITA**  
 L-15D

**WOODWARD**

**WEST WOODWARD** (WWR) 6 W UTC-6(-5DT) N36°26.28' W99°31.36'

2189 B S2 FUEL 100LL, JET A NOTAM FILE WWR

RWY 17-35: H5502X100 (CONC) S-30, D-60 MIRL 0.5% up S

RWY 17: PAPI(P4L)—GA 3.0° TCH 39'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 40'.

RWY 05-23: H2500X60 (ASPH) MIRL

RWY 05: Trees. RWY 23: Rgt tfc.

**AIRPORT REMARKS:** Attended 1400-0200Z±. Ultralight activity on and in/ov arpt. Center twy clsd indef.

**WEATHER DATA SOURCES:** AWOS-3 118.425 (580) 254-5217. Visibility unreliable.


**COMMUNICATIONS:** CTAF/UNICOM 122.8

**KANSAS CITY CENTER APP/DEP CON** 126.95

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.

**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'  
 W99°52.81' 61.8° 18.2 NM to fld. 2430/10E. **HIWAS.**

**WICHITA**  
 H-6H, L-15C  
 IAP



**INTENTIONALLY  
LEFT  
BLANK**



## 2010 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2010, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2010 aerial demonstration locations, subject to change without notice, are:

DATE:	USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
April 10-11	Eglin AFB, FL			
11		NAS Key West, FL		
17		Charleston AFB, SC		
17-18	Lakeland, FL			
24-25	Barksdale AFB, LA	Vidalia, GA	Ft. Lauderdale, FL	
24-25			Galena, FL	
May 1	Dyess AFB, TX			
2	Altus AFB, OK			
1-2		St. Joseph, MO		
8-9	Shaw AFB, SC	Tuscaloosa, AL	Shaw AFB, SC	Niagara Falls, NY
8-9			Tuscaloosa, AL	
13			Union, NJ	
15-16	Columbus AFB, MS	Andrews AFB, MD	Columbus AFB, MS	
15-16			Andrews AFB, MD	
22	Grand Forks AFB, ND			
22-23		MCAS Cherry Point, NC		
26	Colorado Springs, CO	Annapolis, MD		
29-30	Janesville, WI	Jones Beach, NY	Jones Beach, NY	
29-30			Janesville, WI	
June 5-6	Ocean City, MD	Eau Claire, WI	Eau Claire, WI	
5-6			Florence, SC	
12-13		Milwaukee, WI	Milwaukee, WI	
19-20		Cape Girardeau, MO	Cape Girardeau, MO	
19-20	Tinker AFB, OK		Gaylord, MI	
26-27	North Kingstown, RI	St. Cloud, MN	Findlay, OK	
July 3			Madison, WI	
3			Dubuque, IA	
3-4		Traverse City, MI		
4			Ft Bragg, NC	
10		Pensacola Beach, FL		
10-11	Gary, IN		Gary, IN	
17-18	Duluth, MN	Dayton, OH		
24-25	Fairchild AFB, WA	Idaho Falls, ID		
28	Cheyenne, WY			
29			Goshen, IN	
29			Ft AP Hill, VA	
31	Rockford, IL	Anchorage, AK	Rockford, IL	Elmendorf AFB, AK
31			Johnstown, PA	

## SPECIAL NOTICES

DATE:		USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
August	1	Rockford, IL	Anchorage, AK	Rockford, IL	Elmendorf AFB, AK
	1			Johnstown, PA	
	7-8	TBD	Seattle, WA		
	14-15		Chicago, IL	Chicago, IL	
	21-22	Westfield, MA		Westfield, MA	
	21-22			Kansas City, MO	
	25			Atlantic City, NJ	
	26			Ft Monroe, VA	
	28-29	Coney Island (Brooklyn), NY	Portsmouth, NH	Coney Island (Brooklyn), NY	
	28-29			Portsmouth, NH	
September	4-5	Martinsburg, WV		Cleveland, OH	
	4-5			Martinsburg, WV	
	4-6		Cleveland, OH		
	11-12	Corapolis (Pittsburgh), PA	Scott AFB, IL	Corapolis (Pittsburgh), PA	
	11-12			Scott AFB, IL	
	18-19	Whiteman AFB, MO	NAS Oceana, VA	Whiteman AFB, MO	Reno, NV
	25-26	McConnell AFB, KS	MCAS Kaneohe Bay, HI		
October	1-3		MCAS Miramar, CA		MCAS Miramar, CA
	2-3	Salinas, CA		MCAS Miramar, CA	
	2-3			Jackson, MS	
	9-10	Little Rock AFB, AR	San Francisco, CA	Little Rock, AFB, AR	Daytona Beach, FL
	16-17	El Paso, IX	Dobbins AFB, GA	El Paso, TX	Atlanta, GA
	23-24	Houston, TX	NAS Jacksonville, FL	Washington, DC	
	30-31	Cocoa Beach, FL	Ft Worth Alliance, TX	Ft Worth Alliance, TX	
November	6-7	Lackland AFB, TX	Homestead ARB, FL	Lackland AFB, TX	
	6-7			Homestead ARB, FL	
	11-14			Ft Bragg, NC	
	12-13		NAS Pensacola, FL		
	13-14	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMS to verify they have the most current information regarding any airspace restrictions.

---

**PROHIBITED AREA P-49, CRAWFORD, TEXAS**

---

In response to a request from the United States Secret Service, the FAA has established a prohibited area over President George W. Bush's ranch in Crawford, Texas. The prohibited area extends from the SFC up to 5,000' MSL within a 3 NMR of lat. N31°34'45", long. W97°32'00" (ACT242R/15).

---

**Bomb Disposal Area  
McAlester, Oklahoma Vicinity**

Bomb disposal area, one NM radius, MLC 240°/006, SFC to 2000 AGL. Times of use: Daily, 30 min after SR to 30 min before SS. Avoidance advised. For further information contact McAlester AFSS.

---

**AEROBATIC PRACTICE AREA****Coushatta, LA, Red River Airport (0R7)**

Aerobatic practice will be conducted at Red River Airport between the surface and 5,000 feet AGL within the boundaries of the airspace bounded on the west by the western edge of Rwy 17/35, extending northward and southward to the respective airport boundaries, extending eastward for 1.5 miles to an imaginary line connecting to the northeast and southeast corners, to create the practice area. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Crowley, LA, Le Gros Airport (3R2)**

Aerobatic practice will be conducted at Le Gros Airport within the area defined as a semicircle extending southward from its diameter centered on the north end of the north/south taxiway at its intersection with the south edge of the east/west taxiway extending eastward 6,000 feet and westward 6,000 feet from the surface to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Farmerville, LA, Union Parish Airport (F87)**

Aerobatic practice will be conducted within a 2 NM radius of the Union Parish Airport, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Jennings, LA, Jennings Airport (3R7)**

Aerobatic practice will be conducted centered from 1 NM northwest of Jennings Airport, within an approx. 2.5 NM radius, 500 feet to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Opelousas, LA, St. Landry Parish Airport (OPL)**

Aerobatic practice will be conducted at St. Landry Parish Airport within 1 NM radius of the Lafayette VORTAC, LFT343022, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Springhill Airport (SPH), Springhill, LA**

Aerobatic practice conducted at the Springhill (SPH) Airport, from SFC to 5000 MSL, within the area defined as having its western boundary along the western edge of Rwy 18/36, extending northward 1000 feet beyond the north end of the runway; then eastward 150 feet to the eastern boundary; then southward parallel to the runway to a line which runs along the southern edge of Rwy 18/36, extending from its western edge 1500 feet to a point where it intersects the eastern boundary. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information, contact DeRidder AFSS on 1-800-WX-BRIEF (992-7433).

**Sulphur, LA, Southland Field (UXL)**

Aerobatic practice will be conducted at West Calcasieu Airport, Southland Field within a 2 NM radius of the Lake Charles VORTAC, LCH261014, SFC to 4,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information Flight Services at 1-800-WX-BRIEF (992-7433).

**Bristow, OK, Jones Memorial Airport (3F7)**

Aerobatic practice will be conducted within 2 NM radius of Jones Memorial Airport (3F7), SFC to 6,000 feet AGL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Cookson, OK, Tenkiller Lake Airpark (44M)**

Aerobatic practice will be conducted at Tenkiller Airpark in a 3,000 foot box, beginning at the centerline of the approach end of RY23 and extending 400 feet beyond the departure end of RY23, thence extending 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

CONTINUED ON NEXT PAGE

## CONTINUED FROM PRECEDING PAGE

**Ketchum, OK, South Grand Lake Regional Airport (1K8)**

Aerobatic practice will be conducted within 1 NM radius of the South Grand Lake Regional Airport (1K8), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Muskogee, OK, Davis Field (MKO)**

Aerobatic practice will be conducted within 1.25 NM radius of Davis Field, Muskogee, OK (MKO), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Nowata, OK, Nowata Airport (H66)**

Aerobatic practice will be conducted centered from 3 NM northwest of the Nowata Airport (H66), SFC to 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Tulsa, OK**

Aerobatic practice will be conducted within 3 NM radius of TUL350022, SFC to 5,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Brenham, TX, Brenham Muni Airport (11R)**

Aerobatic practice will be conducted within 2 NM radius of the Brenham Muni Airport (11R), SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Celina, TX, Four Winds Ranch (1TS9)**

Aerobatic flight activity will be conducted at Four Winds Ranch, bound on the north by County Road 102, on the south by an imaginary line parallel to and 800 feet south of County Road 134, on the west by an imaginary line just east of the three lakes, and on the east by a tree line, SFC to 4,500 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Edna, TX, Jackson County Airport (26R)**

Aerobatic practice will be conducted within a 1 NM radius of the Jackson County Airport (26R), from SFC to 1,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Fort Worth, TX, Naval Air Station JRB (NFW)**

Aerobatic practice will be conducted centered from 1 NM East and 3 NM West, North and South of NAS JRB Fort Worth (NFW) runway 17/35, from SFC to 6,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Georgetown (GTU), TX**

Aerobatic practice will be conducted within 1 NM radius of CWK342019, SFC to 4000' AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. Pilots should use caution within this area. For further information, contact San Angelo AFSS on 1-325-223-6041.

**Graford, TX, Possum Kingdom (F35)**

Aerobatic practice will be conducted within 1 NM radius of MQP289929 3.5 NM west of Possum Kingdom Airport, SFC to 5,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Hondo Muni (HDO), Hondo, TX**

Aerobatic flight activity will be conducted in a 2 NM radius of Hondo Muni Airport. Flights will occur SR-SS, SFC to 3,500 AGL. Pilots should use caution when operating within this area. For further information, contact San Angelo AFSS, 325-223-6041.

**Huber Airpark, Sequin, TX**

Aerobatic flight activity will be conducted within an area 3300 feet by 3300 feet located on the SAT 089/25. Flights will occur SR-SS Sat/Sun, SFC to 4600 MSL. Pilots should use caution when operating in this area. For further information contact San Angelo AFSS on 1-325-223-6041.

**LaGrange, TX, Fayette Regional Air Center (3T5)**

Aerobatic flight activity will be conducted within a 2 NM radius of the Fayette Regional Airport (3T5), from 900 feet MSL up to and including 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

CONTINUED ON NEXT PAGE

## CONTINUED FROM PRECEDING PAGE

**Lubbock, TX, Biggin Hill Strip (TA67)**

Aerobatic flight activity will be conducted within 0.5 NM radius of the LBB280008.3/TA67, SFC to 6,500 MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Navasota, TX**

Glider operations will be conducted within a 5 NM radius of the TNV VOR 130/007, from SFC to 8000 feet MSL, SR-SS. Pilots should use caution when operating in this area. For further information, contact Montgomery County AFSS on 866-689-5992.

**O'Brien Airpark, Waxahachie, TX**

Aerobatic flight practice will be conducted within 1 1/2 NM radius of TTT 148/024 from SFC to 3500 MSL. Pilots should use caution when operating within this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

**Olney, TX, Olney Muni (ONY)**

Aerobatic flight activity will be conducted within a 4,000 square foot area located over the Olney Muni airport property commencing from the west side of Rwy 17-35, SFC to 3,500 AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Sherman/Denison, TX, North Texas Rgnl/Perrin Field (GYI)**

Aerobatic flight activity will be conducted within a 2 NM radius of the BYP290024.4, SFC to 5700' MSL, SR-SS daily. The practice area is for waiver holders only. Pilots should use caution when operating in this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

**Skywest Inc. Airport, Midland, TX**

Aerobatic flight activity will be conducted within a 3300' by 3300' square box, located 1/4 mile south southeast of the approach end of Rwy 34 at Skywest airport, Midland, Texas. Flights will occur between sunrise and sunset, from the surface to 6,500 feet MSL.

**Slidell, TX, Akroville Airport (XA68)**

Aerobatic practice will be conducted within 1.5 NM radius of the UKW108026, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Songbird Airport, Friendswood, Texas**

Aerobatic flight activity will be conducted within a 2 NM radius of the Houston Hobby VOR 185° radial at the 18 mile DME fix. Flight will occur from sunrise to sunset, from the surface to 3500 feet AGL. Pilots should use caution when operating within this area. For further information contact Montgomery County AFSS, 866-689-5992.

**Waller, TX, Simaron Ranch Airport, (9TS3)**

Aerobatic practice will be conducted within 1 NM radius of TNV130007.5/3.8 NNE 9TS3, 800 feet MSL to 3,500 feet MSL. SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Wichita Falls, TX, Kickapoo Downtown Airport (CWC)**

Aerobatic practice will be conducted within 1.5 NM radius of the SPS136009.2, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Wichita Falls, TX, Sheppard AFB (SPS)**

Aerobatic practice will be conducted within a 1.5 NM radius of the SPS200007, SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Wichita Falls, TX, Wichita Valley Airport (F14)**

Aerobatic practice will be conducted within a 1 NM radius of the SPS190003, SFC to 4,000 feet AGL. The activation of this practice area is only authorized when 80th Flying Training Wing Flying operations are not active at Sheppard Air Force Base. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**MODEL AIRCRAFT ACTIVITY****Haskell, OK (2K9)**

Model rocket activity will be conducted within a 1 NM radius of GNP092008, SFC to 9,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Oklahoma City, OK**

Model rocket activity will be conducted within a 1 NM radius of IRW270023, SFC to 6,400 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

**Fort Stockton—Pecos Co (FST), TX**

Model rocket activity will be conducted within a 2.6 NM radius of FST 146/014, SFC to 20,000 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041. Model rocket activity will be conducted within a 2 NM radius of FST 212/9, SFC to 23,100 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041.

**Kileen (ILE), Texas, Vicinity**

Model airplane activity conducted 1 NM radius ILE 138R/006NM, 10008 AGL and below. Intermittent launches daily. For further information, contact San Angelo AFSS on 1-325-223-6041.

**Lake Jackson TX (LHB)**

Model rocket activity will be conducted within a 1 NM radius of the Hearne Muni Airport (LHB) or the CLL 319/018 SFC to 12,500' MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

**Nacogdoches, TX (OCH)**

Model Rocket activity will be conducted within a 1 NM radius of the Mangham Rgnl Arpt (OCH) 045018, SFC to 3,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

**Wills Point, TX (76F)**

Model rocket activity will be conducted within a 5 NM radius of TTT100051, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

**Waco Rgnl, TX (ACT)**

Model rocket activity will be conducted within a 5 NM radius of ACT 131014, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

**UNMANNED AIRCRAFT SYSTEM (UAS)****Hondo, TX**

Unmanned Aircraft System (UAS) activity will be conducted within 2 NM radius of HDO 220/010, SFC to 1,700' MSL 0800-1600 LCL, Mon-Fri, through April 16, 2011. For further information, contact Fort Worth AFSS on 1-800-WX-BRIEF.

**DALLAS-FORT WORTH, TX, DALLAS/FORT WORTH INTL AIRPORT (DFW)  
NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 17R, 17C, 18R, 18L, 35L, 35C, 36L and 36R are authorized, with course divergence beginning within 5 miles from the departure end of parallel runways, due to noise abatement restrictions.

**LASER LIGHT DEMONSTRATIONS****Biloxi, Mississippi**

A permanent Laser Light Demonstration will be conducted at Casino Magic, located in Biloxi, Mississippi, on Gulfport VORTAC 096° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly from dusk until 2 AM. Laser light beam is not expected to elevate above the horizon from a 120 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

**Biloxi, Mississippi**

A permanent Laser Light Demonstration will be conducted at Palace Casino, located in Biloxi, Mississippi, on the Gulfport VORTAC 094° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly 8:00 P.M. until 4:00 A.M. Laser light beam is not expected to elevate above the horizon from a 70 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.



---

### Robinsonville, Mississippi

Laser light activity will be conducted at the Grand Casino, Robinsonville, MS, N34°52'22"/W90°17'40" MEM VOR 243R/18.3 NM, from 0000 to 0700 UTC daily. Laser light beams may be injurious to eyes within 300 feet vertically and 21,000 feet laterally. Flash blindness or cockpit illumination may occur beyond these distances.

---

### Vicksburg, Mississippi

A permanent Laser Light Demonstration will be conducted at Harrah's Casino Hotel, Vicksburg, MS, (JAN VORTAC 255° Radial, 38 Nautical Miles, Latitude 32°21'N, Longitude 90°53'W), nightly from sunset until 12:00 A.M. Laser Light beam may be injurious to eyes if viewed within 1000 feet vertically and/or 3000 feet laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

---

### DFW INTERNATIONAL AIRPORT LAND AND HOLD SHORT OPERATIONS

DFW is authorized to instruct aircraft to land on a runway and hold short of an intersecting taxiway while aircraft/vehicles simultaneously taxi across the runway at beyond the hold-short point for the following runway/taxiway combinations.

18R	AND	TAXIWAY B	10,100 feet
17C	AND	TAXIWAY B	10,460 feet
35C	AND	TAXIWAY EJ	9,050 feet
36L	AND	TAXIWAY Z	10,650 feet

These procedures are governed by the following conditions and limitations:

- a. The tailwind on the hold short runway shall be calm (less than 3 knots).
- b. A statement that simultaneous landings and runway crossings are being conducted shall be included on the ATIS.
- c. LAHSO wet runway operations are authorized provided pilot reported braking action is not less than good, the runway is not classified as contaminated by the airport operator, and the hold short position lights are operational and "on".
- d. The weather conditions must be at or greater than ceiling 1,000 feet, and visibility 3 miles.
- e. Traffic information shall be exchanged and a readback shall be obtained from the landing aircraft with a LAHSO clearance. An acknowledgment shall be received from the crossing aircraft/vehicle.
- f. Operations beyond the hold short point except for runway crossings are not authorized during LAHSO.
- g. Hold short markings, taxiway identification signs, and in-pavement lights will be used to identify the hold-short points. The lighting system consists of six or seven in-pavement white lights, flashing/pulsing simultaneously, arranged in a line across the landing runway perpendicular to the runway centerline.

The safety and operation of an aircraft remain the responsibility of the pilot. A pilot must inform air traffic control if the full length of the runway or another runway is desired. The runway distance from the landing threshold to the hold short point will be provided to the pilot upon request.

- h. Vertical guidance required for LAHSO (Glideslope, VASI, PAPI).
- 

### INTERSECTION DEPARTURES DURING PERIODS OF DARKNESS DALLAS-FORT WORTH INTERNATIONAL AIRPORT (DFW) DALLAS-FORTH WORTH, TEXAS

Dallas-Fort Worth Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 17R at Taxiway Yankee  
Runways 17R/C and 18R/L at Taxiway Zulu  
Runway 18L at Taxiway Yankee  
Runways 35L/C and 36L/R at Taxiway Alpha  
Runways 35L/C and 36L/R at Taxiway Bravo  
Runway 13L at Taxiway Papa  
Runway 31L at Taxiway "A5"

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Simultaneous taxi into position and hold are not authorized on the same runway. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

---

---

### SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

---

### ALBUQUERQUE ARTCC VFR Services South of El Paso, Texas

VFR radar advisory service and merging target service available to transponder equipped aircraft above 10,000 feet MSL from a point 75 miles south of El Paso, Texas, to the U.S./Mexican border.

---

### HOUSTON ARTCC Secondary—Only Radar in the Vicinity of Lufkin, Texas

The Air Traffic Control Beacon Interrogator-6 (ATCBI-6) located at the Angelina County Airport (LFK), Lufkin, Texas, is the only source of radar data within an approximate 50 NM radius of LFK. This is a secondary radar system; therefore radar services are available on transponder equipped aircraft only.

---

### CAUTION—HIGH DENSITY STUDENT FLYING Little Rock AFB, AR

High density student flying training in the vicinity of Little Rock AFB and on low level Slow Routes (SR) within Arkansas; 0600-0200 Mon-Fri, occasional weekend. Extensive use of All American Drop Zone, Little Rock VORTAC 332° radial 15.0 NM, and Blackjack Drop Zone, Little Rock VORTAC 009° radial 33.0 NM; 0600-0200, Mon-Fri, occasional weekend. Drop Zones are used for personnel and cargo, including IMC (AWDS) drops. For further information, contact Little Rock AFB, Base Operations, on 1-501-988-6125.

---

### CAUTION—VERTICAL LIGHTS ON BUILDING Downtown Tulsa, Oklahoma

Approximately ten miles southwest of Tulsa International Airport in the area of downtown Tulsa, four 4,000-watt xenon lights are mounted on each corner of the roof of a 40-story building. Illumination is vertical and hours of use are daily, dusk to midnight.

---

### BAYOU SAUVAGE NATIONAL WILDLIFE REFUGE, LA

Request aircraft remain at or above 2,000 ft in the vicinity of Bayou Sauvage National Wildlife Refuge bounded by Lake Pontchartrain to the Northwest and Northeast, Lake Borgue to the Southeast and New Orleans to the Southwest.

---

### CAUTION—LARGE CONCENTRATION OF BATS San Antonio, Texas, Vicinity

From April to October large concentration of bats are observed in the vicinity of Braken Cave located 5.5 miles east of SAT VORTAC. Most activity is observed around sunset and sunrise at altitudes up to 10,000 feet.

---

---

### U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville/South Padre Island International, Corpus Christi International, Del Rio International, El Paso International, Laredo International, Maverick County Memorial International, McAllen Miller International, Presidio-Lely International, Southwest Texas Regional, or William P. Hobby Airport in Texas; Calexico International, or Brown Field Municipal in California; Bisbee Douglas International, Nogales International, Tucson International, or Yuma MCAS/Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale Executive, Fort Lauderdale-Hollywood International, Key West International, Miami International, Opa-Locka Executive Airport, Palm Beach International, St. Lucie County International, or Tampa International in Florida.

---

### CAUTION-HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

---

### MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

---

### CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission. Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

---

### AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

---

**FEDERAL AVIATION REGULATION 91.713**

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

---

**CONTROLLED FIRING**

Camden, Harrell Fld, AR

6E Camden 2 NM radius surface—005 avoidance advised Mon–Fri daylight hours.

El Dorado, South Arkansas Rgnl

ELD 021/024 2 NM radius surface—500 AGL avoidance advised Mon–Fri daylight hours.

Texarkana Rgnl Webb Fld, AR.

.25 NM radius TXK 223010 2000/blo Mon–Thu. 1900–0500Z†

.5 NM radius TXK 240014 1000/blo Mon–Sat SR–SS.

---

---

**Camp Bullis Training Site  
Controlled Firing Area (CTA)  
Camp Bullis, TX**

1. CFA Description:

a. Boundaries: Beginning at  
Lat. 29°41'10.07"N., Long. 98°31'41.40"W. to  
Lat. 29°40'25.05"N., Long. 98°33'57.40"W. to  
Lat. 29°39'20.22"N., Long. 98°34'44.18"W. to  
Lat. 29°38'03.77"N., Long. 98°34'13.26"W. to  
Lat. 29°37'53.94"N., Long. 98°33'46.90"W. to  
Lat. 29°38'36.77"N., Long. 98°31'55.13"W. to  
Lat. 29°39'48.07"N., Long. 98°31'06.07"W. to  
Point of beginning.

b. Altitudes: Surface to 3,000 feet AGL.

c. Times of use: Approximately 70 times per year. Utilization will normally be 7 days per week, 0700–2300 local time. Give prior notice of all activities to the San Angelo Automated Flight Service Station (AFSS). Notify the AFSS when activities are terminated each day.

2. Activities:

a. M203 40mm Grenade Launcher, HE/Target Practice Training (TPT) rounds, average use 50 times per year.

b. Heavy Demolitions Range, types of explosives will vary, but all are conventional (no nuclear, biological, or chemical), 20 times per year.

c. Emergency destruction of illegal explosive devices will be unscheduled due to the nature of the event.

3. Using Agency: U.S. Army, Commander, Camp Bullis Training Site, Camp Bullis, TX

4. Effective date: The effective date is February 1, 2004. Biannual approval of the CFA is automatic upon receipt of a biannual status report from the Department of the Army Regional Representative containing a statement that the activities for which the area was established have not changed.

5. Conditions, Operating Limitations, and Safety Precautions:

a. Camp Bullis Training Site will maintain observers with direct communications to the Range Towers located in positions that allow for sufficient visual surveillance of the entire area.

b. Firing will cease upon observation of low-flying aircraft.

c. The ceiling shall be at least 1,000 feet above the maximum ordinate of projectiles and/or debris.

d. Visibility shall be sufficient to maintain visual surveillance of the entire CFA plus a distance of 5 statute miles beyond the CFA in all directions.

e. All user responsibilities, precautionary measures, and surveillance requirements listed in FAA Order 7400.2 shall be complied with.

f. All activities will be contained within the designated impact area at Camp Bullis.

6. With the exception of the emergency destruction of unsafe explosive devices, the following information shall be filed with the San Angelo AFSS in sufficient time to permit a NOTAM to be transmitted at least 2 hours prior to scheduled operations:

a. Location of the CFA.

b. Time of use.

c. Activity to be conducted.

d. Maximum altitudes.

e. User.

7. Any violation of the conditions, as outlined above, shall be the basis for the FAA to withdraw authorization of the CFA.

---

## CONTROLLED FIRING AREA CAMP STANLEY, SAN ANTONIO, TEXAS

The Military has established a controlled firing area bordered by the following geographic coordinates: beginning at N29°40'37"/W98°37'53"; thence to N29°41'17"/W98°35'49"; to N29°43'51"/W98°35'50"; to N29°43'51"/W98°37'23"; to point of beginning. Operating SR--SS daily, SFC to 1,500 feet AGL (2,500 feet MSL). For further information contact San Angelo AFSS on 1-325-223-6041.

## CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.

In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.


1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
2. Wind Measuring Capability
3. Approach Light System (ALS) or Short ALS (SALS)
4. Ceiling Measuring Capability
5. Touchdown Zone Lighting (TDZL)
6. Centerline Lighting (CL)
7. Runway Visual Range (RVR)
8. High Intensity Runway Lighting (HIRL)
9. Taxiway Lighting
10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ) .....	08	Milwaukee, WI (MKE) .....	01L
Anchorage, AK (ANC) .....	07R	Minneapolis, MN (MSP) .....	30L
Andrews AFB, MD (ADW) .....	01L	Nashville, TN (BNA) .....	02L
Atlanta, GA (ATL) .....	09R	New Orleans, LA (MSY) .....	10
Baltimore, MD (BWI) .....	10	New York, NY (JFK) .....	04R
Bismarck, ND (BIS) .....	31	New York, NY (LGA) .....	22
Boise, ID (BOI) .....	10R	Newark, NJ (EWR) .....	04R
Boston, MA (BOS) .....	04R	Oklahoma City, OK (OKC) .....	35R
Charlotte, NC (CLT) .....	36L	Omaha, NE (OMA) .....	14R
Chicago, IL (ORD) .....	14R	Ontario, CA (ONT) .....	26L
Cincinnati, OH (CVG) .....	36C	Philadelphia, PA (PHL) .....	09R
Cleveland, OH (CLE) .....	06R	Phoenix, AZ (PHX) .....	08
Dallas/Fort Worth, TX (DFW) .....	17C	Pittsburgh, PA (PIT) .....	10L
Denver, CO (DEN) .....	35R	Reno, NV (RNO) .....	16R
Des Moines, IA (DSM) .....	31	Salt Lake City, UT (SLC) .....	34L
Detroit, MI (DTW) .....	03R	San Antonio, TX (SAT) .....	12R
El Paso, TX (ELP) .....	22	San Diego, CA (SAN) .....	09
Fairbanks, AK (FAI) .....	01L	San Francisco, CA (SFO) .....	28R
Great Falls, MT (GTF) .....	03	San Juan, PR (SJU) .....	08
Honolulu, HI (HNL) .....	08L	Seattle, WA (SEA) .....	16C
Houston, TX (IAH) .....	26L	St. Louis, MO (STL) .....	30R
Indianapolis, IN (IND) .....	05L	Tampa, FL (TPA) .....	36L
Jacksonville, FL (JAX) .....	07	Tulsa, OK (TUL) .....	36R
Kansas City, MO (MCI) .....	19R	Washington, DC (DCA) .....	01
Los Angeles, CA (LAX) .....	24R	Washington, DC (IAD) .....	01R
Memphis, TN (MEM) .....	36L	Wichita, KS (ICT) .....	01L
Miami, FL (MIA) .....	08R		

**NOTE**—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.

---

**FIREFIGHTING TRAFFIC AREAS**

Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

---

### **OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL**

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93-1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <http://www.faa.gov>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is <http://www.fly.faa.gov/ecvrs>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904-4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e-CVRS.

---



**FSS  
TELEPHONE NUMBERS**

**Flight Service Station (FSS)** facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

**Selected remote FSS** facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

**Telephone Information Briefing Service (TIBS)** is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

**NATIONAL FSS TELEPHONE NUMBER**

Pilot Weather Briefings ..... 1-800-WX-BRIEF (1-800-992-7433)

**OTHER FSS TELEPHONE NUMBERS (except in Alaska)**

TIBS (see description above) ..... 1-800-4TIBS-WX (1-877-484-2799)  
 Clearance Delivery Only ..... 1-888-766-8267  
 Lifeguard Flights Only ..... 1-877-LIF-GRD3 (1-877-543-4733)  
 Flights within DC SFRA & FRZ \* ..... 1-866-225-7410

\* District of Columbia Special Flight Rules Area & Flight Restricted Zone

## KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

**TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT**  
**FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA**  
**OVC008CB**  
**FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR**  
**FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC**

**METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB**  
**18/16 A2992 RMK SLP045 T01820159**

Forecast	Explanation	Report
<b>TAF</b>	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	<b>METAR</b>
<b>KPIT</b>	ICAO location indicator	<b>KPIT</b>
<b>091730Z</b>	Issuance time: ALL times in UTC " <u>Z</u> ", 2-digit date, 4-digit time	<b>091955Z</b>
<b>091818</b>	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times  In U.S. <b>METAR</b> : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	<b>COR</b>
<b>15005KT</b>	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>Var</u> ia <u>ble</u> ); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>G</u> ust and maximum speed; 00000KT for calm; for <b>METAR</b> , if direction varies 60 degrees or more, <u>V</u> ariability appended, e.g. 180 <u>V</u> 260	<b>22015G25KT</b>
<b>5SM</b>	Prevailing visibility: in U.S., <u>S</u> tatute <u>M</u> iles & fractions; above 6 miles in <b>TAF</b> <u>P</u> lus <u>6SM</u> . (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)  Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>L</u> eft, <u>C</u> enter, or <u>R</u> ight as needed; <u>'</u> / <u>'</u> ; <u>M</u> inus or <u>P</u> lus in U.S., 4-digit value, <u>F</u> ee <u>T</u> in U.S., (usually meters elsewhere); 4-digit value <u>V</u> ariability 4-digit value (and tendency <u>D</u> own, <u>U</u> p or <u>N</u> o change)	<b>3/4SM</b>  <b>R28L/2600FT</b>
<b>HZ</b>	Significant present, forecast and recent weather: see table (on back)	<b>TSRA</b>
<b>FEW020</b>	Cloud amount, height and type: <u>S</u> Ky <u>C</u> lear 0/8, <u>F</u> EW >0/8-2/8, <u>S</u> Ca <u>T</u> tered 3/8-4/8, <u>B</u> ro <u>K</u> e <u>N</u> 5/8-7/8, <u>O</u> Ver <u>C</u> ast 8/8; 3-digit height in hundreds of ft; <u>T</u> owering <u>C</u> Umulus or <u>C</u> umulonim <u>B</u> us in <b>METAR</b> ; in <b>TAF</b> , only <u>C</u> B. <u>V</u> ertical <u>V</u> isibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated <b>METAR</b> reports only, <u>C</u> lea <u>R</u> for "clear below 12,000 feet"  Temperature: degrees Celsius; first 2 digits, temperature <u>'</u> / <u>'</u> last 2 digits, dew-point temperature; <u>M</u> inus for below zero, e.g., M06  Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; ( <u>Q</u> -hectoPascals, e.g., Q1013)	<b>OVC010CB</b>  <b>18/16</b>  <b>A2992</b>

## KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

Forecast	Explanation	Report
<p><b>WS010/31022KT</b></p> <p><b>FM1930</b></p> <p><b>TEMPO 2022</b></p> <p><b>PROB40 0407</b></p> <p><b>BECMG 1315</b></p>	<p>In U.S. <b>TAF</b>, non-convective low-level (<math>\leq 2,000</math> ft) <u>Wind Shear</u>; 3-digit height (hundreds of ft); <u>"Z"</u>; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u></p> <p>In <b>METAR</b>, <u>ReMark</u> indicator &amp; remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals &amp; tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C</p> <p><u>FroM</u> and 2-digit hour and 2-digit minute <b>beginning</b> time: indicates significant change. Each FM starts on new line, indented 5 spaces.</p> <p><u>TEMPO</u>rary: changes expected for &lt; 1 hour and in total, &lt; half of 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period</p> <p><u>PROB</u>ability and 2-digit percent (30 or 40): probable condition during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period</p> <p><u>BECOM</u>ing: change expected during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period</p>	<p><b>RMK</b> <b>SLP045</b> <b>T01820159</b></p>

**Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.**

### QUALIFIER

#### Intensity or Proximity

- Light                      "no sign"   Moderate   + Heavy

VC Vicinity: but not at aerodrome; in U.S. **METAR**, between 5 and 10SM of the point(s) of observation; in U.S. **TAF**, 5 to 10SM from center of runway complex (elsewhere within 8000m)

#### Descriptor

MI Shallow	BC Patches	PR Partial	TS Thunderstorm
BL Blowing	SH Showers	DR Drifting	FZ Freezing

### WEATHER PHENOMENA

#### Precipitation

DZ Drizzle	RA Rain	SN Snow	SG Snow grains
IC Ice crystals	PL Ice pellets	GR Hail	GS Small hail/snow pellets
UP Unknown precipitation in automated observations			

#### Obscuration

BR Mist ( $\geq 5/8SM$ )	FG Fog ( $< 5/8SM$ )	FU Smoke	VA Volcanic ash
SA Sand	HZ Haze	PY Spray	DU Widespread dust

#### Other

SQ Squall	SS Sandstorm	DS Duststorm	PO Well developed dust/sand whirls
FC Funnel cloud	+FC tornado/waterspout		

- Explanations in parentheses "( )" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS **TAFs** exclude turbulence, icing & temperature forecasts; NWS **METARs** exclude trend fcsts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility  $\geq 10$  km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

**UNITED STATES DEPARTMENT OF COMMERCE**

**NOAA/PA 96052      National Oceanic and Atmospheric Administration—National Weather Service**

**FAA AND NWS**  
**KEY AIR TRAFFIC FACILITIES**

**Air Traffic Control System Command Center**

Main Number.....703-904-4400

**RGNL AIR TRAFFIC DIVISIONS**

REGION	TELEPHONE
Alaskan	907-271-5464
Central	816-329-2500
Eastern	718-553-4502
Great Lakes	847-294-7202
New England	781-238-7500
Northwest Mountain	425-227-2500
Southern	404-305-5500
Southwest	817-222-5500
Western Pacific	310-725-6500

**AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)**

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m.-4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m.-4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m.-5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m.-4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m.-4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	817-858-7503
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m.-4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m.-4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m.-4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m.-4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m.-4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m.-3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m.-4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m.-4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m.-3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m.-4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m.-4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m.-4:30 p.m.	703-771-3401

**MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)**

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m.-4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m.-3:30 p.m.	916-366-4001
Potomac	718-995-5426	8:00 a.m.-4:30 p.m.	540-349-7500
Southern CA	310-725-3300	7:30 a.m.-4:00 p.m.	858-537-5800

\*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

## KEY AIR TRAFFIC FACILITIES DAILY NAS REPORTABLE AIRPORTS

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m.-5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m.-4:30 p.m.	301-735-2380
Baltimore/Washington Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m.-4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m.-4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m.-4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m.-5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m.-4:30 p.m.	704-344-6487
Chicago Midway, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.-4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m.-4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.-5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m.-4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m.-4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL George Bush	404-305-5180	7:00 a.m.-3:30 p.m.	305-356-7932
Intercontinental/Houston, TX	817-222-5006	7:30 a.m.-4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-840-6100
Houston Hobby, TX	817-222-5006	8:00 a.m.-5:00 p.m.	713-847-1400
Indianapolis Intl, IN	847-294-8400	8:00 a.m.-4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.-4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.-4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m.-3:30 p.m.	310-342-4900
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m.-4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m.-4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m.-4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m.-4:00 p.m.	612-713-4000
Nashville Intl, TN	404-305-5180	7:00 a.m.-3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-335-5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.-5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m.-4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m.-4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m.-4:30 p.m.	919-840-5544
Ronald Reagan Washington National, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m.-4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m.-4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m.-4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m.-3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m.-5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m.-4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.-4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m.-4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m.-4:30 p.m.	561-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m.-4:30 p.m.	914-948-6520

\*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel) spacing is required.

---

®ALBUQUERQUE CENTER 134.6 132.8 H-4-5-6-7, L-5-6-7-8-10-15-17-19  
(KZAB)

Amarillo Nr 1 - 127.85  
Amarillo Nr 2 - **134.75**  
El Paso A - 135.875 **134.175**  
El Paso B - 128.2 **125.525**  
Fort Stockton - 135.875 **132.2 120.975**  
Mount Dora - **133.05** 127.852

---

®FORT WORTH CENTER 134.4 H-6, L-6-15-17-18-19-21-22  
(KZFW)

Abilene - **134.25** 127.45  
Ardmore - **132.975** 128.1  
Big Spring - 133.7  
Blue Ridge A - 124.875  
Blue Ridge B - 127.6  
Brownwood - 127.45  
Clinton-Sherman - **132.45** 128.4 126.3  
Cumby - 132.85 132.02 **126.575**  
Dublin - **128.325**  
Dublin A - 135.375  
Dublin B - 127.15  
El Dorado - 128.2  
Frankston - 135.25 **134.025**  
Gainsville - 126.775 124.75  
Keller - 135.275 134.15 133.25  
Lubbock - 132.6 126.45 **120.775**  
Marshall - 135.1 **128.125**  
McAlester - **135.45** 132.2  
Midland A - 133.1 **132.075**  
Mineral Wells - 127.0 120.35  
Monroe - 126.325  
Oklahoma City - 133.9 **132.45**  
Paducah - **134.55** 133.5 126.45 **120.775**  
Paris - 124.875  
Plainview - 126.45  
San Angelo - 126.15 **120.275**  
Scurry - **135.75** 126.725  
Shreveport - **133.875 132.275** 126.325  
Snyder - 132.6  
Texarkana - **134.475 126.575** 123.925  
Tyler - 135.25 **134.025**  
Waco - 133.3  
Wichita Falls Nr1 - **132.925 124.525**  
Wichita Falls Nr2 - 133.5 **127.95**

---

---

<b>® HOUSTON CENTER – 134.35</b>	<b>H-6-7-8-9, L-17-18-19-20-21-22</b>
Arr-Dep US – <b>135.77</b> 134.95 <b>133.75</b> 133.4 <b>132.65</b> <b>132.4</b> 128.3 127.8 125.75 120.35	(KZHU)
Alexandria – <b>132.7</b> 127.85 120.975	
Austin – <b>132.725</b> 125.65	
Baton Rouge – 126.35	
Beaumont – 133.8 126.95	
Cameron County – <b>132.65</b> 132.65	
College Station – <b>135.325</b> 134.8 134.5 125.15 120.4	
Fredericksburg – 134.2 <b>132.725</b>	
Galveston – 133.8	
Galveston A – 133.4	
Grand Isle – 134.9 <b>132.175</b>	
Hattiesburg – 126.8 <b>119.725</b>	
Houma – <b>132.65</b> 132.65	
Intracoastal City – 120.35	
Kerrville – 134.95	
Kingsville – <b>133.75</b> 128.15	
Lacombe – 126.875	
Lafayette – <b>133.65</b> 126.35	
Lake Charles – <b>132.95</b> 124.7	
Laredo – 128.6 127.8 <b>126.75</b>	
Lometa – 132.35	
Lufkin – 134.8 <b>133.575</b> <b>132.775</b> 126.95 125.17	
McComb – 126.8	
Mobile – 132.6 <b>125.775</b>	
Natchez – 120.97	
Newton – 134.8 126.95	
New Orleans – 126.35 127.0	
Palacios – 132.15 128.6	
Rockport – <b>135.47</b> 134.6 133.4 128.15	
Rocksprings – <b>132.4</b> 125.75	
San Antonio – 134.95 132.8 <b>125.25</b>	
San Antonio A – 134.6 <b>126.425</b> 120.6	
Sealy – 132.15 <b>126.425</b> 119.175	
Uvalde – 134.95 126.1	
Vermillion – 120.35	
Victoria – 135.05	

---

<b>® KANSAS CITY CENTER – 132.325</b>	<b>H-5-6, L-10-15-16-27, A-2</b>
Chanute – 132.9	(KZKC)
Gage – 126.95	
Liberal – <b>134.675</b> 134.0	
Oklahoma City – 128.3	
Ponca City – 127.8	
Tulsa – <b>125.825</b> 128.8	

---

<b>® MEMPHIS CENTER – 127.975 124.025</b>	<b>H-5-6-9, L-15-16-17-18-22-25-26</b>
Brinkley – 135.3 <b>124.025</b> 126.85	(KZME)
Columbus – <b>134.775</b> <b>133.125</b> 127.1	
Fayetteville – <b>132.55</b> 126.1	
Fort Smith – 126.1	
Greenville – 135.875 <b>133.075</b> <b>124.925</b>	
Greenwood – 132.5 <b>127.425</b>	
Harrison – 126.85	
Hot Springs – 128.475	
Jackson – 132.5	
Louisville – 132.75	
McKellar – 134.65 127.975 <b>126.45</b> 124.35	
Meridian – <b>128.275</b> 125.975	
Pine Bluff – 135.875 <b>132.425</b> <b>125.475</b>	
Russellville – 128.475	
Tupelo – <b>135.9</b> 135.9 134.4 128.5 <b>127.375</b>	
Walnut Ridge – <b>132.375</b> 120.075	

---

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

---

**ALBUQUERQUE AFSS 122.55**

EL PASO RCO **122.4** 122.55  
 FORT STOCKTON VORTAC 116.9T 122.1R  
 GUADALUPE PASS RCO 122.35  
 MARFA VOR/DME 115.9T 122.1R

---

**DE RIDDER AFSS**

BATON ROUGE RCO 122.2  
 DE RIDDER RCO 122.2  
 DRISKILL MOUNTAIN RCO 122.35  
 ESLER RCO **122.55**  
 HOUMA RCO 122.45  
 LAFAYETTE RCO 122.35  
 LAKE CHARLES RCO **122.3**  
 LEEVILLE VORTAC 113.5T 122.1R  
 MANY RCO 122.15  
 MONROE RCO 122.25  
 NEW ORLEANS RCO **122.6**  
 PATTERSON RCO 122.5  
 SHREVEPORT RCO **122.6**  
 SOUTH TIMBALIER RCO 122.6  
 TIBBY VORTAC 112.0T 122.1R  
 VERMILLION RCO 122.6

---

**FORT WORTH AFSS 122.6**

ABILENE RCO **122.65**  
 AMARILLO RCO **122.65**  
 BRECKENRIDGE RCO 122.5  
 BROWNWOOD RCO 122.5  
 CHILDRESS RCO 122.45  
 DALHART RCO 122.2  
 DALLAS RCO 122.3  
 GREGG COUNTY RCO 122.2  
 JACKSBORO RCO 122.4  
 LUBBOCK RCO 122.55  
 MINERAL WELLS RCO 122.2  
 PARIS RCO 122.25  
 PLAINVIEW RCO 122.55  
 SHERMAN/DENISON RCO 122.3  
 SNYDER RCO 122.45  
 TYLER RCO 122.3  
 WACO RCO **122.15**  
 WICHITA FALLS RCO 122.65

---

**GREENWOOD AFSS**

BIGBEE RCO 123.65  
 EATON VORTAC 110.6T 122.1R  
 GREENVILLE VOR/DME 110.2T 122.1R  
 GREENWOOD RCO 122.2 **122.55**  
 GULFPORT VOR/DME 109.0T 122.1R  
 HOLLY SPRINGS VORTAC 112.4T 122.1R 122.3  
 JACKSON VORTAC 112.6T 122.1R 122.2 122.65  
 KEWANEE VORTAC 113.8T 122.1R  
 LAUREL RCO 122.3  
 MC COMB RCO 122.2 122.4  
 MC COMB VORTAC 116.7T 122.1R 122.2 122.4  
 MERIDIAN VORTAC 117.0T 122.1R 122.2 122.6  
 NATCHEZ VOR/DME 110.0T 122.1R  
 PICAYUNE VOR/DME 112.2T 122.1R  
 SIDON VORTAC 114.7T 122.1R  
 TUPELO RCO 122.5

---



---

**JONESBORO AFSS** 122.2 122.3

BATESVILLE RCO 122.25  
EL DORADO RCO 122.65  
FAYETTEVILLE RCO 122.3  
FAYETTEVILLE (SPRINGDALE) RCO 122.55  
FLIPPIN RCO 122.35  
FORT SMITH RCO 122.2  
HARRISON RCO 122.45  
HOT SPRINGS VOR/DME 110.0T 122.1R  
JONESBORO RCO 122.2 122.3 123.6  
LITTLE ROCK RCO **122.55**  
MONTICELLO VOR/DME 111.6T 122.1R  
PINE BLUFF RCO 122.6  
SOCIAL HILL RCO 122.075  
TEXARKANA RCO **122.45**  
WALNUT RIDGE VORTAC 114.5T 122.1R

---

**MC ALESTER AFSS**

ADA RCO **122.45**  
ARDMORE RCO **122.55**  
BARTLESVILLE RCO 123.6  
GAGE RCO **122.55**  
HOBART RCO 122.2  
MC ALESTER RCO **122.65** 123.6  
MUSKOGEE RCO 122.5  
NORMAN RCO **122.15**  
PONCA CITY RCO **122.25**  
RICH MOUNTAIN RCO 122.6  
SAYRE VORTAC 115.2T 122.1R  
STILLWATER VOR/DME 108.4T 122.1R 122.3  
TULSA RCO 122.2 **123.65**  
WILEY POST RCO 122.4 **122.65**  
WOODRING RCO 122.6

---

**MONTGOMERY COUNTY AFSS**

BEAUMONT RCO 122.2  
CENTER RCO 122.6  
COLLEGE STATION RCO 122.2 **122.65**  
EAST BREAKS RCO 122.5  
GALVESTON RCO **122.15** 122.2  
HIGH ISLAND RCO **122.35**  
HOBBY RCO **122.35**  
HOUSTON RCO **122.4**  
HUNTSVILLE RCO 122.3  
JASPER RCO **122.5**  
LUFKIN RCO 122.2  
MONTGOMERY COUNTY RCO 122.0 122.2  
PALACIOS RCO **122.25**  
VICTORIA RCO 122.2

---

**SAN ANGELO AFSS**

ALICE RCO 122.6  
AUSTIN RCO 122.55  
BIG SPRING RCO 122.4  
BROWNSVILLE RCO 122.3  
CENTER POINT VORTAC 117.5T 122.1R  
CORPUS CHRISTI RCO **122.65**  
COTULLA RCO 122.2  
DEL RIO RCO 122.3  
EAGLE PASS RCO **122.3**  
HARLINGEN RCO **122.35**  
JUNCTION RCO 122.3  
LAMPASAS RCO 122.55  
LAREDO RCO 122.3  
MC ALLEN RCO 122.2  
MIDLAND RCO 122.6  
PECOS VOR/DME 111.8T 122.1R  
ROCKSPRINGS VORTAC 111.2T 122.1R  
SAN ANGELO RCO 122.25  
SAN ANTONIO RCO 122.2 122.3  
STONEWALL VORTAC 113.8T 122.1R  
TEMPLE VOR/DME 110.4T 122.1R  
THREE RIVERS VORTAC 111.4T 122.1R  
UVALDE RCO 123.65  
WINK RCO 122.05

---

**FLIGHT STANDARDS DISTRICT OFFICES (FSDO)**

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office—Federal Aviation Administration.

**ARKANSAS**

1701 Bond Street  
Little Rock, AR 72202  
Telephone: 501-918-4400  
1-800-632-9566 (AR only)

**LOUISIANA**

9191 Plank Road  
Baton Rouge, LA 70811  
Telephone: 225-358-6800  
1-800-821-1960

**MISSISSIPPI**

100 W. Cross Street, Suite C  
Jackson-Evers Intl Airport  
Jackson, MS 39208  
Telephone: 601-664-9800

**OKLAHOMA**

The Parkway Building  
1300 S. Meridian, Suite 601  
Oklahoma City, OK 73108  
Telephone: 405-951-4200

**TEXAS**

1431 Greenway Drive, Suite 1000  
Irving, TX 75038  
Telephone: 972-582-1800  
972-582-1872 (Fax)  
972-582-1862 (Fax)

14800 Trinity Blvd., Suite 200  
Fort Worth, TX 76155  
Telephone: 817-684-6700  
817-684-6757 (Fax)

Route 3, Box 51  
Lubbock, TX 79403-9712  
Telephone: 806-740-3800  
806-740-3809 (Fax)  
1-800-858-4115

10100 Reunion Place, Suite 200  
San Antonio, TX 78216-4128  
Telephone: 210-308-3300  
1-800-292-2023

2221 Alliance Blvd, Suite 400  
Fort Worth, TX 76177  
Telephone: 817-491-5000

13100 Space Center Blvd., Suite 5400  
Houston, TX 77059-3598  
Telephone: 281-212-9700  
888-285-2127 (Toll free)  
281-212-9759 (Fax)

**INTENTIONALLY  
LEFT  
BLANK**

PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their routes of flight to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and enroute flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, enroute and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
5. Where more than one route is listed the routes have equal priority for use.
6. Official location identifiers are used in the route description for VOR/VORTAC nav aids.
7. Intersection names are spelled out.
8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39; another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
9. Where two nav aids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
11. (90-170 incl) altitude flight level assignment in hundred of feet.
12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.  
 Sun..... 1300-2259 local time.  
 Mon thru Fri ..... 0701-2259 local time.  
 Sat ..... 0701-1459 local time.
14. Use current SIDs and STARs for flight planning.
15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
<b>DALLAS/FORT WORTH AREA</b>		
Atlanta (ATL).....	TTT084 SOLD0 UIM V54 TXK V278 VUZ V417 MAYES V325 DALAS ATL.....	0000-2359
Chicago Midway (MDW).....	FUZO22 MLC206 MLC V63 UIN V586 PIA PIA056 MOTIF JOT.....	0000-2359
Chicago O'Hare (ORD).....	FUZO22 MLC206 MLC V63 UIN V586 PIA V262 BDF V10 PLANO.....	0000-2359
Houston Hobby (HOU).....	V369 TNV.....	0000-2359
Memphis (MEM).....	TTT084 SOLD0 UIM V54 TXK V16 UJM.....	1200-1400 and 1800-0000
New Orleans (MSO).....	TTT084 SOLD0 UIM V114 VEILS.....	0000-2359
San Antonio (SAT).....	ACT V358 STV.....	0000-2359
<b>HOUSTON METRO AREA</b>		
Dallas (DAL).....	LEONA-DP CQY DUMPY-STAR.....	
Dallas/Fort Worth (DFW).....	(Non Turbojet-North Flow) LEONA CQY CEDAR CREEK-STAR..... or (Non Turbojet-South Flow) LEONA CQY DUMPY-STAR.....	

PREFERRED IFR ROUTES

Terminals	Route	Effective Times (UTC)
New Orleans (MSY).....	(100 and below-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP SBI V198 TBD V552 .. or (100 and below-all others) HUB SBI274/16 SBI V198 TBD V552 .....	
	or (110-180 incl-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA AWDAD AWDAD- STAR .....	
	or (110-180 incl-all others) HUB SBI274/16 SBI LLA AWDAD AWDAD-STAR.....	
	or (100 and below) LAKE CHARLES-DP LCH V20.....	
	or (110-180 incl-GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP AWDAD AWDAD-STAR .....	
	or (110-180 incl-all others) LAKE CHARLES-DP LCH AWDAD-STAR .....	
<b>NEW ORLEANS METRO AREA</b>		
Dallas/Fort Worth (DFW) .....	RQR V566 AEX V114 GGG V94 CQY .....	0000-2359
<b>TULSA (TUL)</b>		
Indianapolis (IND) .....	V14 SGF V190 PXV V11 .....	0000-2359
Springfield (SPI) .....	V14 SGF V63 UIN V50 .....	0000-2359
Terre Haute (HUF).....	V14 SGF V190 PXV V7 .....	0000-2359
	<b>HIGH ALTITUDE</b>	
<b>Terminals</b>	<b>Route</b>	<b>Effective Times (UTC)</b>
<b>BATON ROUGE METRO AREA</b>		
Atlanta (ATL).....	GCV LGC-STAR .....	
	or (RNAV only) GCV HONIE (RNAV)-STAR .....	
Houston (HOU).....	(GPS or DME/DME-IRU equipped) SALVO LFT ELAAN CLMBA COLUMBIA (RNAV)-STAR .....	
	or (Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR .....	
Houston (IAH) .....	(GPS OR DME/DEM-IRU EQUIPPED) SALVO LFT GIRLY WOLDE WOLDE (RNAV)-STAR .....	
	or (Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR .....	
<b>DALLAS/FORT WORTH METRO AREA</b>		
Baltimore (BWI).....	TXK J42 BKW J147 CSN OTT-STAR .....	
	or (GPS or DME/DME-IRU equipped) TXK J42 BKW J147 CSN RAVNN (RNAV)-STAR .....	
Boca Raton (BCT).....	(GPS OR DME/DEM-IRU EQUIPPED) SWB MCB J50 CEW J2 SZW PRRIE (RNAV) STAR or (GPS OR DME/DME-IRU EQUIPPED) SWB HRV Q105 REDFN Q100 SRQ PRRIE (RNAV STAR)	
Boston (BOS).....	TTT064 LIT235 LIT J131 PXV J29 JHW J82 ALB GDM-STAR.....	
	or SQS J52 ATL GRD J209 RDU J207 FKN J79 JFK060060 ORW PVD V151 INNDY .....	
Charlotte (CLT).....	SQS J52 ATL UNARM-STAR .....	
	or (Turbojets-GPS or DME/DME-IRU equipped) SQS J52 ATL ADENA (RNAV)-STAR .....	
Chicago Midway (MDW) .....	FUZ J181 MAGOO MOTIF-STAR .....	
Chicago O'Hare (ORD).....	FUZ J181 BDF BDF-STAR .....	1200-0400

Terminals	Route	Effective Times (UTC)
Cincinnati (CVG).....	(RNAV only) TXK J42 MEM J29 PXV SARGO (RNAV)-STAR .....	
Cleveland Metro Area (CLE) (CGF) (BLK) (LNN) (LPR) .....	PXV ABERZ-STAR .....	
Denver (DEN) .....	ADM ADM303 ROLLS J52 LAA QUAIL-STAR .....	
Detroit Metro-Wayne (DTW) .....	LIT J131 PXV VHP FWA MIZAR-STAR .....	1200-0400
Detroit Metro Area (PTK), (YIP), (ARB) .....	TXK J131 PXV VHP FWA CRUX-STAR .....	
(DET), (CYQG) .....	TXK J131 PXV VHP FWA V96 VVW VVW051 POOFE .....	
Fort Lauderdale (FLL) .....	(DME/DME-IRU OR GPS) SWB HRV Q105 BLVNS Q102 BAGGS JINGL (RNAV) STAR .....	
	or (all others) SWB HRV Q105 BLVNS Q102 BAGGS RSW FORTL-STAR .....	
Houston (HOU) .....	(Turbojets) JPOOL-DP ELLVR TEXNN-STAR .....	
	or (Non-Turbojets) JPOOL-DP CLL BLUBL-STAR..... JPOOL-DP BILEE RIICE-STAR.....	
Houston (IAH) .....	SQS J52 ATL GRD J209 ORF J121 SIE CAMRN-STAR .....	
Kennedy (JFK) .....	SQS J52 ATL AHN J208 HPW J191 PXT KORRY-STAR .....	
La Guardia (LGA) .....	TXK J42 BNA BNA037 BARRY EWO .....	
Louisville (LUV) .....	(all others) SWB HRV Q105 BLVNS Q102 CYY CYY-STAR .....	
Miami (MIA) .....	or (all others) SWB MCB J50 CEW J2 SZW J43 PIE CYY-STAR .....	
	or (DME/DME/IRU OR GPS TURBOJET) SWB MCB J50 CEW J2 SZW SSCOT (RNAV)-STAR .....	
	or (DME/DME/IRU OR GPS TURBOJET) SWB HRV Q105 BLVNS Q102 BAGGS SSCOT (RNAV)-STAR .....	
Newark (EWR) .....	TXK J42 GVE DYLIN-STAR .....	
	or (GPS or DME/DME-IRU equipped) TXK J42 GVE PHLBO (RNAV)-STAR .....	
Philadelphia (PHL) .....	TXK J42 OTT DQO-STAR .....	
Phoenix (PHX) .....	ABI J4 SSO J50 TOTEC .....	0100-0500
Pittsburgh (PIT) .....	TXK J42 MEM J29 PXV HNN WISKE-STAR .....	
San Francisco (SFO) .....	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL MOD .....	
San Jose (SJC) .....	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL HYP .....	
West Palm Beach (PBI) .....	SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR .....	
	or SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR .....	
	or (GPS or DME/DME-IRU equipped) SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR .....	
	or (GPS or DME/DME-IRU equipped) SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR ..	
<b>GULFPORT</b>		
Houston (HOU) .....	(DME/DME-IRU or GPS-equipped) HRV COLUMBIA (RNAV)-STAR .....	
Houston (IAH) .....	(DME/DME-IRU or GPS-equipped) HRV WOLDE (RNAV)-STAR .....	
<b>HOUSTON METRO AREA (HOU, IAH)</b>		
Atlanta (ATL) .....	(Turbojets-GPS or DME/DME-IRU equipped) LAKE CHARLES-DP BTR GCV HONIE (RNAV)-STAR .....	
	or	

Terminals	Route	Effective Times (UTC)
Austin (AUS).....	(all others) LAKE CHARLES–DP BTR GCV LA GRANGE–STAR..... or (Turbojets–GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LLA HRV GCV HONIE (RNAV)–STAR..... or (all others) HUB SBI274/16 SBI LLA HRV GCV LA GRANGE–STAR.....	
Baltimore (BWI).....	INDUSTRY–DP IDU BITER–STAR ..... (GPS or DME/DME–IRU equipped) GUSTI (RNAV)– DP SJI J37 SPA J14 RIC OTT–STAR..... or (GPS or DME/DME–IRU equipped) GUSTI (RNAV)– DP SJI J37 SPA J14 RIC RAVNN (RNAV)–STAR... or (Turbojets–GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LLA HRV SJI J37 SPA J14 RIC RAVNN (RNAV)–STAR ..... or (Turbojets–all others) HUB SBI274/16 SBI LLA HRV SJI J37 SPA J14 RIC OTT–STAR..... or (Turbojets–GPS or DME/DME–IRU equipped) GUSTI (RNAV)–DP SJI J37 SPA J14 RIC RAVNN (RNAV)–STAR..... or (Turbojets–all others) LAKE CHARLES–DP BTR SJI J37 SPA J14 RTC OTT–STAR .....	
Boca Raton (BCT).....	(GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LEV Q100 SRQ PRRIE (RNAV)–STAR..... or (GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LEV Q102 BAGGS JINGL (RNAV)–STAR..... or (GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LEV Q102 BAGGS PRRIE (RNAV)–STAR..... or (GPS or DME/DME–IRU equipped) HUB SBI274/16 SBI LLA HRV SJI J2 SZW PRRIE (RNAV)–STAR..... or (GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LLA HRV SJI J2 SZW PRRIE (RNAV)–STAR.....	
Boston (BOS).....	(Turbojets–GPS or DME/DME–IRU equipped) GUSTI (RNAV)–DP SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK ORW–STAR .. or (Turbojets–all others) LAKE CHARLES–DP BTR SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK WOONS–STAR ..... or (Turbojets–GPS or DME/DME–IRU equipped) SABINE PASS (RNAV)–DP LLA HRV SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK INNDY (RNAV)–STAR ..... or (Turbojets–all others) HUB SBI274/16 SBI LLA HRV SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK WOONS–STAR .....	

Terminals	Route	Effective Times (UTC)	
Charlotte (CLT).....	(all others) LAKE CHARLES-DP BTR KALBE MEI J239 ATL UNARM-STAR .....	1400-0100	
	or (Turbojets-GPS or DME/DME-IRU equipped) LAKE CHARLES-DP BTR KALBE MEI J239 ATL ADENA (RNAV)-STAR .....		1400-0100
	or (Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA BTR KALBE MEI J239 ATL ADENA (RNAV)-STAR .....	1400-0100	
	or (all others) HUB SBI274/16 SBI LLA BTR KALBE MEI J239 ATL UNARM-STAR .....		1400-0100
	Chicago (ORD) .....	LUFKIN-DP LIT J101 STL STL349 MAGOO BDF-STAR .....	
	or	J33 FUZ J105 BDF-STAR.....	2025-2125 and 0000-0110
	or	LUFKIN-DP LIT J180 FTZ BDF-STAR .....	
	Cincinnati (CVG).....	(GPS or DME/DME-IRU equipped) LUFKIN-DP LIT J131 PXV SARGO (RNAV)-STAR.....	
	or	(all others) LUFKIN-DP LIT J131 PXV MOSEY-STAR .....	
	Cleveland (CLE) .....	LUFKIN-DP LIT J131 PXV JUDDI CVG ZABER-STAR .....	
or	LUFKIN-DP LIT J131 PXV ZABER-STAR .....		
Denver (DEN)	LEONA ADM J52 LAA QUAIL-STAR .....		
Detroit-Wayne (DTW) .....	LUFKIN-DP LIT J131 PXV VHP FWA MIZAR-STAR ..		
	or	ALAMO-DP LFK J101 LIT J131 PXV VHP FWA MIZAR-STAR .....	
	Fort Lauderdale (FLL).....	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS FORTL-STAR.....	
	or	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS RSW FORTL-STAR .....	
	or	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS JINGL (RNAV)-STAR .....	
	or	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J2 SZW JINGL (RNAV)-STAR .....	
	or	(all others) HUB SBI274/16 SBI LLA HRV SJI J2 SZW J41 PIE FORTL-STAR .....	
	or	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J2 SZW JINGL (RNAV)-STAR- or	
	or	(all others) LAKE CHARLES-DP BTR SJI J2 SZW J41 PIE FORTL-STAR .....	
	Kennedy (JFK).....	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM048/138 GRD J209 ORF J121 SIE CAMRN-STAR.....	
or			



Terminals	Route	Effective Times (UTC)
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J37 MGM MGM048/138 GRD J209 ORF J121 SIE CAMRN-STAR .....	
	or	
	(Turbojets-all others) HUB SBI274/16 SBI LLA HRV SJI J37 MGM MGM048/138 GRD J209 ORF J121 SIE CAMRN-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM048/138 GRD J209 ORF J121 SIE CAMRN-STAR .....	
	or	
	(Turbojets-all others) LAKE CHARLES-DP BTR SJI J37 MGM MGM048/138 GRD J209 ORF J121 SIE CAMRN-STAR .....	
La Guardia (LGA) .....	(Turbojets-GPS or DME//DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM AHN J208 HPW J191 PXT KORRY-STAR .....	
	or	
	(Turbojets-all others) LAKE CHARLES-DP BTR SJI J37 MGM AHN J208 HPW J191 PXT KORRY-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J37 MGM AHN J208 HPW J191 PXT KORRY-STAR .....	
	or	
	(Turbojets-all others) HUB SBI274/16 SBI LLA HRV SJI J37 MGM AHN J208 HPW J191 PXT KORRY-STAR .....	
Miami (MIA) .....	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 CYY CYY-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS SSCOT (RNAV)-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 CYY SSCOT (RNAV)-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J2 SZW SSCOT (RNAV)-STAR .....	
	or	
	(all others) HUB SBI274/16 SBI LLA HRV SJI J2 SZW J41 PIE CYPRESS-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J2 SZW SSCOT (RNAV)-STAR .....	
	or	
	(all others) LAKE CHARLES-DP BTR SJI J2 SZW J41 PIE CYPRESS-STAR .....	
Newark (EWR) .....	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI SPA J14 J51 FAK PHLBO (RNAV)-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J37 SPA J14 CREWE J51 FAK PHILBO (RNAV)-STAR .....	
	or	

Terminals	Route	Effective Times (UTC)	
Orlando (MCO) .....	(Turbojets—all others) HUB SBI274/16 SBI LLA HRV SJI J37 SPA J14 CREWE J51 FAK PHLBO (RNAV)—STAR .....	1100-0400	
	or (Turbojets—GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 CREWE J51 FAK PHLBO (RNAV)—STAR .....		
	or (Turbojets—all others) LAKE CHARLES—DP SJI J37 SPA J14 CREWE J51 FAK PHLBO (RNAV)—STAR .....		
	(Turbojets—GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q100 REMIS BOXKR COSTR (RNAV)—STAR .....		
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q100 REMIS PIE COSTR (RNAV)—STAR .....		
	or (all others) SABINE PASS (RNAV)—DP LEV Q100 REMIS BOXKR MINEE—STAR .....		
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J2 SZW OTK PIGLT (RNAV)—STAR .....		
	or (all others) HUB SBI274/16 SBI LLA HRV SJI J2 SZW J43 PIE MINEE—STAR .....		
	or (GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J2 SZW OTK PIGLT (RNAV)—STAR .....		
	or (all others) LAKE CHARLES—DP BTR SJI J2 SZW J43 PIE MINEE—STAR .....		
Palm Beach (PBI) .....	(GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q100 SRQ WLACE (RNAV)—STAR .....	1100-0400	
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q102 BAGGS WLACE (RNAV)—STAR .....		
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J2 SZW WLACE (RNAV)—STAR .....		
	or (GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J2 SZW WLACE (RNAV)—STAR .....		
Philadelphia (PHL) .....	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 J51 FAK DPNT—STAR .....		1100-0400
	or (Turbojets—GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J37 SPA J14 CREWE J51 FAK GUNNI (RNAV)—STAR .....		
	or (Turbojets—all others) HUB SBI274/16 SBI LLA HRV SJI J37 SPA J14 CREWE FAK DUPONT—STAR .....		
	or (Turbojets—DPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 CREWE J51 FAK GUNNI (RNAV)—STAR .....		
	or		

PREFERRED IFR ROUTES

Terminals	Route	Effective Times (UTC)
Pittsburgh (PIT) .....	(Turbojets—all others) LAKE CHARLES—DP BTR SJI J37 SPA J14 CREWE J151 FAK DUPONT—STAR.. LUFKIN—DP LIT J131 PVX IIU HNN WISKE—STAR ...	
	or (GPS or DME/DME—IRU equipped) LEV Q100 REMIS BLOND BLOND (RNAV)—STAR .....	
San Antonio (SAT) .....	INDUSTRY—DP IDU MARCS—STAR .....	
Tampa (TPA) .....	(GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q102 REMIS BLOND BLOND (RNAV)—STAR .....	
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LEV Q102 REMIS SIMMR BLOND (RNAV)—STAR .....	
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J2 SZW FOXXX (RNAV)—STAR .....	
	or (all others) HUB SBI274/16 SBI LLA HRV SJI J2 SZW DARBS—STAR .....	
	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J2 SZW FOXXX (RNAV)—STAR .....	
	or (all others) LAKE CHARLES—DP BTR SJI J2 SZW DARBS—STAR .....	
Washington (DCA) .....	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 RIC OJAA Y (RNAV)—STAR .....	
	or (all others) LAKE CHARLES—DP BTR SJI J37 SPA J14 RIC IRONS—STAR .....	
	(GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J37 SPA J14 RIC OJAA Y (RNAV)—STAR .....	
	or (all others) HUB SBI274/16 SBI LLA HRV SJI J37 SPA J14 RIC IRONS—STAR .....	
Washington (IAD) .....	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 CREWE J51 FAK BARIN COATT—STAR .....	1630—1800
	or (GPS or DME/DME—IRU equipped) SABINE PASS (RNAV)—DP LLA HRV SJI J37 SPA J14 CREWE J51 FAK BARIN (RNAV)—STAR .....	1630—1800
	or (all others) HUB SBI274/16 SBI LLA HRV SJI J37 SPA J14 CREWE J51 FAK COATT—STAR .....	1630—1800
	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 SPA J14 CREWE J51 FAK BARIN (RNAV)—STAR .....	
	or (all others) LAKE CHARLES—DP BTR SJI J37 SPA J14 CREWE J51 FAK COATT—STAR .....	1630—1800
Windsor Locks (BDL) .....	(GPS or DME/DME—IRU equipped) GUSTI (RNAV)—DP SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK DPK DPK—STAR ...	
	or (all others) LAKE CHARLES—DP BTR SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK DPK DPK—STAR .....	
	or	

Terminals	Route
	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LLA HRV SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR .....
	or
	(all others) HUB SBI274/16 SBI LLA HRV SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK DPK-STAR .....
<b>JACKSON (JAN)</b>	
Houston (HOU) .....	(DME/DME-IRU or GPS-equipped) AEX ROKIT (RNAV)-STAR .....
	or
	(Non-advanced NAV only) AEX DAS-STAR .....
Houston (IAH) .....	(Turbojets-DME/DME-IRU or GPS-equipped) AEX TXMEX (RNAV)-STAR .....
	or
	(Non-advanced NAV only) AEX DAS STAR .....
<b>LITTLE ROCK (LIT)</b>	
Houston (HOU) .....	(DME/DME-IRU or GPS-equipped) J180 SWB ROKIT (RNAV)-STAR .....
	or
	(Non-advanced NAV only) J180 SWB DAS-STAR ..
Houston (IAH) .....	(Turbojets-DME/DME-IRU or GPS-equipped) J180 SWB TXMEX (RNAV)-STAR .....
	or
	(Non-advanced NAV only) J180 SWB DAS-STAR ..
<b>NEW ORLEANS (MSY)</b>	
Atlanta (ATL) .....	(Turbojets-GPS or DME/DME-IRU equipped) GCV HONIE (RNAV)-STAR .....
	or
	(all others) GCV LA GRANGE-STAR .....
Austin (AUS) .....	LCH IAH IDU BITER-STAR .....
Baltimore (BWI) .....	(Turbojets-GPS or DME/DME-IRU equipped) J37 SPA J14 RIC RAVNN (RNAV)-STAR .....
	or
	(Turbojets-all others) J37 SPA J14 RIC OTT-STAR .....
Boston (BOS) .....	(Turbojets-GPS or DME/DME-IRU equipped) J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK INNDY (RNAV)-STAR .....
	or
	(Turbojets-all others) J37 MGM MGM048138 GRD J209 RDU J207 FKN J79 JFK ORW-STAR ..
	(all others) J35 MEM J29 PXV MOSEY-STAR .....
Chicago (ORD) .....	J35 SQS FTZ BRADFORD-STAR .....
Cincinnati (CVG) .....	(GPS or DME/DME-IRU equipped) J35 MEM J29 PXV SARGO (RNAV)-STAR .....
	or
	(all others) J35 MEM J29 PXV MOSEY-STAR .....
Charlotte (CLT) .....	(Turbojets-GPS or DME/DME-IRU equipped) MEI J239 ATL ADENA (RNAV)-STAR .....
	or
	(all others) MEI J239 ATL UNARM-STAR .....
Cleveland (CLE) .....	J31 MEI BNA J39 IIU ZABER-STAR .....
Dallas-Fort Worth (DFW) .....	AEX CEDAR CREEK-STAR .....
Denver (DEN) .....	J58 FUZ J21 ADM J52 LAA QUAIL-STAR .....
Detroit/Wayne (DTW) .....	J35 MEM J29 PXV VHP FWA MIZAR-STAR .....
Fort Lauderdale (FLL) .....	(GPS or DME/DME-IRU equipped) BLVNS Q102 BAGGS JINGL (RNAV)-STAR .....
	or
	(GPS or DME/DME-IRU equipped) CEW J2 SZW JINGL (RNAV)-STAR .....
	or

PREFERRED IFR ROUTES

397

Terminals	Route	Effective Times (UTC)
Houston (HOU) .....	(all others) CEW J2 SZW J41 PIE FORTL-STAR ..... (GPS or DME/DME-IRU equipped) KCEEE COLUMBIA (RNAV)-STAR .....	
	or	
Houston (IAH) .....	(Non-advanced NAV only) AEX DAS-STAR..... (GPS or DME/DME-IRU equipped) JEPEG KUGLE WOLDE WOLDE (RNAV)-STAR.....	
	or	
Kennedy (JFK) .....	(Non-advanced NAV only) AEX DAS-STAR..... J37 MGM MGO48138 GRD J209 ORF J121 SIE CAMRN-STAR .....	
La Guardia (LGA) .....	(Turbojets) J37 MGM AHN J208 HPW J191 PXT KORRY-STAR.....	
Louisville (SDF) .....	J35 MEM BNA BNA037 BARRY EWO .....	
Miami (MIA) .....	(Turbojets-GPS or DME/DME-IRU equipped) BLVNS Q102 CCY SSCOT (RNAV)-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) CEW J2 SZW SSCOT (RNAV)-STAR .....	
	or	
	(all others) CEW J2 SZW J41 PIE CYPRESS-STAR .....	
Newark (EWR) .....	(Turbojets-GPS or DME/DME-IRU equipped) J37 SPA J14 J51 FAK PHLBO (RNAV)-STAR .....	
	or	
	(Turbojets-all others) J37 SPA J14 J51 FAK DYLIN-STAR .....	
Orlando (MCO) .....	(GPS or DME/DME-IRU equipped) REDFN Q100 REMIS PIE COSTR (RNAV)-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) CEW J2 SZW OTK PIGLT (RNAV)-STAR .....	
	or	
Philadelphia (PHL) .....	(all others) CEW J2 SZW J43 PIE MINEE-STAR ..... (Turbojets-GPS or DME/DME-IRU equipped) J37 SPA J14 J51 FAK GUNNI (RNAV)-STAR.....	
	or	
	(Turbojets-all others) J37 SPA J14 J51 FAK DUPONT-STAR.....	
San Antonio (SAT) .....	LCH IAH IDU MARCS-STAR .....	
Tampa (TPA) .....	(GPS or DME/DME-IRU equipped) REDFN Q100 REMIS SIMMR BLOND (RNAV)-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) CEW J2 SZW FOOXX (RNAV)-STAR .....	
	or	
	(all others) CEW J2 SZW DARBS-STAR .....	
Washington (DCA) .....	(GPS or DME/DME-IRU equipped) J37 SPA J14 RIC OJAAY (RNAV)-STAR .....	
	or	
	(all others) J37 SPA J14 RIC IRONS-STAR..... (GPS or DME/DME-IRU equipped) J37 SPA J14 CREWE J51 FAK BARIN (RNAV)-STAR .....	
	or	
	(all others) J37 SPA J14 J51 FAK COATT-STAR .... J37 MGM MGO48138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR .....	
<b>OKLAHOMA CITY (OKC)</b>		
Houston (HOU) .....	(Turbojets) CVE TEXNN-STAR.....	
	or	
	(Non-Turbojets) CVE ELLVR BLUBL-STAR .....	
Houston (IAH) .....	CVE RIICE-STAR.....	
<b>SAN ANTONIO (SAT)</b>		
Atlanta (ATL) .....	J2 LCH J590 GCV LGC STAR .....	
	or	
	(RNAV only) J2 LCH J590 GCV HONIE RNAV-STAR	

Terminals	Route	Effective Times (UTC)
Denver (DEN) .....	J17 AMA TBE J171 TODDE QUAIL-STAR .....	
Detroit Metro-Wayne Co (DTW) .....	ALAMO-DP LFK J101 LIT J131 PXV VHP FWA MIZAR-STAR .....	
Houston (HOU) .....	ALAMO ELA LISSE-STAR .....	
Houston (IAH) .....	ALAMO ELA GLAND-STAR .....	
<b>TULSA (TUL)</b>		
Houston (HOU) .....	(Turbojets) OKM CVE TEXNN-STAR .....	
Houston (IAH) .....	OKM CVE RIICE-STAR .....	

### SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Terminals	Route	Effective Times (UTC)
Traffic(OCEANIC) originating South of Houston Center northbound:		
HOU .....	(GPS or DME/DME-IRU equipped) A766 KLAMS COLUMBIA (RNAV)-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) B753 MAHEE MCOOL COLUMBIA (RNAV)-STAR ....	
IAH .....	(GPS or DME/DME-IRU equipped) A766 KLAMS WOLDE (RNAV)-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) B753 MAHEE KUGLE WOLDE (RNAV)-STAR .....	

### HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J6 .....	Lancaster, PA to Little Rock, AR .....	Southwest	1100-0300
J42 .....	Texarkana, AR to Robbinsville, NJ .....	Northeast	1100-0300
J180 .....	Little Rock, AR to Humble, TX .....	Southwest	1200-0400

## GULF OF MEXICO "Q ROUTES"

These area navigation routes extend more than 12 miles offshore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL)

**Q100**

LEV VORTAC  
 REDFN N28°52.98' /W088°42.11'  
 ROZZI N28°18.87' /W086°42.31'  
 REMIS N27°53.04' /W085°15.47'  
 SRQ VORTAC

**Q102**

LEV VORTAC  
 BLVNS N28°22.94' /W088°02.05'  
 BUNNZ N28°00.58' /W086°45.76'  
 BACCA N27°35.51' /W085°20.66'  
 CIGAR N27°29.61' /W084°46.99'  
 BAGGS N27°08.06' /W082°50.45'  
 CYY VORTAC

**Q105**

HRV VORTAC  
 FATSO N29°41.40' /W089°47.08'  
 REDFN N28°52.98' /W088°42.11'  
 BLVNS N28°22.94' /W088°02.05'

**Q-ROUTES REGULATORY**

**Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.**

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route	Segment	DME
<b>Q1</b>	ELMAA-ERAIVE	BTG, OLM, HQM, HUH, UBG
	ERAIVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
<b>Q2</b>	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
<b>Q3</b>	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
<b>Q4</b>	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
<b>Q5</b>	ZEBOL-SKTRR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTRR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME
	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL

Route	Segment	DME
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
Q9	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
Q11	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, OED, SEA
Q13	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
Q15	All segments	None; GNSS required
Q19	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IJU, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
Q21	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST
	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
Q22	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL
Q24	LAKE CHARLES-BATON	AEX, DAS, LCH, MCB, LFT, BTR
	ROUGE	
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
Q25	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
Q26	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
	WALNUT RIDGE-DEVAC	LIT, JKS, GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
Q29	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
Q30	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
	DHART-JODOX	SQS, LIT, TXK
Q31	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
Q33	NASHVILLE-SWAPP	BWG, IJU, PXV, VXV, BNA, GQO
	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS, PXV, BNA, GQO, IJU, VXV
Q35	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
Q36	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IJU
Q36	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IJU
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IJU



Route	Segment	DME	
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX	
	INCIN-LAREY	JAN, MCB, SWB, AEX	
	LAREY-BESOM	JAN, JYU, MEI, SQS, VUZ	
Q40	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB	
	DOOMS-WINAP	JAN, SQS, MEI, MCB	
Q42	WINAP-MISLE	MEI, VUZ, JYU	
	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX	
	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK	
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM	
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVQ, CXR, EWC	
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB	
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB	
	PSYKO-BRNNAN	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT	
	BRNNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE	
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK	
Q104	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN	
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK	
	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG	
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD	
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY	
	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE	
	ST PETERSBURG-CYPRESS	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN	
	Q106	SMEI-Z-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI	
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI	
Q108	GADAY-HKUNA	CEW, JYU, MGM, SZW, RRS, PZD, MAI, OTK, GEF, MGR, TAY, AMG, CRG	
Q110	THNDR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI	
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP	
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL	
Q112	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG	
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK	
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM	
Q116	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB	
	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG	
Q118	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG	
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN	
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU, DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF	
	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD	
Q502	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, MSP, MNM, ASP, TVC, GEP, RWF, BRD	
Q504	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD	
	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC, SAW, GRB, BRD	
Q505	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD	
	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB	
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI	
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB	

**RNAV Routing and Catch Points**

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: <http://sua.faa.gov/sua/Welcome.do>. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.



### HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

### HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque	ABQ, GUP, HANOS or ZUN
Austin	ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV
Boca Raton, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Burbank includes Santa Monica and Van Nuys	GMN, MARKS or DAG LAS or HEC EED or PMD BLH
Chicago Terminal Area	IOW, PLL275065, MZV or BAE
Dallas/Fort Worth Terminal Area	ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area Except MDW EAKER MIDEE BDF BRADFORD-STAFF Or MLC J105 SGF BDF BRADFORD-STAF
Denver Terminal Area	PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE
Fort Lauderdale (or) Fort Lauderdale Executive	THNDR KPASA Q118 LENIE or THNDR KPASA Q116 CEEYA or THNDR KPASA Q110 FEONA or THNDR SMELZ Q106 GADAY or THNDR SMELZ Q106 BULZI
Houston Bush	LIT, ELD, MLC, JCT or Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR or Aircraft joining J37 to the northeast, GUSTI SID GUSTI Q22 CATLN or Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42

Houston Hobby	LIT, ELD, MLC, JCT, or Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42
Jacksonville, FL	TAY
Kansas City Terminal Area	TIFTO, CATTs or KENTN
Los Angeles, includes Ontario	GMN, RZS or DAG LAS or TRM EED or TRM PKE
Las Vegas	DOBNE, MOSBI, NICLE, TRALR or ZELOT
Long Beach includes Orange County	GMN SNS, EHF, LANDO or TRM PKE or TRM EED
Memphis	BNA, HAAWK, SALMS or SQS
Miami Terminal Area	WINCO KPASA Q118 LENIE or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA or WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI
Milwaukee	GREAS
Minneapolis Terminal Area*	ONL, ABR, FAR, OBH, OVR, FOD
New Orleans Terminal Area	AEX, MEI, SQS, KAPLN
Orlando Terminal Area	WEBBS BRUTS Q118 LENIE or WEBBS GULFR Q116 CEEYA or WEBBS BULZI Q106 GADAY or WEBBS FEONA or WEBBS BULZI
Palm Beach, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE

Salt Lake City	HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR
Saint Louis	VIH, MAP, MYERZ, MCM or HLV MCI
San Antonio Terminal Area	FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH
San Diego	TRM EED or TRM PKE or TRM JOTNU BLD
San Francisco Bay Area	GALLI, INSLO, HAROL JSICA
Oakland	GALLI, INSLO, HAROL JSICA
San Jose	GALLI or INSLO
Seattle	BLUIT
Southwest Florida Airports (RSW/FMY)	JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI
Tampa Terminal Area	FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY

\*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

### **Catch Points for Airports Located Outside HAR Phase I Expansion Airspace**

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area	Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA or Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC or MEM or Aircraft through ZME airspace from ZID airspace west of a line from VHP to BWG, BNA or Aircraft through ZME airspace from ZID airspace east of a line from VHP to BWG, BWG or Aircraft through ZME airspace from ZFW airspace, MEM or MEI HONIE (RNAV)–STAR or PATYN HONIE (RNAV)–STAR
-----------------------	---

Baltimore–Washington*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ
Boston*	GEP, CRL, ECK, IIU, BNA or VUZ
Buffalo*	GEP, CRL
Hartford Bradley*	GEP, CRL
Canton–Akron*	GIJ, VHP, GEP
Charlotte	BNA, VUZ
Cincinnati Terminal Area	BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT
Cleveland Terminal Area*	OBK
Detroit Terminal Area	BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR
Detroit Young	VHP FWA or LAN SPRTN–STAR
Indianapolis Terminal Area	BIB, SPI, JOT
Louisville	ENL, MEM
Newark*	GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM
New York Kennedy*	GEP, VHP, FLM, IIU, BNA, VUZ or DBQ J94 PMM J70 LVZ LENDY–STAR
New York LaGuardia*	GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area*	GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ
Pittsburgh Terminal Area*	VHP, GIJ, BAE, GEP
Pontiac	LFD, LAN, VHP, FWA, GEP
Providence	JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ
Raleigh–Durham	FLM, IIU, BNA, VUZ
Toronto Terminal Area	ECK, SVM, SSM, GEP
Teterboro*	GEP, VHP, CRL, BNA, VUZ
Washington Dulles/National*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ
White Plains*	GEP, VHP, CRL, FLM, IIU, BNA, VUZ
Willow Run*	LAN, LFD, VHP, FWA, GEP

\*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

**Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace**

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area	CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR
Austin Terminal Area	Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK, IDU or LLO
Boca Raton, FL	CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)-STAR
Chicago Midway	CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR
Chicago O'Hare Terminal Area	GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR
Dallas/Fort Worth Terminal Area	IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS



Denver Terminal Area	<p>OATHE DANDD-STAR or HGO QUAIL-STAR or LOPEC-STAR or ALS LARKS-STAR or HBU POWDR-STAR or EKR TOMSN-STAR or CHE TOMSN-STAR or BFF LANDR-STAR or LBF SAYGE-STAR or HCT SAYGE-STAR or RSK LARKS-STAR or LAA QUAIL-STAR or GCK J154 RYLIE DANDD-STAR or OCS J154 ALPOE RAMMS-STAR or YANKI J114 SNY LANDR-STAR or Aircraft filed BIL or east, MBW RAMMS-STAR</p>
Ft Lauderdale or Ft Lauderdale Executive	<p>CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR</p>
Houston Bush	<p>CRP, CVE, LLO, LUKIY, SAT or Aircraft south and east of LLA, JEPEG or MISLE Q40 AEX or Aircraft north and east of SJI, SJI or Aircraft east of PXV, PXV Q31 DHART SWB or Aircraft north and west of PXV, PROWL Q33 DHART SWB</p>
Houston Hobby	<p>CRP, ELLVR, SAT, SWB or Aircraft south and east of GIRLY, KCEEE or Aircraft north and east of SJI, SJI or BESOM Q38 ROKIT ROKIT-STAR or Aircraft east of PXV, PXV Q29 HARES SWB or Aircraft north and west of PXV, PROWL Q33 DHART SWB</p>
Jacksonville	<p>GADAY ZOOSS TAY Aircraft through ZHU airspace remain south of ZME and ZTL airspace or ZOOSS TAY</p>

John Wayne–Orange County	HEC, PGS, BLD or Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Terminal Area	LMN BRAYMER–STAR or PWE ROBINSON–STAR or EMP JHAWK–STAR
Las Vegas	DILCO, LIDAT, IGM or Aircraft over PGA or north of PGA KSINO or Aircraft south of PGA PGS LYNSY
Los Angeles Terminal Area	Aircraft North of TBC, HEC, PGS or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Area	CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVFN Q104 CYY DEEDS (RNAV)–STAR
Minneapolis Terminal Area	Aircraft from north, west, south, FAR GOPHER–STAR or RWF SKETR–STAR or ALO KASPR–STAR or BRD GOPHER–STAR or BAE EAU CLAIRE–STAR or FOD TWOLF–STAR
Memphis Terminal Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL	CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace or SZW HEVFN Q104 PLYER PIKKR (RNAV)–STAR
Nashville	CCT, GHM, GUITR, TINGS, VOLLS
New Orleans Terminal Area	BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	ILA or KATTS PAMMY or Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY or Aircraft from north of ILC, JOPER PAMMY or KATTS PAMMY or Aircraft over or south of ILC, REANA KATTS PAMMY
Orlando Terminal Area	GADAY Q108 CLAWZ LEESE–STAR Aircraft through ZHU airspace remain south of ZME/ZTL airspace or OTK LEESE–STAR

Palm Beach, FL	CEW DEFUN Q112 INPIN GULLO (RNAV)-STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW INPIN GULLO (RNAV)-STAR
Phoenix	CORKR DRK or Aircraft from ZDV airspace, GUP or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL-STAR or LARNO BONVL-STAR or MOXEE MOXEE-STAR
St. Louis Terminal Area	SGF TRAKE-STAR or BUM TRAKE-STAR or ANX TRAKE-STAR or LMN IRK RIVRS-STAR or RBS VANDALIA-STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE-STAR or EKR MTU SPANE-STAR or BCE DTA-TCH or MLF DTA-TCH or BVL BONNEVILLE-STAR or BYI BEARR-STAR or PIH BEARR-STAR or DBS BRIGHAM CITY-STAR or JAC BRIGHAM CITY-STAR or BPI BRIGHAM CITY-STAR or OCS BRIGHAM CITY-STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD or West of a north-south line at LFK, BLEWE or East of a north-south line at LFK, IDU

San Francisco	FMG GOLDEN GATE--STAR or MVA MODESTO--STAR or ENI GOLDEN GATE--STAR or OAL MODESTO--STAR or South of a line ILC to DVC, REANA KATTS OAL MODESTO--STAR
San Jose	FMG HYP EL NIDO--STAR or OAL HYP EL NIDO--STAR or ENI GOLDEN GATE--STAR or South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO--STAR
Seattle Terminal Area	Aircraft From northeast, southeast, south, TEMPL GLASR--STAR or SUNED CHINS--STAR or BTG OLMYPIA--STAR
Southwest Florida Airports RSW and FMY	CEW DEFUN Q104 SWABE JOSFF--STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW HEVVN Q104 SWABE JOSFF--STAR
Tampa Terminal Area	CEW DEFUN Q104 HEVVN DARBS--STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW DARBS--STAR
Tucson	DRK PXR or MOHAK GBN

**VISUAL FLIGHT RULES (VFR) WAYPOINTS**

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints. VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name. VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

**BALTIMORE–WASHINGTON TERMINAL AREA CHART/FLYWAY CHART**

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI	_____	N38°34.57' /W076°20.38'
VPONX	_____	N39°06.65' /W076°55.92'
VPOOP	_____	N38°56.32' /W076°36.90'

**BOSTON HELICOPTER CHART**

VPBAY	_____	N42°16.17' /W070°49.48'
VPBLT	_____	N42°19.67' /W070°53.40'
VPCGS	_____	N42°22.08' /W071°03.13'
VPEVS	_____	N42°23.52' /W071°04.10'
VPFEN	_____	N42°12.58' /W071°08.88'
VPFRE	_____	N42°25.03' /W071°12.32'
VPGVL	_____	N42°21.88' /W070°52.18'
VPHAM	_____	N42°30.13' /W071°07.15'
VPPIK	_____	N42°20.37' /W071°15.93'
VPQUA	_____	N42°12.10' /W071°04.78'
VPQUB	_____	N42°12.60' /W070°59.83'
VPSPF	_____	N42°24.20' /W071°09.47'
VPTOB	_____	N42°31.42' /W070°59.82'
VPWAN	_____	N42°36.88' /W071°19.45'

**BOSTON TERMINAL AREA CHART**

VPCOH	Cohasset	N42°13.58' /W070°48.94'
VPCUT	Cuttyhunk Harbor	N41°25.50' /W070°55.03'
VPFRA	Framingham Shopping Center	N42°18.16' /W071°23.65'
VPHOL	Woods Hole	N41°31.06' /W070°40.60'
VPHUL	Hull	N42°18.20' /W070°55.30'
VPLPT	Nantucket Great Point	N41°23.41' /W070°02.78'
VPNED	Needham Towers	N42°18.51' /W071°14.64'
VPPEA	Peabody Shopping Center	N42°32.52' /W070°56.69'
VPROC	Rockingham Race Track	N42°46.29' /W071°13.57'
VPSCI	Scituate	N42°11.89' /W070°43.69'
VPTPT	Nantucket Third Point	N41°18.51' /W070°03.37'
VPTUC	Tuckernuck	N41°18.31' /W070°15.43'
VPWAK	Wakefield	N42°30.72' /W071°05.24'
VPWAN	Wang Towers	N42°36.88' /W071°19.45'

**CHARLOTTE SECTIONAL CHART**

VPATO	_____	N34°37.37' /W076°31.47'
VPAVA	_____	N34°57.00' /W077°16.50'
VPBFE	_____	N32°16.38' /W080°47.50'
VPBRA	_____	N36°13.75' /W076°08.08'
VPGCE	_____	N36°03.90' /W076°36.42'
VPGHI	_____	N35°15.30' /W075°31.25'
VPGIO	_____	N35°32.50' /W076°37.33'
VPKJU	_____	N35°26.58' /W076°10.22'
VPLMN	_____	N34°55.43' /W077°46.42'
VPMAB	_____	N34°42.20' /W077°03.50'
VPNPO	ISLE OF PALMS	N32°47.78' /W079°46.45'
VPOKY	_____	N35°06.53' /W075°59.17'
VPREP	_____	N32°33.98' /W080°21.82'
VPRRS	_____	N33°25.45' /W079°07.60'
VPUMO	_____	N35°35.63' /W075°28.08'
VPWZO	_____	N36°00.87' /W075°40.07'
VPZIE	_____	N32°01.62' /W080°53.42'

## CHICAGO SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCOH	_____	N31°49.35'/W081°51.07'

## DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN	_____	N39°44.28'/W104°26.00'
VPFTG	_____	N39°44.35'/W104°32.75'
VPNIC	NORTH INTERCHANGE	N39°58.90'/W104°59.27'

## HOUSTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPBWY	_____	N29°46.25'/W095°09.24'
VPDTN	_____	N29°46.59'/W095°22.01'
VPGLA	_____	N30°08.32'/W095°06.62'
VPGLB	_____	N30°07.80'/W094°55.70'
VPKTY	_____	N29°47.05'/W095°44.92'
VPPLN	_____	N30°08.80'/W095°50.42'
VPRSN	_____	N29°30.00'/W095°41.00'
VPSND	_____	N29°23.13'/W095°28.86'
VPSNT	_____	N29°49.29'/W094°53.94'
VPTNE	_____	N29°47.48'/W095°03.34'
VPTNW	_____	N29°47.06'/W095°33.81'
VPTRK	_____	N29°24.06'/W095°10.44'

## JACKSONVILLE SECTIONAL CHART

VPAFI	_____	N31°49.35'/W081°51.07'
VPAFY	_____	N30°07.00'/W081°21.33'
VPBEC	_____	N29°46.25'/W081°15.10'
VPCJA	_____	N29°30.00'/W081°06.00'
VPCKY	_____	N28°46.50'/W082°34.00'
VPCNY	_____	N28°30.00'/W080°45.00'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDAR	_____	N31°22.38'/W081°24.13'
VPDFI	_____	N29°00.17'/W081°20.85'
VPDUT	_____	N27°37.70'/W082°09.10'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEGV	_____	N29°39.97'/W081°24.87'
VPPFU	_____	N28°57.08'/W081°00.33'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHAA	_____	N30°04.02'/W083°40.02'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIWA	MIDWAY	N31°48.33'/W081°25.85'
VPJMY	_____	N29°26.92'/W081°18.27'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPLEV	_____	N28°48.00'/W080°52.00'
VPLJA	_____	N29°00.00'/W080°51.00'
VPMAI	_____	N30°50.02'/W084°56.63'
VPTLH	_____	N30°32.70'/W083°52.22'
VPXZY	_____	N29°35.00'/W083°10.00'
VPYIW	_____	N30°42.28'/W081°27.25'
VPZIE	_____	N32°01.62'/W080°53.42'

## KANSAS CITY SECTIONAL CHART

VPAGO	_____	N37°50.33'/W090°29.03'
VPBEK	_____	N37°15.07'/W092°30.67'
VPDEN	_____	N37°46.75'/W092°19.20'
VPENE	_____	N37°44.75'/W091°55.78'
VPESS	_____	N36°59.48'/W091°00.88'
VPFME	_____	N37°41.00'/W092°38.33'
VPGXY	_____	N37°15.50'/W091°40.17'
VPMBE	_____	N37°11.08'/W090°27.92'
VPMKE	_____	N37°24.47'/W092°40.00'
VPROV	_____	N38°01.72'/W091°12.81'
VPUTT	_____	N37°52.05'/W092°01.20'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPWOC	_____	N37°18.03' /W092°18.63'
VPWRO	_____	N37°39.12' /W091°45.68'
VPXIZ	_____	N37°26.60' /W092°05.42'

**KANSAS CITY TERMINAL AREA CHART**

VPATN	ATCHISON	N39°33.62' /W095°07.65'
VPBGS	BLUE SPRINGS	N39°01.82' /W094°16.32'
VPBSP	BONNER SPRINGS	N39°03.78' /W094°53.10'
VPCHB	CHOUTEAU BRIDGE	N39°08.77' /W094°32.03'
VPDSO	DE SOTO	N38°58.68' /W094°58.48'
VPESG	EXCELSIOR SPRINGS	N39°20.68' /W094°13.77'
VPGTB	GARRETSBURG	N39°40.92' /W094°41.45'
VPLAT	LATHROP WATER TANK	N39°32.87' /W094°20.00'
VPLEN	LENEXA	N38°57.77' /W094°43.68'
VPLVL	LONGVIEW LAKE	N38°54.63' /W094°28.28'
VPMLL	MC LOUTH	N39°11.65' /W095°12.50'
VPNHA	NASHUA	N39°17.83' /W094°34.80'
VPSCX	SPORTS COMPLEX	N39°03.00' /W094°29.02'
VPSKR	SUGAR CREEK REFINERY	N39°07.00' /W094°27.02'
VPSPK	SWOPE PARK	N39°00.47' /W094°31.93'
VPTSK	TWIN STACKS	N39°09.05' /W094°38.22'
VPWOF	WORLDS OF FUN	N39°10.42' /W094°29.12'

**KLAMATH FALLS SECTIONAL CHART**

VPORO	_____	N43°57.38' /W123°02.22'
-------	-------	-------------------------

**LOS ANGELES HELICOPTER CHART**

VPANA	_____	N33°44.43' /W117°50.03'
VPART	MAGNOLIA	N33°51.45' /W117°58.92'
VPAUT	HWY 91 & 55	N33°50.63' /W117°49.57'
VPBOB	_____	N33°59.60' /W117°21.45'
VPCAR	_____	N33°49.90' /W118°17.23'
VPENG	CONEJO GRADE US HWY 101	N34°12.54' /W118°59.61'
VPOR	_____	N33°52.90' /W117°32.95'
VPCR	_____	N34°01.40' /W117°44.88'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76' /W119°02.53'
VPDOW	_____	N33°56.47' /W118°05.80'
VPELA	_____	N34°00.98' /W118°10.35'
VPETY	_____	N33°38.70' /W117°44.12'
VPFCB	_____	N34°02.03' /W118°01.63'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71' /W119°10.39'
VPGOL	_____	N34°09.33' /W118°17.37'
VPIMP	_____	N33°55.85' /W118°16.85'
VPKAT	_____	N33°48.23' /W117°54.22'
VPKEL	_____	N34°03.92' /W117°48.40'
VPLAC	_____	N34°03.75' /W118°14.93'
VPLLU	_____	N34°03.85' /W117°17.82'
VPLQM	QUEEN MARY	N33°45.17' /W118°11.37'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45' /W118°02.65'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97' /W118°16.32'
VPMDR	_____	N33°59.27' /W118°23.97'
VPNEW	NEWHALL PASS	N34°20.18' /W118°30.72'
VPNUY	_____	N34°09.63' /W118°28.18'
VPPCH	_____	N33°28.07' /W117°40.32'
VPPKC	_____	N34°03.32' /W118°12.83'
VPPOR	_____	N34°00.10' /W117°50.12'
VPRRT	_____	N33°59.37' /W118°16.83'
VPSEP	_____	N34°05.80' /W118°28.63'
VPSFR	_____	N34°17.45' /W118°28.07'
VPSTC	SATICOY BRIDGE	N34°16.62' /W119°08.34'
VPSTK	_____	N34°13.97' /W118°24.60'

## LOS ANGELES SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71'/W119°10.39'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

## LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPGTY	GETTY CENTER	N34°04.84'/W118°28.66'
VPLBP	BANNING PASS	N33°56.05'/W116°59.63'
VPLCC	CHAFFEY COLLEGE	N34°08.87'/W117°34.33'
VPLCP	CAJON PASS	N34°18.07'/W117°27.68'
VPLDL	DISNEYLAND	N33°48.72'/W117°55.13'
VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLDS	DODGER STADIUM	N34°04.42'/W118°14.42'
VPLFX	91/605 INTERCHANGE	N33°52.38'/W118°06.08'
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10'/W118°18.02'
VPLHF	110/405 FWYS	N33°51.42'/W118°17.10'
VPLHP	HUNTINGTON PIER	N33°39.32'/W118°00.25'
VPLKH	KING HARBOR	N33°50.75'/W118°23.88'
VPLLC	L.A. COLISEUM	N34°00.83'/W118°17.27'
VPLLM	LAKE MATHEWS	N33°50.58'/W117°26.85'
VPLMM	MAGIC MOUNTAIN	N34°26.20'/W118°36.28'
VPLMS	MILE SQUARE PARK	N33°43.40'/W117°56.77'
VPLPD	PRADO DAM	N33°53.40'/W117°38.48'
VPLPP	PACIFIC PALISADES	N34°02.13'/W118°32.15'
VPLQM	QUEEN MARY	N33°45.17'/W118°11.37'
VPLRB	ROSE BOWL	N34°09.67'/W118°10.05'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45'/W118°02.65'
VPLSA	SANTA ANA CANYON	N33°52.03'/W117°42.68'
VPLSB	SANTA FE FLOOD BASIN	N34°07.72'/W117°57.30'
VPLSC	STATE COLLEGE	N33°52.97'/W117°53.13'
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87'/W118°29.00'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07'/W118°21.13'
VPLSS	SANTA SUSANA PASS	N34°16.00'/W118°38.43'
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40'/W118°20.30'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'
VPLWT	WATER TANK	N34°10.82'/W118°46.27'
VPNEW	NEWHALL PASS	N34°20.18'/W118°30.72'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

## MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92'/W080°06.93'
VPBOV	_____	N27°57.00'/W080°46.75'
VPCLC	_____	N26°27.07'/W082°00.88'
VPCTE	_____	N26°09.28'/W081°20.70'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDUT	_____	N27°37.70'/W082°09.10'
VPDZE	_____	N27°19.00'/W080°44.17'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78'/W080°28.00'
VPFAH	_____	N26°25.40'/W081°29.67'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHRO	_____	N27°05.97'/W082°12.20'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIBR	_____	N27°12.47'/W081°40.22'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPKOE	_____	N24°40.08'/W081°20.55'
VPLYV	_____	N24°49.07'/W080°49.17'
VPMB0	GULFSTREAM PARK	N25°58.57'/W080°08.17'
VPOBA	PUMPING STATION	N26°28.30'/W080°26.75'
VPRBI	_____	N25°50.67'/W080°55.18'
VPRNL	RANGER STATION	N25°22.92'/W080°36.58'
VPWMO	_____	N27°03.00'/W080°35.00'



## MIAMI TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92' /W080°06.93'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78' /W080°28.00'
VPMBO	GULFSTREAM PARK	N25°58.57' /W080°08.17'
VPOBA	PUMPING STATION	N26°28.30' /W080°26.75'
VPRBI	_____	N25°50.67' /W080°55.18'
VPRNL	RANGER STATION	N25°22.92' /W080°36.58'

## NEW ORLEANS SECTIONAL CHART

VPGPT	_____	N30°25.95' /W089°05.62'
VPLIP	PHILLIPS INLET	N30°16.23' /W085°59.25'
VPMAI	_____	N30°50.02' /W084°56.63'
VPMOB	_____	N30°23.00' /W088°31.72'
VPRAM	_____	N30°18.95' /W089°35.88'
VPRER	_____	N30°13.87' /W085°20.67'
VPRIV	_____	N30°54.85' /W087°57.82'
VPSAW	_____	N30°49.65' /W089°07.42'
VPTHR	_____	N30°19.93' /W087°08.50'

## NEW YORK HELICOPTER CHART

VPJAY	_____	N40°59.00' /W073°07.00'
VPLYD	_____	N40°57.37' /W073°29.59'
VPROK	_____	N40°52.70' /W073°44.24'

## PHOENIX TERMINAL AREA CHART/FLYWAY CHART

VPALL	ALLENVILLE	N33°20.97' /W112°35.20'
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05' /W112°41.38'
VPARM	ARROWHEAD MALL	N33°38.52' /W112°13.48'
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98' /W111°59.08'
VPAZM	ARIZONA MILLS	N33°23.43' /W111°57.88'
VPBAR	BARTLETT DAM	N33°49.10' /W111°37.92'
VPCCC	COUNTRY CLUB & CANAL	N33°30.73' /W111°50.37'
VPCNL	CANAL	N33°33.23' /W111°46.89°
VPRFB	FIREBIRD LAKE	N33°16.35' /W111°58.10'
VPFTN	FOUNTAIN HILLS	N33°36.12' /W111°42.72'
VPGLX	GILA CROSSING	N33°16.55' /W112°10.08'
VPGPP	GLENDALE POWER PLANT	N33°33.27' /W112°13.00'
VPMAR	MARICOPA	N33°03.42' /W112°02.88'
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53' /W111°49.58'
VPNRV	NEW RIVER	N33°55.08' /W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50' /W111°55.83'
VPPIR	PIR	N33°22.52' /W112°18.90'
VPQTR	QUINTERO GOLF COURSE	N33°49.53' /W112°23.58'
VPRVC	RIO VERDE COMMUNITY	N33°44.37' /W111°39.62'
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02' /W112°02.12'
VPSQP	SQUAW PEAK	N33°32.83' /W112°01.27'
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50' /W111°41.37'
VPSTN	SANTAN MOUNTAINS	N33°09.23' /W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25' /W111°59.67'
VPZZZ	_____	N33°20.18' /W111°26.53'

## ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

VPAGN	TV ANTENNA	N38°32.08' /W090°22.42'
VPBPE	_____	N38°23.80' /W090°20.38'
VPCJY	HOLIDAY SHORES	N38°55.00' /W089°56.00'
VPCOJ	WINFIELD DAM	N39°00.28' /W090°41.23'
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18' /W090°16.47'
VPEAZ	BUSCH STADIUM	N38°37.43' /W090°11.55'
VPEDZ	WATER TANKS	N38°45.30' /W090°34.87'
VPEGR	GAS TANKS	N38°35.80' /W090°19.32'
VPEOX	ST PETERS	N38°47.17' /W090°39.25'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPFAI	HOWELL ISLAND	N38°40.00'/W090°43.00'
VPFFY	_____	N38°55.37'/W090°17.30'
VPGPF	_____	N38°35.60'/W090°26.92'
VPGVI	_____	N38°32.30'/W090°27.80'
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88'/W090°10.42'
VPIBO	WATERLOO	N38°20.00'/W090°09.00'
VPJMU	HORSESHOE LAKE	N38°41.00'/W090°05.00'
VPKNY	PACIFIC	N38°29.00'/W090°44.00'
VPLES	ST CHARLES	N38°47.00'/W090°30.00'
VPLIW	SIX FLAGS	N38°30.67'/W090°40.47'
VPLXU	GATEWAY ARCH	N38°37.50'/W090°11.00'
VPNSY	WOOD RIVER REFINERIES	N38°50.00'/W090°05.00'
VPNZY	WENTZVILLE	N38°48.83'/W090°50.98'
VPRAZ	JERSEYVILLE	N39°07.00'/W090°20.00'
VPROMO	FOREST PARK	N38°38.00'/W090°17.00'
VPWKO	COLUMBIA	N38°27.00'/W090°12.00'
VPXXI	MILLSTADT	N38°27.50'/W090°05.68'
VPYID	MOSENTHEIN ISLAND	N38°43.00'/W090°12.25'

### SALT LAKE CITY HELICOPTER CHART

VPAIR	SALT AIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS	_____	N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFFK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH	_____	N41°01.67'/W112°02.47'
VPNSL	_____	N40°50.15'/W111°54.90'
VPNTP	_____	N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPVVO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY	_____	N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPTIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT	_____	N40°38.00'/W112°03.33'

### SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALT AIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS	_____	N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPCVI	CENTERVILLE INTERCHANGE	N40°55.30'/W111°53.43'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFFK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH	_____	N41°01.67'/W112°02.47'
VPNSL	_____	N40°50.15'/W111°54.90'
VPNTP	_____	N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPPVO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY	_____	N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPTIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPUOU	U OF U EVENTS CENTER	N40°45.73'/W111°50.28'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT	_____	N40°38.00'/W112°03.33'
VPZOO	HOGLE ZOO	N40°45.00'/W111°48.95'

**SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART**

VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPOCN	_____	N33°14.15'/W117°26.63'
VPSBC	BARONA CASINO	N32°56.25'/W116°52.60'
VPSBL	_____	N33°05.18'/W117°18.55'
VPSBM	BLACK MOUNTAIN	N32°58.87'/W117°07.00'
VPSCF	_____	N32°48.55'/W117°09.17'
VPSCM	COWLES MOUNTAIN	N32°48.72'/W117°01.97'
VPSCP	CRYSTAL PIER	N32°47.77'/W117°15.42'
VPSCR	_____	N32°39.37'/W117°07.30'
VPSFB	IRON MOUNTAIN	N32°58.25'/W116°57.33'
VPSLJ	LAKE JENNINGS	N32°51.53'/W116°53.28'
VPSMB	_____	N32°45.57'/W117°12.22'
VPSMP	_____	N33°22.70'/W117°36.75'
VPSMS	MOUNT SOLEDAD	N32°50.40'/W117°15.10'
VPSMV	_____	N32°45.75'/W117°09.80'
VPSMW	MOUNT WOODSON	N33°00.52'/W116°58.23'
VPSOP	OTAY MESA PRISON	N32°35.82'/W116°55.28'
VPSOT	LOWER OTAY LAKE	N32°37.73'/W116°55.38'
VPSPL	SOUTH POINT LOMA	N32°39.90'/W117°14.55'
VPSPP	POWER PLANT	N33°08.25'/W117°20.23'
VPSQS	QUALCOMM STADIUM	N32°46.98'/W117°07.23'
VPSRT	DEL MAR RACE TRACK	N32°58.58'/W117°15.95'
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78'/W116°56.18'
VPSSV	SAN VICENTE ISLAND	N32°55.53'/W116°55.00'
VPSTP	TORREY PINES GOLF COURSE	N32°54.17'/W117°14.68'
VPSVA	_____	N33°11.48'/W117°16.38'

**SAN FRANCISCO SECTIONAL CHART**

VPKBG	KINGSBURY GRADE	N38°58.75'/W119°53.20'
-------	-----------------	------------------------

**SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART**

VPALT	ALTAMONT PASS	N37°44.35'/W121°35.42'
VPANT	ANTIOCH BRIDGE	N38°01.45'/W121°45.02'
VPBBR	BENICIA BRIDGE	N38°02.50'/W122°07.45'
VPICAL	CALAVERAS RESERVOIR	N37°28.16'/W121°48.93'
VPGBT	LAKE CHABOT	N37°43.68'/W122°06.94'
VPCOY	COYOTE HILLS	N37°32.50'/W122°05.06'
VPCQZ	CARQUINEZ BRIDGE	N38°03.66'/W122°13.52'
VPCLL	_____	N37°11.00'/W121°41.06'
VPCRY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56'/W122°21.10'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCSH	CAL STATE UNIVERSITY	N37°39.52'/W122°03.52'
VPDAM	DEL VALLE DAM	N37°36.91'/W121°44.78'
VPDLR	_____	N37°07.00'/W121°47.06'
VPDUB	DUBLIN	N37°42.06'/W121°55.36'
VPEMB	EMBASSY SUITES	N37°26.05'/W121°53.83'
VPGGF	GOLDEN GATE FIELDS	N37°53.07'/W122°18.71'
VPGIL	GILROY	N37°01.37'/W121°33.99'
VPHHH	HAMILTON	N38°03.58'/W122°30.66'
VPKGO	KGO	N37°31.58'/W122°06.10'
VPLEX	LEXINGTON RESERVOIR	N37°11.66'/W121°59.18'
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28'/W122°11.81'
VPMOR	MORMON TEMPLE	N37°48.46'/W122°11.95'
VPNUM	NUMMI PLANT	N37°29.56'/W121°56.58'
VPPAC	_____	N37°38.00'/W122°32.07'
VPPRU	PRUNEYARD	N37°17.33'/W121°56.01'
VPSAR	SARATOGA	N37°15.26'/W122°02.33'
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75'/W122°14.35'
VPSTB	STINSON BEACH	N37°54.45'/W122°40.41'
VPSUN	SUNOL GOLF COURSE	N37°34.85'/W121°53.23'
VPUTC	U.T.C.	N37°13.93'/W121°41.35'
VPWAL	WALNUT CREEK	N37°53.78'/W122°04.30'
VPWAM	_____	N37°30.28'/W122°10.00'
VPWFR	CEMENT PLANT	N37°30.88'/W122°12.26'

### TAMPA/ORLANDO TERMINAL AREA CHART/FLYWAY CHART

VPBOV	_____	N27°57.00'/W080°46.75'
VPCNY	_____	N28°30.00'/W080°45.00'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDFI	_____	N29°00.17'/W081°20.85'
VPDUT	_____	N27°37.70'/W082°09.10'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPFFU	_____	N28°57.08'/W081°00.33'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHUC	_____	N28°19.87'/W082°43.77'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPLEV	_____	N28°48.00'/W080°52.00'
VPLJA	_____	N29°00.00'/W080°51.00'

### WASHINGTON SECTIONAL CHART

VPAGE	_____	N38°07.82'/W076°48.75'
VPAXI	_____	N38°34.57'/W076°20.38'
VPBRA	_____	N36°13.75'/W076°08.08'
VPGCE	_____	N36°03.90'/W076°36.42'
VPWZO	_____	N36°00.87'/W075°40.07'

## VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300) or (1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

### ARKANSAS

#### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Flippin</b> .....	112.8/FLP	A/1900	053	6.0	Over water tower at Mountain Home.
<b>Fort Smith</b> (Fort Smith Rgnl) .....	110.4/FSM	G	226	5.2	On runup area on twy to Rwy 25.
	110.4/FSM	G	232	6.2	On runup area on twy to Rwy 07.
<b>Gosnell</b> .....	111.8/GOJ	A/1700	105	7.3	Over railroad bridge at Armorel.
<b>Harrison</b> (Boone County) .....	112.5/HRO	G	135	4.4	At int of N/S and E/W twys by trml bldg.
<b>Jonesboro</b> (Jonesboro Muni) .....	108.6/JBR	G	227	3.9	On NE ramp in front of airline terminal.
<b>Little Rock</b> (Adams Field) .....	113.9/LIT	G	312	3.8	At intersection of Twys G and F. VOR gnd chk point unusable.
	113.9/LIT	G	310	4.1	On Twy L at Twy A.
<b>Pine Bluff</b> (Grider Field) .....	116.0/PBF	G	182	4.4	Center E/W twys front of twr.

### LOUISIANA

#### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Alexandria</b> (Alexandria Intl) .....	116.1/AEX	G	328	4.3	On runup Rwy 32.
<b>Baton Rouge</b> (Baton Rouge Metro, Ryan) ....	116.5/BTR	A/1500	063	7.2	Over water tank W side of arpt.
<b>Downtown</b> .....	108.6/DTN	A/1500	290	10.0	Over white water tower in factory complex.
<b>Downtown</b> (Shreveport Downtown) .....	108.6/DTN	G	278	.4	On NE side of Twy D by FBO parking area.
<b>Lafayette</b> (Lafayette Rgnl) .....	109.8/LFT	A/1000	343	22.1	Over rotating beacon at St. Landry Parish-Ahart Fld. arpt.

## VOR RECEIVER CHECK

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
	109.8/LFT	G	355	0.5	On Twy F run up area Rwy 04L.
	109.8/LFT	G	341	0.9	On Twy B run up area Rwy 11.
	109.8/LFT	G	025	1.4	On Twy J run up area Rwy 22L.
<b>Lake Charles</b> (Lake Charles Rgnl) .....	113.4/LCH	A/1000	253	6.2	Over rotg bcn on twr.
<b>Monroe</b> (Monroe Rgnl) .....	117.2/MLU	G	212	0.7	On Twy G South of twr.
<b>Natchez</b> (Concordia Parish) .....	110.0/HEZ	A/1000	247	10.5	Over hangar NW end of fld.
<b>Polk</b> (Fort Polk AAF) .....	108.4/FXU	A/2000	167	4.5	Over water tower.
<b>Reserve</b> (St John The Baptist Parish).....	110.8/RQR	A/1500	270	16.8	Over center of bridge.
<b>Tibby</b> (Houma–Terrebonne) .....	112.0/TBD	A/1000	117	10.7	Over intersection of Rwys 18–36 and 12–30.
<b>Tibby</b> (Thibodaux Muni).....	112.0/TBD	A/1000	353°	5.0	Over microwave twr near arpt.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>New Orleans</b> (Lakefront) .....	111.0	A/G	Within 5 NM radius between 2000'–3000'.
<b>Shreveport Rgnl</b> .....	108.2	G	

## MISSISSIPPI

## VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Caledonia</b> (Columbus AFB) .....	115.2/CBM	G	152	0.7	On S hammerhead.
		G	200	0.5	At base ops.
		G	298	1.5	On N hammerhead T–38 runup.
<b>Greenville</b> (Mid Delta Rgnl) .....	110.2/GLH	G	185	2.3	On North ramp.
<b>McComb</b> (McComb–Pike Co–John E Lewis Fld) .....	116.7/MCB	A/1400	234	13.3	Over hangar.
<b>Meridian</b> (Key Field) .....	117.0/MEI	G	127	4.0	On ramp in front of terminal building.
<b>Natchez</b> (Hardy–Anders Fld Natchez–Adams Co) .....	110.0/HEZ	G	143	0.5	On taxiway at apch end Rwy 31.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Jackson–Evers Intl</b> .....	111.0	G	

# VOR RECEIVER CHECK OKLAHOMA

## VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Ada</b> .....	117.8/ADH	A/2000	036	5.8	Over railroad and east/west highway in center of town of Francis.
<b>Ardmore</b> (Ardmore Muni) .....	116.7/ADM	A/2000	045	8.4	Over red and white water tower W side of arpt.
<b>Bartlesville</b> (Bartlesville Muni) .....	117.9/BVO	G	166	4.5	On parallel twy opposite terminal. OTS indef.
<b>Duncan</b> (Halliburton Field) .....	111.0/DUC	G	327	5.8	At compass rose.
<b>Enid</b> (Vance AFB).....	115.4/END	G	015	0.6	On zero runup pad Rwy 17C.
	115.4/END	G	143	0.8	On zero runup pad Rwy 35R.
	115.4/END	G	160	0.9	On zero runup pad Rwy 35C.
<b>Glenpool</b> (Richard Lloyd Jones Jr).....	110.6/GNP	A/2500	348	7.2	Over intersection of rwy south Rwy 13 and Rwy 19R.
<b>Hobart</b> (Hobart Rgnl) .....	111.8/HBR	A/3500	343	9	Railroad intersection east side of city.
<b>Lawton</b> (Lawton-Fort Sill Rgnl).....	109.4/LAW	G	349	4.6	On taxiway between terminal and Rwy 17-35.
<b>McAlester</b> (McAlester Rgnl).....	112.0/MLC	G	350	2	At intersection of ramp and twy.
<b>Okmulgee</b> (Okmulgee Rgnl).....	114.9/OKM	A/2200	279	10.2	Over intersection N/S railroad and E/W highway.
<b>Ponca City</b> (Ponca City Rgnl) .....	113.2/PER	G	81	2.9	At Apch end Rwy 17 on Twy A
	113.2/PER	G	107	3.2	At South of ramp on Twy A
<b>Sayre</b> (Sayre Muni) .....	115.2/SYO	A/3000	175	10.4	VOR ground receiver checkpoints unusable. Over rotating beacon.
<b>Stillwater</b> (Stillwater Rgnl) .....	108.4/SWO	G	176	4	At intersection of NW ramp and twy D.
<b>Wiley Post</b> (Wiley Post) .....	113.4/PWA	G	157	0.5	On runup pad to Rwy 35R.
	113.4/PWA	G	007	0.7	On runup area to Rwy 17L.
<b>Will Rogers</b> (Clarence E. Page Muni).....	114.1/IRW	A/2900	297	12.8	Over apch end Rwy 35L.
<b>Woodring</b> (Enid Woodring Rgnl).....	109.0/ODG	G	352	.5	On ramp W of terminal.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Oklahoma City (Will Rogers World)</b> .....	108.8	A/G	Within 10 NM radius between 3000' and 5000' VOT unusable on Twy H and Rwy 17L-35R N of Twy H-2 and Twy E N of Twy E-2/E-3 junction.
<b>Tulsa International</b> .....	109.0	G	

## VOR RECEIVER CHECK TEXAS

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Abilene</b> (Abilene Rgnl) .....	113.7/ABI	A/2800	047	10.1	Over silos in center of Ft Phantom Lake.
<b>Alice</b> (Alice International) .....	114.5/ALI	G	272	0.5	On twy near FBO.
<b>Beaumont</b> (Southeast Texas Reg) .....	114.5/BPT	G	309	0.8	On runup area for Rwy 12.
<b>Borger</b> (Hutchinson Co) .....	108.6/BGD	G	173	6.7	On twy intersection at N end of ramp.
<b>Brownsville</b> (Brownsville/South Padre Island Intl) .....	116.3/BRO	G	247	3.2	3.2 NM on hold line Rwy 13R.
<b>Brownwood</b> (Brownwood Rgnl) .....	108.6/BWD	A/2600	169	6.2	Over rotating bcn.
<b>Childress</b> (Childress Muni) .....	117.6/CDS	G	353	3.7	At intersection of edge of ramp at center twy.
<b>College Station</b> (Easterwood Field).....	113.3/CLL	G	097	3.2	On W edge of parking ramp.
<b>Corpus Christi</b> (Corpus Christi Intl).....	115.5/CRP	A/1100	187	9.3	Over Rwy 32 thld.
<b>Daisetta</b> (Liberty Muni).....	116.9/DAS	A/1200	195	7.5	Over hangar S of arpt.
<b>Dalhart</b> (Dalhart Muni) .....	112.0/DHT	A/5000	176	4.1	Over water tower on arpt.
<b>Eagle Lake</b> (Eagle Lake) .....	116.4/ELA	A/1200	180	4.1	Over water tank 0.4 NM SW of arpt.
<b>Fort Stockton</b> (Fort Stockton-Pecos County).....	116.9/FST	G	116	4.0	On ramp N of terminal building.
<b>Gray</b> (Skylark fld) .....	111.8/GRK	G	056	7.6	On NE runup area.
<b>Gregg Co</b> (East Texas Rgnl) .....	112.3/GGG	G	128	2.4	At N end of ramp on twy to Rwy 13.
<b>Humble</b> (George Bush Intercontinental/Houston).....	116.6/IAH	G	339	2.2	On runup pad Rwy 08.
<b>Laredo</b> (Laredo International) .....	117.4/LRD	G	313	4.1	On runup area of Twy F.
	117.4/LRD	G	318	4.8	On runup area of Twy A.
<b>Laughlin</b> (Del Rio Intl).....	114.4/DLF	A/2000	268	7.7	Over rotating bcn.
	114.4/DLF	G	198	.5	On ramp AER 31L.
	114.4/DLF	G	275	.9	On ramp AER 13R.
<b>Lubbock</b> .....	109.2/LBB	A/4500	053	4.5	Over water tank at intersection of railroad & road in New Deal.
<b>Lufkin</b> (Angelina County) .....	112.1/LFK	A/1300	331	4.6	Over rotating bcn.
<b>Marfa</b> (Marfa Muni) .....	115.9/MRF	A/6000	280	3.6	Over gray-white tank north edge of town.
<b>McAllen</b> (McAllen Miller Intl).....	117.2/MFE	G	331	0.6	.6 NM on cargo ramp.
<b>Midland</b> .....	114.8/MAF	A/4000	224	11	Over Odessa water tank.
<b>Millsap</b> (Mineral Wells) .....	117.7/MQP	A/2000	329	6.0	Over spillway of lake N of Mineral Wells arpt.
<b>Paris</b> (Cox fld) .....	113.6/PRX	G	348	5.6	At intersection of ramp and E/W twy.
<b>Pecos</b> .....	111.8/PEQ	A/3600	105	5.5	Over 419' transmission twr E of town of Pecos.
<b>Quitman</b> .....	114.0/UIM	A/1500	241	14.5	Over water tank in Alba.
<b>Randolph</b> (Randolph AFB) .....	112.3/RND	G	337	1.0	On AER 14R.



# VOR RECEIVER CHECK

425

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Rocksprings</b> .....	111.2/RSG	A/3800	085	4.8	Over 2804' antenna S of Rocksprings.
<b>San Angelo</b> (San Angelo Rgnl/Mathis Field) .....	115.1/SJT	G	237	2.6	On E edge of ramp in front of atct.
<b>Scholes</b> (Galveston Intl—Scholes fld) .....	113.0/VUH	G	138	.8	Taxiway/runup area East of Rwy 35 thld.
<b>Sinton</b> (Alfred C 'Bubba' Thomas).....	115.5/CRP	A/1000	318	9.8	Over rotating bcn on arpt.
<b>Stinson</b> (Stinson Muni) .....	108.4/SSF	A/2000	337	5.0	Over atct.
<b>Sulphur Springs</b> .....	109.0/SLR	A/1600	223	7	Over projector booth and snackbar within outdoor theater.
<b>Temple</b> (Draughon—Miller Central Texas Rgnl) .....	110.4/TPL	G	160	3.6	At edge of ramp and twy in front of refueling office.
<b>Tyler</b> (Tyler Pounds Rgnl) .....	114.2/TYR	G	082	.5	At intersection twys D and H
<b>Victoria</b> (Victoria Rgnl).....	109.0/VCT	G	128	3.2	At approach end of Rwy 12L.
<b>Wichita Falls</b> .....	112.7/SPS	A/2000	228	19.8	Over spillway at Lake Diversion.
<b>Wichita Falls</b> (Sheppard AFB/Wichita Falls Muni) .....	112.7/SPS	G	093	5.5	On Twy C runup area Rwy 33L.
	112.7/SPS	G	075	5.3	On Twy G AER 33R.
	112.7/SPS	G	064	5.2	On Twy K AER 15L.
	112.7/SPS	G	068	4.7	On Twy H runup area Rwy 15R.
<b>Wink</b> (Winkler County).....	112.1/INK	A/3900	149	5.9	Over intersection of rwys 04—22 and 13—31.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Dallas Love Field</b> .....	113.3	A/G	Airborne, use within 10 NM radius of Dallas Love field between 2000' and 10000'.
<b>El Paso International</b> .....	111.0	G	Used for ground only. Unusable on the west side of hangers south of the intersection of Twy A and the centerline of Rwy 04—22.
<b>Fort Worth Meacham Intl</b> .....	108.2	G	Used for ground and airborne test. For airborne use within 10 NM radius of Fort Worth Meacham Intl clockwise fr 220°—310° between 2000' and 5700'.
<b>Houston</b> (William P. Hobby) .....	108.4	G	
<b>Midland Intl</b> .....	108.2	G	
<b>San Antonio International</b> .....	110.4	G	

## PARACHUTE JUMPING AREAS

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Been in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
<b>ARKANSAS</b>			
(c) Blackjack Drop Zone .....	33 NM; 009° Little Rock .....	3,000	Mon-Fri 0600-0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Camp Chaffee, Arrowhead Drop Zone....	6 NM; 160° Ft. Smith .....	3,000	Mon-Fri 0600-2300 and occasional weekends.
Camp Robinson-All American Drop Zone	15 NM; 332° Little Rock .....	3,000	Mon-Fri 0600-0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Conway Drop Zone .....	24 NM; 334° Little Rock .....	12,500	0800-SS weekends and occasional weekdays.
(c) Siloam Springs Muni.....	18 NM; 256° Razorback.....	15,000	5 NM radius. Sat-Mon 0700-0000.
Texarkana.....	9 NM; 160° Texarkana.....	13,000 AGL	0800-SS weekends and occasional weekdays
<b>LOUISIANA</b>			
(c) Baton Rouge .....	13NM; 060° Baton Rouge .....	13,000	Daily SR-SS
(c) Belle Chasse .....	2 NM; 054° Harvey.....	7,500	Daily SR-SS
Bodcaw.....	16 NM; 083° Shreveport .....	13,000	Daily SR-SS
(c) Breaux Bridge, Bordelon Airpark ....	9 NM; 042° Lafayette .....	12,000	Daily SR-SS
(c) Mansfield, CE 'Rusty' Williams Arpt..	22 NM; 196° Elm Grove .....	13,000	3 NM radius. Daily SR-SS
(c) Opelousas, St Landry Parish—Ahart Fld .....	25 NM; 340° Lafayette .....	11,500	3NM radius. Weekends 0700-1800.
Slidell Arpt.....	13.8 NM; 195° Picayune.....	14,500 AGL	3 NM radius. Daily SR-SS. <b>Louis Armstrong New Orleans Intl Tower 133.15.</b>
<b>MISSISSIPPI</b>			
Artesia, Carson Drop Zone .....	11 NM; 188° Bigbee.....	2,000 AGL	Occasional use.
(c) Batesville, Panola County Arpt .....	26 NM; 220° Holly Springs.....	10,500 AGL	5 NM radius. Sat-Sun 0900-SS.
Camp McCain Drop Zone .....	31.9 NM; 067° Sidon .....	17,999	5 NM radius. Weekdays and weekends, occasional nights, seldom holidays.
Coldwater, Coldwater Drop Zone .....	20 NM; 170° Memphis .....	3,000	0600-2330 Mon-Fri and occasional weekends. Military use.
Edwards, Kelly Drop Zone .....	30 NM; 230° Jackson .....	2,000 AGL	Occasional use.
Edwards, Noble Drop Zone .....	31 NM; 225° Jackson .....	2,000 AGL	Occasional use.
Grenada Drop Zone .....	32.6 NM; 048° Sidon .....	17,999	5 NM radius. Weekends, occasional nights, seldom holidays.
Magee Drop Zone .....	50 NM; 148° Jackson.....	12,500	SR-SS weekends & holidays. Occasional use by National Guard.
Rolling Fork, Wade Arpt .....	32 NM; 180° Greenville .....	12,500	10 NM radius. SR-SS Daily.
Strong .....	6.5 NM; 289° Caledonia .....	12,500	Weekends and holidays SR-SS
Terry, Windy Drop Zone .....	28 NM; 190° Jackson .....	2,000 AGL	Occasional use.
West Point, King Drop Zone.....	7 NM; 305° Bigbee.....	2,000 AGL	Occasional use.

# PARACHUTE JUMPING AREAS

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
Yazoo City, Yazoo Co Arpt.....	27 NM; 322° Jackson.....	13,000	3 NM radius. 0900-SS weekends and holidays.
<b>OKLAHOMA</b>			
(c) Chickasha, Redhills Arpt.....	23 NM; 212° Will Rogers.....	12,000	1 NM radius. Daily SR-SS.
(c) Claremore, Sam Riggs Arpt.....	7.8 NM; 070° Tulsa.....	11,000	2 NM radius. Weekends, and holidays, SR-SS. Occasional weekday and night jumps.
(c) Cushing Muni.....	50 NM; 245° Tulsa.....	14,000	5 NM radius SR until 1 hour after SS daily.
(c) Eldorado, Sooner Drop Zone.....	22 NM; 247° Altus.....	12,500 AGL	1 NM radius, Mon-Fri 0700-0200 and occasional weekends. Heavy jet activity, IFR and VFR conditions.
(c) Goldsby, Paradise Air Haven Arpt.....	16 NM; 150° Will Rogers.....	17,000	3 NM radius. Continuous.
(c) Grandfield Muni.....	21 NM; 324° Wichita Falls.....	13,500	5 NM radius. SR-SS weekends and holidays; occasional weekdays.
(c) Hinton Muni Arpt.....	37 NM; 277° Will Rogers.....	16,000	3 NM radius. Weekends SR-SS.
(c) Hugo, Nash Muni Arpt.....	52 NM; 155° McAlester.....	13,000	3 NM radius. Daily SR-SS.
Ketchum Craig Co South Grand Lake Arpt.....	34 NM; 230° Neosho.....	12,000	1 NM radius. Daily 0530-2000.
Miami Muni Arpt.....	21 NM; 126° Oswego.....	13,000	3 NM radius. SR-SS daily.
Okmulgee Rgnl Arpt.....	4.3 NM; 241° Okmulgee.....	15,000	3 NM radius. Sat, Sun and holidays SR-SS.
(c) Skiatook.....	15 NM; 310° Tulsa.....	13,000	5 NM radius. Daily SR-SS, occasional nghts.
Tahlequah Muni.....	41 NM; 105° Tulsa.....	13,500	5 NM radius. Daily SR-SS.
<b>TEXAS</b>			
Abilene, Dyess AFB.....	4 NM; 170° Abilene.....	3,300	Daily SR-SS
Amarillo, Buffalo Fld.....	13.5 NM; 213° Panhandle.....	15,000	Daily SR-SS
(c) Anahuac, Chambers Co Arpt.....	14.5 NM; 013° Trinity.....	17,500	5 NM radius. Daily SR-SS. Occasional nghts.
(c) Beaumont Muni Arpt.....	12.5 NM; 297° Beaumont.....	15,000 AGL	0800-1 hour past SS, occasional nghts.
(c) Beeville.....	21 NM; 102° Three Rivers.....	12,500	0900-SS weekends, holidays and occasional weekdays.
(c) Brookshire, Sport Flyers (Pvt) Arpt..	22 NM, 052° Eagle Lake.....	12,000	3 NM radius. Daily 1500-0045.
(c) Bryan, Coulter Fld.....	8 NM; 026° College Station.....	13,500	5 NM radius. Daily SR-SS, occasional nghts, occasional weekdays Wed-Fri. <b>Houston Center 120.4</b>
(c) Caddo Mills.....	29 NM; 176° Bonham.....	15,000	Fri-Sun dalgt hrs, 0600-2100 during summer. UNICOM 122.8/Fort Worth Center 132.02.
Camp Bullis.....	6.5 NM; 305° San Antonio.....	2,500 AGL	2 NM radius. Continuous.
(c) Camp Swift, Blackwell Drop Zone....	15 NM; 119° Centex.....	1,500 AGL	Daily, occasional nghts.
Dumas, Moore Co Arpt.....	29 NM; 106° Dalhart.....	13,700	3 NM radius. SR-2359 weekends and holidays, 1700-2359 weekdays.
Ennis Muni Arpt.....	24 NM; 285° Cedar Creek.....	12,000	3 NM radius, Sat-Sun, Holidays
(c) Fantress Airpark.....	38.7 NM; 193° Centex.....	14,000	5 NM radius. Weekends SS-SR. Occasional weekdays and ngt jumps. <b>Austin-Bergstrom Intl Tower 119.0</b>
(c) Gladewater Muni Arpt.....	14 NM; 295° Gregg Co.....	14,000	3 NM radius. 0700-2200 daily.
(c) Hitchcock, Johnnie Volk Fld.....	8.5 NM; 302° Scholes.....	12,500 AGL	1 NM radius 0800-SS daily.
(c) Killeen, Ft. Hood, Antelope Drop Zone.....	14.5 NM; 087° Gooch Springs...	13,000 AGL	Continuous
(c) Killeen, Ft. Hood, Rapido Drop Zone.....	25 NM; 053° Gooch Springs.....	13,000 AGL	0.5 NM radius. Continuous.

## PARACHUTE JUMPING AREAS

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Kingsville, Kleberg Co Arpt .....	11.5 NM; 175° Alice.....	12,500	Weekdays, 1200–SS; Sat, Sun, holidays 0700–SS
(c) Lexington Airfield (Pvt) Arpt .....	30 NM; 238° College Station.....	15,500	2 NM radius, Daily SR–Midnight.
(c) Midlake Arpt.....	7 NM; 084° Stinson .....	15,000	1 NM radius. Daily SR–SS and occasional nghts.
(c) Nome, Farm Air Service (Pvt) Arpt... ..	21 NM; 278° Beaumont.....	13,500	3 NM radius. Sat, Sun and holidays, SR–SS.
(c) Port Isabel-Cameron Co Arpt .....	15 NM; 357° Brownsville .....	15,500	1 NM radius. Daily SR–SS.
(c) Rhome, Rhome Meadows Arpt.....	24 NM; 307° Ranger .....	11,500	<b>Houston Center 119.5</b> 2 NM radius. SR–SS Thu–Mon
(c) Rosharon, B&B Airpark (Pvt) Arpt ...	20 NM; 205° Hobby.....	15,000	2 NM radius. 1200–0200 daily.
(c) Salado Arpt .....	15.5 NM; 114° Gray .....	15,000 AGL	5 NM radius. Continuous.
Seagoville Arpt .....	30.3 NM; 115° Maverick.....	13,000	SR–SS weekends and holidays and occasional days.
(c) Stanton Muni .....	21 NM; 051° Midland .....	14,500	5 NM radius. SR–SS weekends and holidays.
Stephenville, Clark Fld Muni .....	15.5 NM; 279° Glen Rose.....	13,000	5 NM radius. SR–SS weekends and holidays. <b>Ft. Worth Center 127.15</b>
Terrell Muni Arpt .....	32 NM; 349° Cedar Creek.....	13,500	2 NM radius. SR–SS weekends and holidays, occasional weekdays.
(c) Trenton, Tri–Co Aerodrome.....	8.6 NM; 230° Bonham.....	14,500	2 NM radius. Daily 0800–2200. Hi–density jump area, pilots are advised to monitor UNICOM 123.075.
(c) Waller, Skydive Houston (Pvt) Arpt... ..	18.9 NM, 151° Navasota .....	24,000 AGL	3 NM radius, continuous.

**INTENTIONALLY  
LEFT  
BLANK**

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

### ALBUQUERQUE SECTIONAL

84th Edition, 22 Oct 2009

#### OBSTRUCTIONS

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### AIRPORTS

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### NAVAIDS

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### AIRSPACE

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### SPECIAL USE AIRSPACE

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### MILITARY TRAINING ROUTES

22 Oct 2009 – 8 Apr 2010 No Major Changes.

#### MISCELLANEOUS

22 Oct 2009 – 8 Apr 2010 No Major Changes.

### BROWNSVILLE SECTIONAL

84th Edition, 19 Nov 2009

#### OBSTRUCTIONS

17 Dec 2009 – 11 Feb 2010 No Major Changes.

8 Apr 2010 Add obst 908' MSL (480' AGL) UC, 26°54'54"N, 99°16'48"W.

#### AIRPORTS

17 Dec 2009 – 8 Apr 2010 No Major Changes.

#### NAVAIDS

17 Dec 2009 – 8 Apr 2010 No Major Changes.

#### AIRSPACE

17 Dec 2009 – 8 Apr 2010 No Major Changes.

#### SPECIAL USE AIRSPACE

17 Dec 2009 – 8 Apr 2010 No Major Changes.

#### MILITARY TRAINING ROUTES

17 Dec 2009 – 8 Apr 2010 No Major Changes.

#### MISCELLANEOUS

17 Dec 2009 – 8 Apr 2010 No Major Changes.

---

**CG-19 WORLD AERONAUTICAL CHART**  
**39th Edition, 4 Jun 2009****OBSTRUCTIONS****2 Jul 2009 – 8 Apr 2010** No Major Changes.**AIRPORTS****2 Jul 2009** Add arpt elev 1071, lighting code \*L, runway length 71 and unicom at GLENDALE arpt, 33°31'36"N, 112°17'42"W.**27 Aug 2009 – 8 Apr 2010** No Major Changes.**NAVAIDS****2 Jul 2009 – 8 Apr 2010** No Major Changes.**AIRSPACE****2 Jul 2009 – 8 Apr 2010** No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 8 Apr 2010** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 8 Apr 2010** No Major Changes.

---

## DALLAS—FT. WORTH HELICOPTER ROUTE CHART

### 4th Edition, 16 Mar 2006

**OBSTRUCTIONS**

- 13 Apr 2006** No Major Changes.  
**8 Jun 2006** Add obst 1049' MSL (318' AGL), 33°12'08"N, 96°48'14"W.  
**3 Aug 2006** No Major Changes.  
**28 Sep 2006** Add obst 975' MSL (470' AGL), 32°51'03"N, 96°35'30"W.  
**23 Nov 2006 – 15 Mar 2007** No Major Changes.  
**10 May 2007** Add obst 1046' MSL (470' AGL) UC, 33°07'51"N, 97°06'04"W.  
**5 Jul 2007** Add obst 1059' MSL (319' AGL), 32°37'08"N, 97°12'20"W.  
**30 Aug 2007 – 20 Nov 2008** No Major Changes.  
**15 Jan 2009** Add obst 947' MSL (300' AGL) UC, 33°06'56"N, 96°44'23"W.  
**12 Mar 2009** Add obst 1497' MSL (509' AGL) UC, 32°30'14"N, 97°31'48"W.  
**7 May 2009 – 22 Oct 2009** No Major Changes.  
**17 Dec 2009** Add obst 1297' MSL (320' AGL) UC, 33°07'42"N, 97°29'43"W.  
**11 Feb 2010** Add obst 1269' MSL (320' AGL) UC, 33°12'19"N, 97°30'13"W.  
**8 Apr 2010** No Major Changes.

**AIRPORTS**

- 13 Apr 2006 – 8 Jun 2006** No Major Changes.  
**3 Aug 2006** Delete TURBOMECA heliport, 32°41'54"N, 97°02'59"W.  
Delete TRIPLE S arpt, 32°40'30"N, 97°34'54"W.  
**28 Sep 2006** Delete CARROLL arpt 32°33'25"N, 96°51'56"W.  
**23 Nov 2006** No Major Changes.  
**18 Jan 2007** Add Arlington ATCT 128.625, 32°39'49"N, 97°05'39"W.  
**15 Mar 2007** Delete Craig Airport, 32°55'00"N, 97°11'01"W.  
**10 May 2007** No Major Changes.  
**5 Jul 2007** Change Dallas Executive ATCT frequencies from 120.3 to 127.25, and from 257.8 to 335.6.  
Add CTAF freq. 122.9 at PROPWASH arpt., 33°04'50"N, 97°21'32"W.  
Change CTAF freq. 123.075 to 128.625 at ARLINGTON MUNI arpt, 32°39'49"N, 97°05'39"W.  
**30 Aug 2007** Delete ALPINE RANGE arpt, 32°36'27"N, 97°14'31"W.  
Delete BOE—WRINKLE arpt, 32°54'17"N, 97°35'42"W.  
Delete CARROLL LAKE—VIEW arpt, 32°27'45"N, 97°06'51"W.  
Delete CIRCLE C arpt, 32°53'45"N, 97°17'16"W.  
Delete EISENBECK arpt, 32°29'08"N, 96°35'20"W.  
Delete FLYING CAP VALLEY arpt, 32°56'11"N, 97°08'07"W.  
Delete INTERNATIONAL arpt, 32°56'55"N, 97°19'44"W.  
Delete MARKUM arpt, 32°41'42"N, 97°30'42"W.  
Delete MILLER arpt, 32°34'30"N, 97°05'13"W.  
Delete RED ACE arpt, 33°14'30"N, 97°37'16"W.  
**25 Oct 2007** Change CTAF freq. 120.3 to 127.25 at DALLAS EXECUTIVE arpt, 32°40'51"N, 96°52'05"W.  
Add CTAF 122.9 at Heritage Creek arpt, 33°10'7"N, 97°29'3"W.  
**20 Dec 2007 – 2 Jul 2009** No Major Changes.  
**27 Aug 2009** Delete SAGINAW arpt, 32°51'45"N, 97°22'41"W.  
**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**NAVAIDS**

- 13 Apr 2006** No Major Changes.  
**8 Jun 2006** Add LANCASTER NDB, freq. 239, ident (LNC), 32°34'39"N, 96°43'17"W.  
**3 Aug 2006 – 5 Jul 2007** No Major Changes.  
**30 Aug 2007** Delete REDBIRD NDB, 32°40'36"N, 96°52'15"W.  
**25 Oct 2007 – 8 Apr 2010** No Major Changes.

**AIRSPACE**

- 13 Apr 2006 – 27 Aug 2009** No Major Changes.  
**22 Oct 2009** Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.  
**17 Dec 2009** Add ARLINGTON, TX Class D: That airspace extending upward from the surface, to but not including 2,000 feet MSL within a 4-mile radius of Arlington Municipal Airport, excluding the portion east of a line between 32°43'48"N, 97°05'06"W, and 32°38'10"N, 97°3'26"W, and 32°36'16"N, 97°03'31"W, and excluding that airspace within the Dallas/Fort Worth, TX, Class B airspace area. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

CONTINUED ON NEXT PAGE



## CONTINUED FROM PRECEDING PAGE

Add GRAND PRAIRIE, TX Class D: That airspace extending upward from the surface, to but not including 2,000 feet MSL within a 3.8-mile radius of Grand Prairie Municipal Airport, excluding the portion west of a line between 32°45'00"N, 97°05'28"W, and 32°38'10"N, 97°03'26"W, and excluding that portion north of a line between 32°45'00"N, 97°05'28"W, and 32°45'00"N, 97°00'10"W, and excluding that airspace within the Dallas/Fort Worth, TX Class B airspace area. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

**11 Feb 2010 – 8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**13 Apr 2006 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**13 Apr 2006 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**13 Apr 2006** Change MEF 1<sup>4</sup> to 1<sup>5</sup> in quadrant 33°15'–33°30'N, 96°15'–96°30'W.

**6 Jun 2006 – 8 Apr 2010** No Major Changes.

---

**DALLAS–FT. WORTH SECTIONAL****84th Edition, 11 Mar 2010****OBSTRUCTIONS**

**8 Apr 2010** Change obst from 1455' MSL (270' AGL) to 1520' MSL (320' AGL), 35°13'02"N, 97°20'26"W.

Add obst 2185' MSL (328' AGL) UC, 32°29'59"N, 99°58'20"W.

Add obst 933' MSL (420' AGL) UC, 33°51'03"N, 95°32'12"W.

Add obst 722' MSL (310' AGL) UC, 32°51'14"N, 95°03'37"W.

**AIRPORTS**

**8 Apr 2010** No Major Changes.

**NAVAIDS**

**8 Apr 2010** No Major Changes.

**AIRSPACE**

**8 Apr 2010** Add ALBANY, TX Class E: That airspace extending upward from 700 feet above the surface within a 6.4-mile radius of Albany Municipal Airport, and within 4 miles each side of the 178° bearing from the airport extending from the 6.4-mile radius to 10.6 miles south of the airport, and within 4 miles each side of the 358° bearing from the airport extending from the 6.4-mile radius to 10.7 miles north of the airport.

Revise GRAFORD, TX Class E: That airspace extending upward from 700 feet above the surface within a 6.3-mile radius of Possum Kingdom Airport and within 4 miles each side of the 031° bearing from the airport extending from the 6.3-mile radius to 10.8 miles northeast of the airport, and within 4 miles each side of the 210° bearing from the airport extending from the 6.3-mile radius to 10.8 miles southwest of the airport.

Revise ALTUS, OK Class E: That airspace extending upward from 700 feet above the surface within a 9.1-mile radius of Altus AFB and within 1.6 miles each side of the 185° radial of the Altus VORTAC extending from the 9.1-mile radius to 11.9 miles south of Altus AFB and within 3 miles west and 2 miles east of the Altus AFB ILS Runway 17R Localizer north course extending from the 9.1-mile radius to 15 miles north of Altus AFB; and within a 6.5-mile radius of Altus/Quartz Mountain Regional Airport; and within 2 miles each side of the 000° bearing from Altus/Quartz Mountain Regional Airport extending from the 6.5-mile radius to 11.4 miles north of Altus/Quartz Mountain Regional Airport; and within a 5.4-mile radius of Tipton Municipal Airport; and within a 7.2-mile radius of Frederick Municipal Airport; and within 2.5 miles each side of the 180° bearing from the Frederick Municipal Airport extending from the 7.2-mile radius to 7.7 miles south of Frederick Municipal Airport; and within a 12-mile radius of Altus AFB beginning at a point 3 miles west of the Altus VORTAC 019° radial, thence clockwise along the 12-mile radius of Altus AFB, ending at a point 3 miles west of the Altus VORTAC 185° radial.

**SPECIAL USE AIRSPACE**

**8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**8 Apr 2010** No Major Changes.

---

---

**DALLAS FT. WORTH TERMINAL AREA CHART**  
75th Edition, 11 Mar 2010

**OBSTRUCTIONS**

8 Apr 2010 No Major Changes.

**AIRPORTS**

8 Apr 2010 No Major Changes.

**NAVAIDS**

8 Apr 2010 No Major Changes.

**AIRSPACE**

8 Apr 2010 No Major Changes.

**SPECIAL USE AIRSPACE**

8 Apr 2010 No Major Changes.

**MILITARY TRAINING ROUTES**

8 Apr 2010 No Major Changes.

**MISCELLANEOUS**

8 Apr 2010 No Major Changes.

---

**EL PASO SECTIONAL**  
84th Edition, 11 Feb 2010

**OBSTRUCTIONS**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**AIRPORTS**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**NAVAIDS**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**AIRSPACE**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**SPECIAL USE AIRSPACE**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**MILITARY TRAINING ROUTES**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

**MISCELLANEOUS**

11 Feb 2010 – 8 Apr 2010 No Major Changes.

---

---

**HOUSTON HELICOPTER ROUTE CHART**  
**6th Edition, 13 Mar 2008**
**OBSTRUCTIONS**

**10 Apr 2008** Add obst 630' MSL (542' AGL) UC, 29°46'57"N, 95°32'44"W.

Add obst 454' MSL (307' AGL), 30°01'10"N, 95°35'57"W.

**5 Jun 2008 – 20 Nov 2008** No Major Changes.

**15 Jan 2009** Add obst 575' MSL (500' AGL), 29°50'37"N, 95°24'30"W.

**12 Mar 2009** No Major Changes.

**7 May 2009** Add obst 405' MSL (387' AGL) UC, 29°34'00"N, 95°03'45"W.

**2 Jul 2009** No Major Changes.

**27 Aug 2009** Add obst 341' MSL (309' AGL), 29°22'30"N, 95°15'857"W.

**22 Oct 2009** Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.

**17 Dec 2009 – 11 Feb 2010** No Major Changes.

**8 Apr 2010** Add obst 374' MSL (342' AGL) UC, 29°42'13"N, 95°15'03"W.

**AIRPORTS**

**10 Apr 2008** Delete TEXAS MEDICAL CENTER heliport, 29°42'26"N, 95°23'33"W.

**5 Jun 2008** No Major Changes.

**31 Jul 2008** Change CTAF 122.8 to 122.9 at FLYIN' B arpt, 29°32'15"N, 95°25'25"W.

**25 Sep 2008 – 7 May 2009** No Major Changes.

**2 Jul 2009** Delete SKYHAVEN arpt, 29°50'00"N, 95°08'54"W.

**27 Aug 2009 – 8 Apr 2010** No Major Changes.

**NAVAIDS**

**10 Apr 2008 – 8 Apr 2010** No Major Changes.

**AIRSPACE**

**10 Apr 2008 – 7 May 2009** No Major Changes.

**2 Jul 2009** Add CONROE, TX. Class D: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

Add CONROE, TX. Class E: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class E airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

**27 Aug 2009 – 8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**10 Apr 2008 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**10 Apr 2008 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**10 Apr 2008 – 8 Apr 2010** No Major Changes.

---

**HOUSTON SECTIONAL**  
**85th Edition, 11 Mar 2010**
**OBSTRUCTIONS**

**8 Apr 2010** Add obst 798' MSL (310' AGL) UC, 31°36'46"N, 90°30'28"W.

**AIRPORTS**

**8 Apr 2010** No Major Changes.

**NAVAIDS**

**8 Apr 2010** No Major Changes.

**AIRSPACE**

**8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**8 Apr 2010** No Major Changes.

---

---

**HOUSTON TERMINAL AREA CHART**  
**73rd Edition, 11 Mar 2010**
**OBSTRUCTIONS**

**8 Apr 2010** No Major Changes.

**AIRPORTS**

**8 Apr 2010** No Major Changes.

**NAVAIDS**

**8 Apr 2010** No Major Changes.

**AIRSPACE**

**8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**8 Apr 2010** No Major Changes.

---

**IFR GULF OF MEXICO CENTRAL**  
**1st Edition, 17 Dec 2009**
**OBSTRUCTIONS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**AIRPORTS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**NAVAIDS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**AIRSPACE**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**17 Dec 2009** No Major Changes.

**11 Feb 2010** Delete BUEKR Waypoint N 29°45' W 91°50'.

**8 Apr 2010** No Major Changes.

---

**IFR GULF OF MEXICO WEST**  
**1st Edition, 17 Dec 2009**
**OBSTRUCTIONS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**AIRPORTS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**NAVAIDS**

**17 Dec 2009 – 11 Feb 2010** No Major Changes.

**8 Apr 2010** Delete BRENHAM (BNH) NDB 30°13'20.6"N, 96°22'24.6"W.

**AIRSPACE**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**17 Dec 2009 – 11 Feb 2010** No Major Changes.

**8 Apr 2010** Change Name SAITA to SARITA at HOUSTON RCAG 27°13'16"N, 97°47'56"W.

---

## KANSAS CITY SECTIONAL

### 83rd Edition, 19 Nov 2009

**OBSTRUCTIONS**

**17 Dec 2009** Add obst 1174' MSL (305' AGL) UC, 36°05'01"N, 96°35'42"W.

Change to group obst 1178' MSL (335' AGL) UC, 37°01'30"N, 94°45'08"W.

Add obst 1460' MSL (280' AGL), 36°32'20"N, 93°34'31"W.

Add obst 1624' MSL (339' AGL) UC, 36°02'15"N, 93°55'05"W.

Add obst 1591' MSL (315' AGL) UC, 36°53'31"N, 93°34'44"W.

Add obst 1230' MSL (320' AGL) UC, 40°11'57"N, 95°02'00"W.

**11 Feb 2010** Change obst from 827' MSL (243' AGL) to 827' MSL (300' AGL), 38°44'06"N, 89°57'02"W.

Add obst 722' MSL (260' AGL) UC, 38°17'56"N, 89°59'34"W.

Add obst 1305' MSL (305' AGL) UC, 38°05'01"N, 95°37'34"W.

Add obst 1799' MSL (276' AGL) UC, 37°13'06"N, 92°17'24"W.

Add obst 888' MSL (258' AGL) UC, 39°40'32"N, 89°50'15"W.

Add obst 1265' MSL (315' AGL) UC, 37°45'31"N, 90°46'15"W.

Add obst 1512' MSL (334' AGL) UC, 36°52'52"N, 92°00'19"W.

Add obst 879' MSL (258' AGL) UC, 39°56'42"N, 89°55'56"W.

Add obst 937' MSL (258' AGL) UC, 40°13'52"N, 90°59'17"W.

Add obst 1040' MSL (318' AGL) UC, 39°29'32"N, 91°58'26"W.

Add obst 836' MSL (242' AGL) UC, 40°01'00"N, 89°51'49"W.

Add obst 885' MSL (258' AGL) UC, 39°02'32"N, 89°53'08"W.

Add obst 838' MSL (258' AGL) UC, 39°50'25"N, 89°48'10"W.

Add obst 887' MSL (258' AGL) UC, 39°04'50"N, 89°48'26"W.

Add obst 1142' MSL (324' AGL) UC, 39°44'31"N, 92°14'37"W.

Add obst 947' MSL (320' AGL) UC, 39°57'22"N, 91°37'59"W.

Add windmill farm. 1522' is highest MSL, 40°05'46"N, 94°29'59"W.

Add windmill farm. 1540' is highest MSL, 40°12'42"N, 94°42'11"W.

**8 Apr 2010** Add obst 1419' MSL (275' AGL) UC, 39°14'53"N, 95°43'14"W.

Add obst 1101' MSL (260' AGL) UC, 39°30'57"N, 92°23'55"W.

Add obst 1565' MSL (334' AGL) UC, 37°06'24"N, 91°48'50"W.

Add obst 1132' MSL (260' AGL) UC, 39°17'56"N, 92°30'58"W.

Add obst 1491' MSL (298' AGL) UC, 36°15'37"N, 94°40'55"W.

Add obst 900' MSL (250' AGL) UC, 40°06'39"N, 90°33'35"W.

Add obst 1066' MSL (330' AGL) UC, 36°18'11"N, 91°24'06"W.

Add obst 1469' MSL (320' AGL) UC, 36°49'34"N, 91°48'00"W.

Add obst 977' MSL (260' AGL) UC, 39°09'51"N, 90°48'57"W.

Add obst 1087' MSL (265' AGL) UC, 39°57'13"N, 92°38'46"W.

Add obst 1031' MSL (215' AGL) UC, 39°40'44"N, 92°21'57"W.

Add obst 1187' MSL (275' AGL) UC, 37°55'01"N, 93°20'44"W.

Add obst 834' MSL (234' AGL) UC, 38°17'02"N, 90°35'42"W.

Add obst 955' MSL (232' AGL) UC, 38°19'22"N, 90°50'28"W.

**AIRPORTS**

**17 Dec 2009** Delete TERAMIRANDA arpt, 36°36'30"N, 94°52'21"W.

**11 Feb 2010** Delete RP 36 at MIDWEST NATL, 39°19'57"N, 94°18'35"W.

**8 Apr 2010** No Major Changes.

**NAVAIDS**

**17 Dec 2009** No Major Changes.

**11 Feb 2010** Delete BOONVILLE NDB, 38°56'58"N, 92°41'03"W.

Shutdown KENNETT NDB, 36°13'43"N, 90°02'21"W.

**8 Apr 2010** No Major Changes.

**AIRSPACE**

**17 Dec 2009** Revise TOPEKA, KS Class D: That airspace extending upward from the surface to and including 3,600 feet MSL within a 4.9-mile radius of Forbes Field Airport, and within 2.2 miles each side of the RIPLY LOM 317° bearing extending from the 4.9-mile radius to 5.3 miles northwest of the airport and within 1.8 miles each side of the Forbes Field Airport ILS Localizer southeast course extending from the 4.9-mile radius to 0.9 miles southeast of the RIPLY LOM. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

Revise TOPEKA, KS Class E: That airspace within a 4.9-mile radius of Forbes Field Airport, and within 2.2 miles each side of the RIPLY LOM 317° bearing extending from the 4.9-mile radius to 5.3 miles northwest of the airport and within 1.8 miles each side of the Forbes Field Airport ILS Localizer southeast course extending from the 4.9-mile radius to 0.9 miles southeast of the RIPLY LOM. That airspace extending upward from 700 feet above the surface within a 7.4-mile radius of Forbes Field Airport, and within 3.1 miles each side of the Forbes Field Airport ILS localizer course extending from the 7.4-mile radius to 13 miles southeast of the airport, and within 3.5 miles each side of the Forbes Field Airport ILS localizer course extending from the 7.4-mile radius to 13 miles northwest of the airport.

**CONTINUED ON NEXT PAGE**

## CONTINUED FROM PRECEDING PAGE

Revise ST. LOUIS, MO Class E: that airspace extending upward from 700 feet above the surface within a 7.1-mile radius of Lambert–St. Louis International Airport, and within 4 miles southeast and 7 miles northwest of the Lambert–St. Louis International Airport Runway 24 ILS localizer course extending from the airport to 10.5 miles northeast of the ZUMAY LOM, and within 4 miles southwest and 7.9 miles northeast of the Lambert–St. Louis International Airport Runway 12R ILS localizer course extending from the airport to 10.5 miles northwest of the OBLIO LOM, and within 4 miles southwest and 7.9 miles northeast of the Lambert–St. Louis International Airport Runway 30L ILS localizer course extending from the airport to 8.7 miles southeast of the airport, and within a 6.8-mile radius of Spirit of St. Louis Airport, and within 3.9 miles each side of the 258° bearing from Spirit of St. Louis Airport extending from the 6.8-mile radius of Spirit of St. Louis Airport to 10.6 miles west of the airport, and within 2.6 miles each side of the 098° radial of the Forstell VORTAC extending from the 6.8-mile radius of Spirit of St. Louis Airport to 8.3 miles west of the airport, and within a 6.4-mile radius of St. Charles County Smartt Airport, and within a 6.9-mile radius of St. Louis Regional Airport, and within 4 miles each side of the 014° bearing from the Civic Memorial NDB extending from the 6.9-mile radius of St. Louis Regional Airport to 7 miles north of the airport, and within 4.4 miles each side of the 190° radial of the St. Louis VORTAC extending from 2 miles south of the VORTAC to 22.1 miles south of the VORTAC.

**11 Feb 2010** No Major Changes.

**8 Apr 2010** Revise ST. LOUIS, MO Class D: That airspace extending upward from the surface to and including 3,000 feet MSL within a 4.3-mile radius of Spirit of St. Louis Airport, and within 1 mile each side of the 258° bearing from the airport extending from the 4.3-mile radius to 4.6 miles west of the airport, excluding that airspace within the St. Louis, MO Class B airspace area. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

**SPECIAL USE AIRSPACE**

**17 Dec 2009** No Major Changes.

**11 Feb 2010** Add SHIRLEY A MOA: That airspace beginning at 35°19'00"N, 92°38'00"W to 35°19'00"N, 93°12'00"W to 35°38'15"N, 93°35'00"W to 36°02'00"N, 93°13'00"W to 36°02'00"N, 92°38'00"W to the point of beginning.

Add SHIRLEY B MOA: That airspace beginning at 35°19'00"N, 92°38'00"W to 36°02'00"N, 92°38'00"W to 36°02'00"N, 91°55'00"W to 35°58'53"N, 91°46'00"W to 35°19'00"N, 92°02'00"W to the point of beginning.

**8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**17 Dec 2009 – 8 Apr 2010** No Major Changes.

**MEMPHIS SECTIONAL**  
84th Edition, 8 Apr 2010

**OBSTRUCTIONS**

**8 Apr 2010** No Major Changes.

**AIRPORTS**

**8 Apr 2010** No Major Changes.

**NAVAIDs**

**8 Apr 2010** No Major Changes.

**AIRSPACE**

**8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**8 Apr 2010** No Major Changes.

---

**MEMPHIS TERMINAL AREA CHART**  
**42nd Edition, 8 Apr 2010****OBSTRUCTIONS****8 Apr 2010** No Major Changes.**AIRPORTS****8 Apr 2010** No Major Changes.**NAVAIDs****8 Apr 2010** No Major Changes.**AIRSPACE****8 Apr 2010** No Major Changes.**SPECIAL USE AIRSPACE****8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****8 Apr 2010** No Major Changes.**MISCELLANEOUS****8 Apr 2010** No Major Changes.

---

**NEW ORLEANS SECTIONAL**  
**85th Edition, 19 Nov 2009****OBSTRUCTIONS****17 Dec 2009** Add obst 250' MSL (231' AGL), 30°26'08"N, 90°38'21"W.

Add obst 852' MSL (499' AGL), 32°08'05"N, 90°03'41"W.

Change obst from 544' MSL (310' AGL) to 644' MSL (410' AGL), 31°52'32"N, 90°10'15"W.

Add obst 651' MSL (470' AGL), 31°44'31"N, 88°32'22"W.

**11 Feb 2010** Add obst 484' MSL (333' AGL), 30°52'58"N, 88°42'11"W.

Add obst 588' MSL (340' AGL), 30°50'44"N, 89°02'26"W.

Add obst 721' MSL (305' AGL), 32°08'47"N, 88°58'50"W.

Add obst 684' MSL (420' AGL), 32°05'12"N, 87°50'08"W.

Add obst 506' MSL (260' AGL), 32°03'44"N, 87°47'09"W.

Add obst 527' MSL (3110' AGL), 30°48'26"N, 88°31'00"W.

**8 Apr 2010** Add obst 529' MSL (311' AGL), 31°29'23"N, 89°01'10"W.

Add obst 565' MSL (310' AGL), 30°50'41"N, 89°15'15"W.

Add obst 618' MSL (360' AGL), 31°21'02"N, 88°57'25"W.

**AIRPORTS****17 Dec 2009** Delete WOLF RIVER ARPT, 30°54'52"N, 89°26'40"W.**11 Feb 2010** No Major Changes.**8 Apr 2010** Change HANCHEY AHP ATCT freq from 387.7 to 387.85, 31°20'46"N, 85°39'15"W.

Delete SAWYER arpt, 31°28'29"N, 85°00'10"W.

**NAVAIDs****17 Dec 2009 – 8 Apr 2010** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**11 Feb 2010** Add Jackson, AL Class E: That airspace extending upward from 700 feet above the surface within a 6.4-mile radius of Jackson Arpt.**8 Apr 2010** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MISCELLANEOUS****17 Dec 2009 – 8 Apr 2010** No Major Changes.

---

**NEW ORLEANS TERMINAL AREA CHART**  
**70th Edition, 19 Nov 2009****OBSTRUCTIONS****17 Dec 2009** Add obst 250' MSL (231' AGL), 30°26'08"N, 90°38'21"W.**11 Feb 2010** No Major Changes.**8 Apr 2010** No Major Changes.**AIRPORTS****17 Dec 2009 – 8 Apr 2010** No Major Changes.**NAVAIDS****17 Dec 2009 – 8 Apr 2010** No Major Changes.**AIRSPACE****17 Dec 2009 – 8 Apr 2010** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MISCELLANEOUS****17 Dec 2009 – 8 Apr 2010** No Major Changes.

---



**ST. LOUIS SECTIONAL**  
**81st Edition, 17 Dec 2009**

**OBSTRUCTIONS****17 Dec 2009** No Major Changes.**11 Feb 2010** Add obst 1097' MSL (275' AGL) UC, 39°03'46"N, 84°59'04"W.

Add obst 1410' MSL (630' AGL) UC, 40°03'14"N, 85°59'22"W.

Change obst from 827' MSL (243' AGL) to 882' MSL (300' AGL), 38°44'06"N, 89°57'02"W.

Add obst 738' MSL (226' AGL) UC, 38°11'11"N, 89°40'09"W.

Add obst 722' MSL (260' AGL) UC, 38°17'56"N, 89°59'34"W.

Add obst 692' MSL (260' AGL) UC, 37°15'35"N, 88°58'50"W.

Add obst 851' MSL (349' AGL) UC, 38°45'25"N, 89°06'09"W.

Add obst 756' MSL (275' AGL) UC, 38°32'04"N, 89°31'26"W.

Add obst 865' MSL (220' AGL), 39°17'43"N, 88°00'03"W.

Add obst 1200' MSL (237' AGL) UC, 39°12'34"N, 86°38'31"W.

Add obst 917' MSL (227' AGL) UC, 37°53'08"N, 86°03'40"W.

Add obst 1003' MSL (258' AGL) UC, 40°12'40"N, 88°44'43"W.

Add obst 851' MSL (258' AGL) UC, 39°55'55"N, 89°40'00"W.

Add obst 888' MSL (258' AGL) UC, 39°40'32"N, 89°50'15"W.

Add obst 1265' MSL (315' AGL) UC, 37°45'31"N, 90°46'15"W.

Add obst 868' MSL (258' AGL) UC, 39°58'06"N, 89°43'48"W.

Add obst 879' MSL (258' AGL) UC, 39°56'42"N, 89°55'56"W.

Add obst 838' MSL (258' AGL) UC, 39°50'25"N, 89°48'10"W.

Add obst 885' MSL (258' AGL) UC, 39°02'32"N, 89°53'08"W.

Add obst 887' MSL (258' AGL) UC, 39°04'50"N, 89°48'26"W.

**8 Apr 2010** Add obst 1164' MSL (400' AGL) UC, 40°10'06"N, 89°05'56"W.

Add obst 1566' MSL (204' AGL) UC, 37°39'55"N, 83°57'21"W.

Add obst 817' MSL (300' AGL) UC, 38°37'03"N, 86°42'35"W.

Add obst 1142' MSL (295' AGL) UC, 38°45'58"N, 84°53'45"W.

Add obst 1022' MSL (256' AGL) UC, 37°30'50"N, 86°25'55"W.

Add obst 703' MSL (258' AGL) UC, 38°15'24"N, 89°03'24"W.

Add obst 900' MSL (250' AGL) UC, 40°06'39"N, 90°33'35"W.

Add obst 1385' MSL (279' AGL) UC, 36°10'15"N, 84°02'17"W.

Add obst 712' MSL (280' AGL) UC, 36°40'56"N, 88°44'19"W.

Add obst 1578' MSL (235' AGL) UC, 36°52'32"N, 84°12'59"W.

Add obst 1409' MSL (255' AGL) UC, 36°46'20"N, 84°45'59"W.

Add obst 863' MSL (280' AGL) UC, 37°48'34"N, 85°34'52"W.

Add obst 1133' MSL (299' AGL) UC, 38°20'55"N, 85°02'02"W.

Add obst 1170' MSL (280' AGL) UC, 38°15'12"N, 84°37'40"W.

Add obst 1199' MSL (299' AGL) UC, 38°16'32"N, 84°57'02"W.

Add obst 1119' MSL (265' AGL) UC, 38°26'43"N, 85°10'39"W.

Add obst 829' MSL (255' AGL) UC, 37°16'08"N, 86°40'28"W.

Add obst 902' MSL (255' AGL) UC, 36°45'38"N, 86°43'03"W.

Add obst 682' MSL (300' AGL) UC, 36°55'13"N, 87°58'37"W.

Add obst 1032' MSL (255' AGL) UC, 36°50'24"N, 85°56'34"W.

Add obst 905' MSL (310' AGL) UC, 37°51'44"N, 86°45'00"W.

Add obst 1477' MSL (255' AGL) UC, 36°55'42"N, 84°14'33"W.

Add obst 1052' MSL (255' AGL) UC, 37°05'29"N, 85°36'52"W.

Add obst 977' MSL (260' AGL) UC, 39°09'51"N, 90°48'57"W.

Add obst 834' MSL (234' AGL) UC, 38°17'02"N, 90°35'42"W.

Add obst 955' MSL (232' AGL) UC, 38°19'22"N, 90°50'28"W.

Add obst 787' MSL (400' AGL) UC, 36°15'29"N, 88°11'11"W.

Add obst 1178' MSL (286' AGL) UC, 36°30'51"N, 86°33'57"W.

Add obst 988' MSL (290' AGL) UC, 36°27'48"N, 87°37'08"W.

Add obst 2210' MSL (260' AGL) UC, 36°23'13"N, 84°20'11"W.

Add obst 1792' MSL (306' AGL) UC, 37°36'25"N, 83°59'58"W.

Add obst 1020' MSL (349' AGL) UC, 37°06'51"N, 87°56'32"W.

Add obst 887' MSL (259' AGL) UC, 39°35'02"N, 89°44'44"W.

Add obst 1008' MSL (216' AGL) UC, 39°20'01"N, 84°46'34"W.

Add obst 959' MSL (260' AGL) UC, 38°24'38"N, 90°45'42"W.

Add obst 962' MSL (215' AGL) UC, 37°41'57"N, 84°29'03"W.

**AIRPORTS****17 Dec 2009** No Major Changes.**11 Feb 2010** Delete ACTION arpt, 39°07'57"N, 84°49'43"W.

Delete RP 19, RP 14 at SMYRNA arpt, 36°00'32"N, 86°31'12"W.

**8 Apr 2010** Delete RICHARDSON arpt, 38°22'50"N, 87°13'14"W.**NAVAIDS****17 Dec 2009** No Major Changes.**11 Feb 2010** Delete CLAYE NDB, 39°03'23"N, 86°35'58"W.

Shutdown KENNETT NDB, 36°13'43"N, 90°02'21"W.

Shutdown LITCHFIELD NDB, 39°09'55"N, 89°40'32"W.

**8 Apr 2010** No Major Changes.

CONTINUED ON NEXT PAGE

**AIRSPACE****17 Dec 2009 – 11 Feb 2010** No Major Changes.**8 Apr 2010** Revise ST. LOUIS, MO. Class D: That airspace extending upward from the surface to and including 3,000 feet MSL within a 4.3-mile radius of Spirit of St. Louis Airport, and within 1 mile each side of the 258° bearing from the airport extending from the 4.3-mile radius to 4.6 miles west of the airport, excluding that airspace within the St. Louis, MO Class B airspace area. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.**SPECIAL USE AIRSPACE****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MISCELLANEOUS****17 Dec 2009 – 8 Apr 2010** No Major Changes.**SAN ANTONIO SECTIONAL**  
**84th Edition, 19 Nov 2009****OBSTRUCTIONS****17 Dec 2009** Add obst 916' MSL (485' AGL) UC, 29°25'02"N, 97°42'11"W.

Add obst 680' MSL (309' AGL) UC, 30°49'50"N, 96°32'02"W.

Add obst 800' MSL (279' AGL) UC, 31°25'52"N, 96°29'45"W.

**11 Feb 2010** Add obst 2389' MSL (300' AGL) UC, 29°55'21"N, 100°46'30"W.

Add obst 2898' MSL (389' AGL) UC, 31°09'50"N, 100°38'16"W.

**8 Apr 2010** Add obst 2171' MSL (260' AGL) UC, 29°47'38"N, 98°48'37"W.

Add obst 792' MSL (325' AGL) UC, 29°16'00"N, 98°03'49"W.

Add obst 3831' MSL (497' AGL) UC, 30°35'19"N, 102°28'10"W.

Add obst 1028' MSL (340' AGL) UC, 28°47'27"N, 99°51'30"W.

Add obst 1450' MSL (320' AGL) UC, 29°14'53"N, 100°00'55"W.

Add obst 1402' MSL (320' AGL) UC, 29°23'18"N, 100°44'15"W.

Add obst 2885' MSL (410' AGL) UC, 30°41'06"N, 101°03'26"W.

Add obst 1367' MSL (305' AGL) UC, 29°50'43"N, 98°21'43"W.

**AIRPORTS****17 Dec 2009 – 11 Feb 2010** No Major Changes.**8 Apr 2010** Add CTAF 122.9 at HOUND RUN arpt, 29°31'18"N, 96°56'13"W.**NAVAIDS****17 Dec 2009** Change name and ident of LAMPASAS (LZZ) VORTAC to GOOCH SPRINGS (AGJ), 31°11'08"N, 98°08'31"W.

Raise all outbound bearings from LAMPASAS VORTAC by 3 degrees, 31°11'08"N, 98°08'31"W.

**11 Feb 2010** Delete IRESH NDB, 31°01'27"N, 97°42'29"W.**8 Apr 2010** No Major Changes.**AIRSPACE****17 Dec 2009 – 11 Feb 2010** No Major Changes.**8 Apr 2010** Revise BURNET, TX Class E. That airspace extending upward from 700 feet above the surface within a 6.7-mile radius of Burnet Municipal Airport–Kate Craddock Field and within 2 miles each side of the 016° bearing from the airport extending from the 6.7-mile radius to 10.2 miles north of the airport, and within 2 miles each side of the 196° bearing from the airport extending from the 6.7-mile radius to 10.3 miles south of the airport, and within 2.5 miles each side of the 202° bearing from the Burnet NDB extending from the 6.7-mile radius to 7.4 miles southwest of the airport.**SPECIAL USE AIRSPACE****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009 – 8 Apr 2010** No Major Changes.**MISCELLANEOUS****17 Dec 2009 – 8 Apr 2010** No Major Changes.

---

**U.S. GULF COAST VFR CHART**  
**24th Edition 22 Oct 2009****OBSTRUCTIONS**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**AIRPORTS**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**NAVAIDS**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**AIRSPACE**

**22 Oct 2009 – 17 Dec 2009** No Major Changes.

**11 Feb 2010** Add LCHCB IFR Waypoint, 29°31'39"N, 93°00'00"W.

Add LCHLB IFR Waypoint, 29°32'11"N, 93°20'00"W.

Add LCHRB IFR Waypoint, 29°31'04"N, 92°40'00"W.

Add LLACB IFR Waypoint, 29°30'31"N, 92°00'00"W.

Add LLALB IFR Waypoint, 29°30'49"N, 92°20'00"W.

Add LLARB IFR Waypoint, 29°30'10"N, 91°43'49"W.

**8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

**MISCELLANEOUS**

**22 Oct 2009 – 8 Apr 2010** No Major Changes.

---

**WICHITA SECTIONAL**  
**84th Edition, 14 Jan 2010****OBSTRUCTIONS**

**11 Feb 2010** Add obst 1665'MSL (349'AGL)UC, 36°21'39"N, 98°33'03"W.

Add obst 4492'MSL (350'AGL)UC, 38°07'04"N, 103°31'00"W.

Add obst 5430'MSL (350'AGL)UC, 39°50'33"N, 103°53'05"W.

**8 Apr 2010** Add obst 1729'MSL (349'AGL)UC, 36°24'58"N, 98°44'43"W.

Add obst 2487'MSL (730'AGL)UC, 37°24'09"N, 98°34'52"W.

Add obst 3688'MSL (270'AGL)UC, 38°31'06"N, 101°29'49"W.

Add obst 1755'MSL (349'AGL)UC, 36°32'58"N, 98°15'31"W.

Add obst 2753'MSL (295'AGL)UC, 36°08'18"N, 99°32'31"W.

**AIRPORTS**

**11 Feb 2010** Add RP 8 and RP 26 to MC PHERSON arpt, 38°21'08"N, 97°41'28"W.

**8 Apr 2010** Change RP 8 to RP 18 at MC PHERSON arpt, 38°21'08"N, 97°41'28"W.

**NAVAIDS**

**11 Feb 2010 – 8 Apr 2010** No Major Changes.

**AIRSPACE**

**11 Feb 2010 – 8 Apr 2010** No Major Changes.

**SPECIAL USE AIRSPACE**

**11 Feb 2010 – 8 Apr 2010** No Major Changes.

**MILITARY TRAINING ROUTES**

**11 Feb 2010** No Major Changes.

**8 Apr 2010** IR-504 Revised.

**MISCELLANEOUS**

**11 Feb 2010** No Major Changes.

**8 Apr 2010** Change MEF 2<sup>5</sup> to 2<sup>6</sup> in quadrant 37°00'-37°30'N, 98°30'-99°00'W.

---

## SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES	
FACILITY NAME	CHART & PANEL
Frankfort, IL (LL40) Chicago App/Dep Con 133.1 285.6	L-28H
Glasgow Industrial, MT (Ø7MT) Salt Lake Center App/Dep Con 126.85 305.2	H-1E, 2F, L-13D
USAF Academy Bullseye Aux Airstrip, CO (CO9Ø) ASOS 118.325	L-10F
West Kentucky Airpark, KY (5KY3) Memphis Center App/Dep Con 133.65 292.15	L-16I
William P Gwinn, FL (Ø6FA) Gwinn Tower 120.4 279.25 (Mon-Fri 1300-2100Z‡) Gnd Con 121.65 279.25	H-8I, L-23C
CANADA	
FACILITY NAME	CHART & PANEL
Abbotsford, BC (CYXX) ATIS 119.8 (1500-Ø700Z‡) Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8 Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-Ø700Z‡) Gnd Con 121.8 MF 119.4 295.0 (Ø700-1500Z‡) (Shape irregular to 4500')	H-1B, L-12F
Amos/Magny, QC (CYEY) Montreal Center App/Dep Con 125.9	H-11B
Atikokan Muni, ON (CYIB) MF 122.3 (5 NM to 4500' No ground station)	L-14I
Barrie-Orillia (Lake Simcoe Rgnl), ON (CYLS) AWOS 122.55 (Pvt) Toronto Center App/Dep Con 124.025	H-11B, L-31D
Bar River, ON (CPF2) Toronto Center App/Dep Con 132.65	L-31C
Bathurst, NB (CZBF) Moncton Center App/Dep Con 134.25	L-32J
Boundary Bay, BC (CZBB) ATIS 125.5 (1500-Ø700Z‡) Vancouver App/Dep Con 132.3 363.8 Tower 118.1 (Inner) 127.6 (Outer) (1500-Ø700Z‡) Gnd Con 124.3 MF 118.1 (Ø700-1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape irregular to 2500'.)	H-1B, L-1E
Brampton, ON (CNC3) Toronto Trml App/Dep Con 119.3 253.1	L-31D
Brandon Muni, MB (CYBR) Winnipeg Center App/Dep Con 132.25 285.4 MF 122.1 (5 NM to 4000')	H-2H
Brantford, ON (CYFD) Toronto Trml App/Dep Con 128.27	L-31D
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3) Montreal Center App/Dep Con 134.675	L-32G
Bromont, QC (CZBM) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	L-32G
Burlington Airpark, ON (CZBA) Toronto Center App/Dep Con 119.3 253.1	L-31D
Castlegar/West Kootenay Rgnl, BC (CYCG) Vancouver Center App/Dep Con 134.2 227.3 MF 122.1 (5 NM to 6500')	H-1C
Centralia/James T. Fld Muni, ON (CYCE) Toronto Center App/Dep Con 135.30	H-10G, 11B, L-31D
Charlottetown, PE (CYYG) Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	H-11E, L-32J
Chatham-Kent, ON (CNZ3) Cleveland Center App/Dep Con 132.25	H-10G, L-30G

FACILITY NAME	CHART & PANEL
<b>Collingwood, ON (CNY3)</b> Toronto Center App/Dep Con 124.02	H-11B, L-31D
<b>Cornwall Rgnl, ON (CYCC)</b> Boston Center App/Dep Con 135.25 377.1	L-32G
<b>Cranbrook/Canadian Rockies Intl, BC (CYXC)</b> Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-1C
<b>Debert, NS (CCQ3)</b> Halifax Trml App/Dep Con 119.2	H-11E, L-32J
<b>Digby, NS (CYID)</b> Moncton Center App/Dep Con 123.9	L-32J
<b>Downsview, ON (CYZD)</b> Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 MF 126.2 (1300-2300Z±, 3 NM to 1700')	H-11B, L-31E
<b>Drummondville, QC (CSC3)</b> Montreal Center App/Dep Con 132.35	L-32H
<b>Earlton (Timiskaming Rgnl), ON (CYXR)</b> MF 122.0 (5 NM to 3800') AWOS 128.6	H-11B
<b>Elliot Lake Muni, ON (CYEL)</b> Toronto Center App/Dep Con 135.4	L-31C
<b>Fort Frances Muni, ON (CYAG)</b> Minneapolis Center App/Dep Con 120.9	L-14H
<b>Fredericton Intl, NB (CYFC)</b> ATIS 127.55 Moncton Center App/Dep Con 124.3 135.5 270.8 Tower 119.0 (1200-2000Z±) Gnd Con 121.7 (Ltd hrs) MF 119.0 (2000-1200Z±, 5 NM to 3500')	H-11E, L-32I
<b>Goderich, ON (CYGD)</b> Toronto Center App/Dep 135.3 266.3	H-11B, L-31D
<b>Greenwood, NS (CZVX)</b> ATIS 128.85 244.3 (1100-0000Z±) App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 Gnd Con 133.75 289.4 Clnc Del 128.05 283.9	H-11E, L-32J
<b>Grimsby Air Park, ON (CNZ8)</b> Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	L-31E
<b>Halifax/Shearwater, NS (CYAW)</b> ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	H-11E, L-32J
<b>Halifax/Stanfield Intl, NS (CYHZ)</b> ATIS 121.0 Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95 Apron Advisory 122.125	H-11E, L-32J
<b>Hamilton, ON (CYHM)</b> ATIS 128.1 Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 Gnd Con 121.6	H-10H, 11B, L-11B
<b>Kingston, ON (CYGK)</b> Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z±) MF 122.5 (1115-0400Z± 5 NM to 3300')	H-11C, L-31E, 32F
<b>Kitchener/Waterloo, ON (CYKF)</b> ATIS 125.1 (1200-0400Z±) Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200-0400Z±) Gnd Con 121.8 MF 126.0 (0400-1200Z± 5 NM to 4000')	H-11B, L-31D
<b>Lachute, QC (CSE4)</b> Montreal Center App Con 124.65 132.85 268.3 Montreal Center Dep Con 132.85 268.3	L-32G
<b>La Tuque, QC (CYLQ)</b> Montreal Center App/Dep Con 134.5	H-11C
<b>Langley, BC (CYNJ)</b> ATIS 124.5 (1630-0230Z, DT 1530-0330Z) Victoria Trml 132.7 290.8 Tower 119.0 (1630-0230Z, DT 1530-0330Z) Gnd Con 121.9 MF 119.0 (0230-1630Z, DT 0330-1530Z 3 NM to 1900')	L-1E

FACILITY NAME	CHART & PANEL
<b>Leamington, ON (CLM2)</b> Cleveland Center App/Dep Con 132.45	L-30F
<b>Lethbridge, AB (CYQL)</b> ATIS 124.4 (1300-0545Z‡) Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	H-1D
<b>Lindsay, ON (CNF4)</b> Toronto Center App/Dep 134.25	L-31E, L-32F
<b>Liverpool/South Shore Rgnl, NS (CYAU)</b> Moncton Center App/Dep Con 123.9	L-32J
<b>London, ON (CYXU)</b> ATIS 127.8 (1120-0345Z‡) Toronto Center App/Dep 135.3 135.625 Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9 MF 119.4 (0345-1120Z‡ 5 NM to 3000')	H-10G, 11B, L-30G, 31D
<b>Manitowaning/Manitoulin East Muni, ON (CYEM)</b> Toronto Center App/Dep 135.4 260.9	L-31C
<b>Maniwaki, QC (CYMW)</b> Montreal Center App/Dep Con 126.57	L-32G
<b>Mascouche, QC (CSK3)</b> MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.)	L-32G
<b>Medicine Hat, AB (CYXH)</b> AWOS 124.875 (0345-1245Z‡) MF 122.2 (1245-0345Z‡ 5 NM to 5400')	H-1D
<b>Midland/Huronina, ON (CYEE)</b> Toronto Center App/Dep 124.025	L-31D
<b>Miramichi, NB (CYCH)</b> Moncton Center App/Dep Con 123.7	H-11E, L-32J
<b>Moncton/Greater Moncton Intl, NB (CYQM)</b> ATIS 128.65 App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 Apron Advisory 122.075	H-11E, L-32J
<b>Mont-Laurier, QC (CSD4)</b> Montreal Center App/Dep Con 126.57	L-32G
<b>Montreal Intl (Mirabel), QC (CYMX)</b> ATIS 125.7 Montreal Center App Con 124.65 132.85 268.3 Montreal Dep Con 132.85 MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	H-11C, 12K, L-32G
<b>Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)</b> ATIS 133.7 Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 Tower 119.9 267.1 Gnd Con 121.9 275.8 Cinc Del 125.6 Apron 122.075 Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) VFR Advisory 134.15	H-11C, 12K, L-32G
<b>Montreal/St-Hubert, QC (CYHU)</b> ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	H-11C, L-32G
<b>Muskoka, ON (CYQA)</b> AWOS 124.575 MF 122.3 (5 NM to 3900')	H-11B, L-31D
<b>Nanaimo, BC (CYCD)</b> Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	H-1B, L-1E
<b>North Bay, ON (CYYB)</b> ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000')	H-11B, L31D
<b>Oshawa, ON (CYOO)</b> ATIS 125.675 (1130-0330Z‡) Toronto Trml App Con 133.4 Tower 120.1 (1130-0330Z‡) Gnd Con 118.4 Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	L-31E

FACILITY NAME	CHART & PANEL
<b>Ottawa/Carp, ON</b> (CYRP) ATIS 121.15 Ottawa Trml App/Dep Con 128.175 252.5	L-31E, 32F
<b>Ottawa/Gatineau, QC</b> (CYND) Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7	H-11C, L-32G
<b>Ottawa/MacDonald-Cartier Intl, ON</b> (CYOW) ATIS 121.15 Ottawa App Con 135.15 Tower 118.8 120.1 341.3 Gnd Con 121.9 Clnc Del 119.4 Ottawa Dep Con 128.175	L-11C
<b>Owen Sound/Billy Bishop Rgnl, ON</b> (CYOS) Toronto Center App/Dep 132.575 290.6	L-31D
<b>Pelee Island, ON</b> (CYPT) Cleveland Center App/Dep Con 126.35 360.0	L-30F
<b>Pembroke, ON</b> (CYTA) Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z†, OT PPR)	H-11C, L-31E, 32F
<b>Penticton, BC</b> (CYYP) Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	H-1B
<b>Peterborough, ON</b> (CYPQ) AWOS 126.925 Toronto Center App/Dep 134.25	H-11B, L-31E, 32F
<b>Pincher Creek, AB</b> (CZPC) Edmonton Center App/Dep Con 132.75 265.2	H-1D
<b>Pitt Meadows, BC</b> (CYPK) ATIS 125.0 (1500-0700Z†) Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z†) Gnd Con 123.8 Vancouver Center Dep Con 132.3 363.8 (South) MF 126.3 (0700-1500Z†) (3NM to 2500')	L-1E
<b>Quebec/Jean Lesage Intl, QC</b> (CYQB) ATIS 134.6 Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 Tower 118.65 236.6 Gnd Con 121.9 250.0	H-11D, L-32H
<b>Riviere Du Loup, QC</b> (CYRI) AWOS 122.025 (Pvt) Montreal Center App/Dep Con 125.1 299.6	H-11D
<b>Rouyn Noranda, QC</b> (CYUY) Montreal Center App/Dep Con 125.9 MF 122.2 (5 NM to 4000')	H-11B
<b>Saint John, NB</b> (CYSJ) Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	H-11E, L-32J
<b>Sarnia (Chris Hadfield), ON</b> (CYZR) Toronto Center 134.375	H-10G, 11B, L-30F
<b>Sault Ste Marie, ON</b> (CYAM) ATIS 133.05 (1300-0100Z†) Toronto Center App/Dep Con 132.65 344.5 Tower 118.8 (1300-0100Z†) Gnd Con 121.7 MF 118.8 (0100-1300Z† 5 NM irregular shape to 3000')	H-2K, L-31B
<b>Sherbrooke, QC</b> (CYAM) AWOS 126.25 Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	H-11D, L-32H
<b>South Renfrew Muni, ON</b> (CNP3) Montreal Center App/Dep 124.275	L-31E, 32F
<b>Southport, MB</b> (CYPG) ATIS 120.85 (Mon-Fri 1400-2300Z† except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z† except holidays) Gnd Con 121.7 275.8	H-2H

FACILITY NAME	CHART & PANEL
Springwater Barrie Airport, ON (CNA3) Toronto Center App/Dep Con 124.025	L-31D
St. Catharines/Niagara District, ON (CYSN) ATIS 128.525 (1215-0200Z) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z± 5 NM to 3300')	H-10H, 11B, L-31E
St. Frederic, QC (CSZ4) Montreal Center App/Dep Con 135.025 270.9	L-32H
St. Georges, QC (CYSG) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL)	H-32H, L-11D
St. Jean, QC (CYJN) Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z± Nov-Mar 1300-0200Z) Gnd Con 121.7	L-32G
Sudbury, ON (CYSB) ATIS 127.4 Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	H-31B, 10G, L-31D
Summerside, PE (CYSU) AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8	H-11E, L-32J
Thunder Bay, ON (CYQT) ATIS 128.8 (1100-0400Z) Winnipeg Center App/Dep Con 132.125 (0400-1100Z) Tower 118.1 (1100-0400Z) Gnd Con 121.9 App/Dep 119.2 MF 118.1 (0400-1100Z± 5 NM to 4000')	H-2J, L-14J
Timmins/Victor M. Power, ON (CYTS) ATIS 124.95 (1000-0500Z) Toronto Center App/Dep Con 128.3 MF 122.3 (5 NM to 4000')	H-11B
Toronto/Butterville Muni, ON (CYKZ) ATIS 127.1 (1200-0400Z) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 Tower 124.8 119.9 (1200-0400Z) Gnd Con 121.8 MF 124.8 (0400-1200Z) No gnd station. 5 NM shape irregular to below 2500'	L-31E
Toronto/Billy Bishop Toronto City Airport, ON (CYTZ) ATIS 133.6 (1130-0400Z) App Con 133.4 Dep Con 133.4 Tower 118.2 119.2 (1130-0400Z) Gnd Con 121.7	L-31E
Toronto/Lester B Pearson Intl, ON (CYYZ) ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 Cinc Del 121.3 (1200-0400Z)	H-11B, L-31D
Trenton, ON (CYTR) ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Cinc Del 124.35 286.4	H-11C, L-31E, 32F
Trenton/Mountain View, ON (CPZ3) Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200')	H-11C, L-32H
Val-D'or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030-0325Z± 5 NM to 4000')	H-11B
Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) Dep Con 126.125 (north) 132.3 (south) 363.8 Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Cinc Del 121.4	H-1B, L-1E



FACILITY NAME	CHART & PANEL
<b>Victoria Intl, BC (CYYJ)</b> ATIS 118.8 (1400-0800Z‡) App Con 125.95 308.4 Dep Con 133.85 308.4 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7) Cinc Del 126.4 (1400-0800Z‡)	H-1B, L-1E
<b>Victoriaville, QC (CSR3)</b> Montreal Center App Con 132.35	L-32H
<b>Waterville/Kings Co Muni, NS (CCW3)</b> Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3	L-32J
<b>Warton, ON (CYVW)</b> Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700')	H-11B, L-31D
<b>Windsor, ON (CYQG)</b> ATIS 134.5 (1130-0330Z‡) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z‡) Gnd Con 121.7 MF 124.7 (0330-1130Z‡ 6 NM irregular shape to below 3000') VFR Advisory Detroit App Con 134.3	H-10G, L-8J
<b>Yarmouth, NS (CYQI)</b> Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	H-11E, L-32I

## MEXICO

FACILITY NAME	CHART & PANEL
<b>Abraham Gonzalez Intl (MMCS)</b> Juarez App Con 119.9 Juarez Tower 118.9	H-4K, L-6F
<b>Del Norte Intl (MMAN)</b> ATIS 127.55 (1300-0300Z‡) Monterrey App 119.75 120.4 Tower 118.6	H-7B, L-20G
<b>Durango Intl (MMDO)</b> ATIS 132.1 Tower 118.1 Durango Info 122.3	H-7A
<b>General Abelardo L Rodriguez Intl (MMTJ)</b> ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Cinc Del 122.35 Tijuana Info 132.1	H-4H, L-4H
<b>General Lucio Blanco Intl (MMRX)</b> Reynosa App Con 118.8 Reynosa Tower 118.8	H-7B, L-20H
<b>General Mariano Escobedo Intl (MMMY)</b> ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H-7B, L-20G
<b>General R Fierro Villalobos Intl (MMCU)</b> ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	L-6I
<b>General Rodolfo Sanchez Taboada Intl (MMML)</b> ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H-4H, L-4J, 5A
<b>General Servando Canales (MMMA)</b> Matamoros App Con 118.0 Matamoros Tower 118.0	H-7C, L-21A
<b>Plan De Guadalupe Intl (MMIO)</b> Saltillo App Con 127.4 Saltillo Tower 118.4	H-7B
<b>Quetzalcoatl Intl (MMNL)</b> Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
<b>Torreon Intl (MMTC)</b> App Con 119.6 Tower 118.5	H-7A









In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

## GENERAL INFORMATION

### PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., , , .
  2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name. A star (★) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., .
- To activate lights use frequency indicated in the communication section of the chart with a  or the appropriate lighting system identification e.g., UNICOM 122.8 , , .

<u>KEY MIKE</u>	<u>FUNCTION</u>
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

### CHART CURRENCY INFORMATION

FAA procedure amendment number  $\leftarrow$  Amdt 11A 99365  $\rightarrow$  Date of latest change  
 $\leftarrow$  Orig 00365  $\rightarrow$

The Chart Date identifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

### MISCELLANEOUS


- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.

10042  
LEGEND


INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM/AIRPORT SKETCH

Runways




ARRESTING GEAR: Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.



ARRESTING SYSTEM

REFERENCE FEATURES



# When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A **D** symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information.

Runway Weight Bearing Capacity/ or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325 PCN 80 F/D/X/U

Helicopter Alighting Areas

Negative Symbols used to identify Copter Procedures landing point.....

Runway Threshold elevation.....THRE 123  
 Runway TDZ elevation.....TDZE 123  
 Runway Slope.....0.3% DOWN  
 (shown when runway slope is greater than or equal to 0.3%)  
 Runway Slope.....0.8% UP

NOTE:

Runway Slope measured to midpoint on runways 8000 feet or longer.

**U.S. Navy Optical Landing System (OLS)** "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.


Airport diagram scales are variable.

True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or 1/2 minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

NOTE:

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FLIP. (Foreign Only)



SCOPE

Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

## AIRPORT DIAGRAMS

## HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.


A "hot spot" is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or polygons designated as "HOT<sup>1</sup>", "HOT<sup>2</sup>", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
<b>TEXAS</b>		
MIDLAND		
MIDLAND INTL (MAF)	HOT <sup>1</sup>	Twy B and Twy P merge.
	HOT <sup>2</sup>	Area not visible from tower. Limited air traffic services provided.
	HOT <sup>3</sup>	Area not visible from tower. Limited air traffic services provided.

09183

# AIRPORT DIAGRAM

ABILENE/ABILENE RGNL (ABI)  
ABILENE, TEXAS



# AIRPORT DIAGRAM

09183


ABILENE, TEXAS  
ABILENE/ABILENE RGNL (ABI)

09183

AIRPORT DIAGRAM

AL-13 (FAA)

ALEXANDRIA INTL (AEX)  
ALEXANDRIA, LOUISIANA



AIRPORT DIAGRAM

09183

ALEXANDRIA, LOUISIANA  
ALEXANDRIA INTL (AEX)


07298

AIRPORT DIAGRAM

AFD-482 [USAF]

ALTUS AFB (KLTS)

ALTUS, OKLAHOMA



AIRPORT DIAGRAM

WGS DATUM


ALTUS, OKLAHOMA

ALTUS AFB (KLTS)

09183

# AIRPORT DIAGRAM

AMARILLO/RICK HUSBAND AMARILLO INTL (A.M.A)  
AL-19 (FAA) AMARILLO, TEXAS



# AIRPORT DIAGRAM

09183

AMARILLO, TEXAS  
AMARILLO/RICK HUSBAND AMARILLO INTL (A.M.A)




09351

AIRPORT DIAGRAM

AL-22 (FAA)

ARDMORE MUNI (ADM)  
ARDMORE, OKLAHOMA



ATIS	125.6
ARDMORE TOWER ★	118.5 257.7
GND CON	121.8

AIRPORT DIAGRAM

09351


ARDMORE, OKLAHOMA  
ARDMORE MUNI (ADM)

09239

# AIRPORT DIAGRAM

AL-5189 (FAA)

ARLINGTON MUNI (GKY)  
ARLINGTON, TEXAS



# AIRPORT DIAGRAM

09239


ARLINGTON, TEXAS  
ARLINGTON MUNI (GKY)

09295

# AIRPORT DIAGRAM

AL-556 (FAA)

AUSTIN-BERGSTROM INTL (AUS)  
AUSTIN, TEXAS



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBCK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

# AIRPORT DIAGRAM

09295

AUSTIN, TEXAS  
AUSTIN-BERGSTROM INTL (AUS)


08129

BARKSDALE AFB (KBAD)

# AIRPORT DIAGRAM

AFD-391 [USAF]

BOSSIER CITY, LOUISIANA



# AIRPORT DIAGRAM


WGS-84 DATUM

BOSSIER CITY, LOUISIANA  
BARKSDALE AFB (KBAD)

10042

# AIRPORT DIAGRAM

BATON ROUGE METROPOLITAN, RYAN FIELD (BTR)  
AL-40 (FAA) BATON ROUGE, LOUISIANA



# AIRPORT DIAGRAM

10042

BATON ROUGE, LOUISIANA  
BATON ROUGE METROPOLITAN, RYAN FIELD (BTR)


09295

AIRPORT DIAGRAM

BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)

AL-521 (FAA)

BEAUMONT-PORT ARTHUR, TEXAS



CAUTION: SOUTH END OF TAXIWAY B IS NOT VISIBLE FROM THE NEW CONTROL TOWER.  
 CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
 READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

RWY 12-30  
 S90, D170, ST175, DT230  
 RWY 16-34  
 S70, D90, ST114, DT145

AIRPORT DIAGRAM

09295

BEAUMONT-PORT ARTHUR, TEXAS  
 BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)


10098

AIRPORT DIAGRAM

AFD-133 [USA]

BIGGS AAF (KBIF)

FORT BLISS, TEXAS



AIRPORT DIAGRAM

FORT BLISS, TEXAS  
BIGGS AAF (KBIF)

09183

# AIRPORT DIAGRAM


BROWNSVILLE/SOUTH PADRE ISLAND INTL (BRO)

AL-61 (FAA)

BROWNSVILLE, TEXAS

ATIS  
128.55  
BROWNSVILLE TOWER\*  
118.9 239.3  
GND CON  
121.9

**CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.**



RWY 13L-31R  
S10, D50

RWY 13R-31L  
S75, D170, ST175, DT240

RWY 17-35  
S75, D144, ST175, DT150

VAR 5.2° E

JANUARY 2005  
ANNUAL RATE OF CHANGE  
0.1° W

# AIRPORT DIAGRAM

09183


BROWNSVILLE, TEXAS  
BROWNSVILLE/SOUTH PADRE ISLAND INTL (BRO)



09183

AIRPORT DIAGRAM

CLINTON-SHERMAN (CSM)  
CLINTON, OKLAHOMA



AIRPORT DIAGRAM


09183

CLINTON, OKLAHOMA  
CLINTON-SHERMAN (CSM)

09295

# AIRPORT DIAGRAM

COLLEGE STATION/EASTERWOOD FIELD (CLL)  
AL-928 (FAA)  
COLLEGE STATION, TEXAS



# AIRPORT DIAGRAM

09295

COLLEGE STATION, TEXAS  
COLLEGE STATION/EASTERWOOD FIELD (CLL)


08269

AIRPORT DIAGRAM

AFD-91 [USAF]

COLUMBUS AFB (KCBM)

COLUMBUS, MISSISSIPPI



AIRPORT DIAGRAM

WGS-84 DATUM


COLUMBUS, MISSISSIPPI

COLUMBUS AFB (KCBM)

09183

# AIRPORT DIAGRAM

COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)  
AL-5855 (FAA) COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI



# AIRPORT DIAGRAM

COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI  
COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)

09183


09015

CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

AIRPORT DIAGRAM

AFD-98 [USN]

CORPUS CHRISTI, TEXAS



AIRPORT DIAGRAM


CORPUS CHRISTI, TEXAS  
 CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

09183

# AIRPORT DIAGRAM

AL-5032 (FAA)

CORPUS CHRISTI INTL (CRP)  
CORPUS CHRISTI, TEXAS



# AIRPORT DIAGRAM

09183


CORPUS CHRISTI, TEXAS  
CORPUS CHRISTI INTL (CRP)

08325

AIRPORT DIAGRAM

AL-768 (FAA)

DALLAS/ADDISON (ADS)  
DALLAS, TEXAS



ATIS 133.4  
 ADDISON TOWER ★  
 126.0 239.0  
 GND CON  
 121.6  
 CLNC DEL  
 119.55

AIRPORT DIAGRAM


08325

DALLAS, TEXAS  
DALLAS/ADDISON (ADS)

09351

# AIRPORT DIAGRAM

DALLAS/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)  
AL-6644 (FAA)  
DALLAS, TEXAS



# AIRPORT DIAGRAM

09351

DALLAS, TEXAS  
DALLAS/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)




09239

AIRPORT DIAGRAM

AL-742 (FAA)

DALLAS EXECUTIVE (RBD)  
DALLAS, TEXAS



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM

09239


DALLAS, TEXAS  
DALLAS EXECUTIVE (RBD)

09071

AIRPORT DIAGRAM

AL-106 (FAA)

DALLAS-LOVE FIELD (DAL)  
DALLAS, TEXAS



AIRPORT DIAGRAM

09071


DALLAS, TEXAS  
DALLAS-LOVE FIELD (DAL)

09351

AIRPORT DIAGRAM

AL-6039 (FAA)

DALLAS-FORT WORTH INTL (DFW)  
DALLAS-FORT WORTH, TEXAS



AIRPORT DIAGRAM

DALLAS-FORT WORTH, TEXAS  
DALLAS-FORT WORTH INTL (DFW)


09351

09015

# AIRPORT DIAGRAM

AL-5866 (FAA)

DENTON MUNI (DTO)  
DENTON, TEXAS



# AIRPORT DIAGRAM

09015

DENTON, TEXAS  
DENTON MUNI (DTO)


08269

DYESS AFB (KDYS)

AIRPORT DIAGRAM

AFD-2 [USAF]

ABILENE, TEXAS



AIRPORT DIAGRAM


ABILENE, TEXAS  
DYESS AFB (KDYS)

09295

# AIRPORT DIAGRAM

AL-134 (FAA)

EL PASO INTL (ELP)  
EL PASO, TEXAS



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

ATIS 120.0 254.3  
 EL PASO TOWER 118.3 239.275  
 GND CON 121.9 348.6  
 CLNC DEL 125.0 379.1  
**D**

# AIRPORT DIAGRAM

09295


EL PASO, TEXAS  
EL PASO INTL (ELP)

09239

AIRPORT DIAGRAM

AL-136 (FAA)

ENID WOODRING RGNL (WDG)  
ENID, OKLAHOMA



AWOS-3  
120.625  
WOODRING TOWER\*  
118.9257.95  
GND CON  
121.925

RWY 13-31  
PCN 2 F/D/Z/T  
S42, D55, DT80  
RWY 17-35  
PCN 5 R/A/X/T  
S50, D88, ST111, DT140

AIRPORT DIAGRAM

09239


ENID, OKLAHOMA  
ENID WOODRING RGNL (WDG)

09015

AIRPORT DIAGRAM

AL-728 (FAA)

FAYETTEVILLE/ DRAKE FIELD (F'YV)  
FAYETTEVILLE, ARKANSAS



AIRPORT DIAGRAM

09015


FAYETTEVILLE, ARKANSAS  
FAYETTEVILLE/ DRAKE FIELD (F'YV)



09183

# AIRPORT DIAGRAM

FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)  
AL-9274 (FAA) FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS



# AIRPORT DIAGRAM


09183

FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS  
FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)

09351

# AIRPORT DIAGRAM

FORT HOOD/KILLEEN/ ROBERT GRAY AAF (G.R.K)  
AL-906 (FAA)  
FORT HOOD/KILLEEN, TEXAS



# AIRPORT DIAGRAM

09351


FORT HOOD/KILLEEN, TEXAS  
FORT HOOD/KILLEEN/ ROBERT GRAY AAF (G.R.K)

09183

AIRPORT DIAGRAM

AL-631 (FAA)

FORT SMITH RGNL (FSM)  
FORT SMITH, ARKANSAS



AIRPORT DIAGRAM

09183

FORT SMITH, ARKANSAS  
FORT SMITH RGNL (FSM)




10042

# AIRPORT DIAGRAM

AL-159 (FAA)

FORT WORTH MEACHAM INTL (F'TW)  
FORT WORTH, TEXAS



# AIRPORT DIAGRAM

10042

FORT WORTH, TEXAS  
FORT WORTH MEACHAM INTL (F'TW)


10014

FORT WORTH NAS JRB (CARSWELL FLD) (KNFW)

AIRPORT DIAGRAM

AFD-160 [USN]

FORT WORTH, TEXAS



AIRPORT DIAGRAM

FORT WORTH, TEXAS


FORT WORTH NAS JRB (CARSWELL FLD) (KNFW)

09127

AIRPORT DIAGRAM

AL-6113 (FAA)

GAINESVILLE MUNI (GLE)  
GAINESVILLE, TEXAS



AIRPORT DIAGRAM

09127


GAINESVILLE, TEXAS  
GAINESVILLE MUNI (GLE)

08157

# AIRPORT DIAGRAM

AL-5724 (FAA)

GEORGETOWN MUNI (GTU)  
GEORGETOWN, TEXAS



# AIRPORT DIAGRAM

08157

GEORGETOWN, TEXAS  
GEORGETOWN MUNI (GTU)




06327

AIRPORT DIAGRAM

AL-9209 (FAA)

GRAND PRAIRIE / GRAND PRAIRIE MUNI (GPM)  
GRAND PRAIRIE, TEXAS



AIRPORT DIAGRAM

06327


GRAND PRAIRIE, TEXAS  
GRAND PRAIRIE MUNI (GPM)

07354

# AIRPORT DIAGRAM

AL-572 (FAA)

GREENVILLE/MID DELTA RGNL (GLH)  
GREENVILLE, MISSISSIPPI



# AIRPORT DIAGRAM

07354


GREENVILLE, MISSISSIPPI  
GREENVILLE/MID DELTA RGNL (GLH)

10098

AIRPORT DIAGRAM

AL-576 (FAA)

GULFPORT-BILOXI INTL (GPT)  
GULFPORT, MISSISSIPPI



AIRPORT DIAGRAM

10098

GULFPORT, MISSISSIPPI  
GULFPORT-BILOXI INTL (GPT)

10098


# AIRPORT DIAGRAM

AL-827 (FAA)


HARLINGEN/VALLEY INTL (HRL)  
HARLINGEN, TEXAS

ATIS  
 124.85  
 HARLINGEN TOWER \*  
 119.3 317.6  
 GND CON  
 121.7

**D**



JANUARY 2005  
 ANNUAL RATE OF CHANGE  
 0.1° W



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
 READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

- RWY 13-31  
S160, D200, ST175, DT350, DDT700
- RWY 17L-35R  
S160, D200, DT350
- RWY 17R-35L  
S160, D200, ST175, DT350, TRT561,  
SBTT593, TDT840, DDT700

# AIRPORT DIAGRAM

10098

HARLINGEN, TEXAS  
HARLINGEN/VALLEY INTL (HRL)


10042

HOOD AAF (KHLR)

AIRPORT DIAGRAM

AFD-5031 [USA]

FT HOOD, TEXAS



AIRPORT DIAGRAM

FT HOOD, TEXAS  
HOOD AAF (KHLR)

06327


# AIRPORT DIAGRAM

AL-5037 (FAA)

HOUMA-TERREBONNE (HUM)  
HOUMA, LOUISIANA

ATIS 120.25  
HOUMA TOWER ★  
125.3 346.3  
GND CON  
121.8

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.



# AIRPORT DIAGRAM


06327

HOUMA, LOUISIANA  
HOUMA-TERREBONNE (HUM)

09071

# AIRPORT DIAGRAM

HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)  
AL-5457 (FAA)  
HOUSTON, TEXAS



# AIRPORT DIAGRAM

09071


HOUSTON, TEXAS  
HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)

09239

AIRPORT DIAGRAM

AL-197 (FAA)

HOUSTON/ ELLINGTON FIELD (EFD)  
HOUSTON, TEXAS



AIRPORT DIAGRAM

09239


HOUSTON, TEXAS  
HOUSTON/ ELLINGTON FIELD (EFD)



09351

AIRPORT DIAGRAM

HOUSTON/GEORGE BUSH INTERCONTINENTAL/HOUSTON (IAH)  
AL-5461 (FAA) HOUSTON, TEXAS



AIRPORT DIAGRAM

HOUSTON, TEXAS  
HOUSTON/GEORGE BUSH INTERCONTINENTAL/HOUSTON (IAH)  
09351


10042

# AIRPORT DIAGRAM

HOUSTON/ LONE STAR EXECUTIVE (C<sup>X</sup>O)

AL-5573 (FAA)

HOUSTON, TEXAS



# AIRPORT DIAGRAM

10042


HOUSTON, TEXAS  
HOUSTON/ LONE STAR EXECUTIVE (C<sup>X</sup>O)

09295

AIRPORT DIAGRAM

AL-5537 (FAA)

HOUSTON/ SUGAR LAND RGNL (SGR)  
HOUSTON, TEXAS



AIRPORT DIAGRAM

09295


HOUSTON, TEXAS  
HOUSTON/ SUGAR LAND RGNL (SGR)

09351

# AIRPORT DIAGRAM

HOUSTON/WILLIAM P. HOBBY (HOU)  
HOUSTON, TEXAS

AL-198 (FAA)



AIRPORT DIAGRAM  
09351


HOUSTON, TEXAS  
HOUSTON/WILLIAM P. HOBBY (HOU)

08101

AIRPORT DIAGRAM

AL-206 (FAA)

JACKSON/HAWKINS FIELD (HKS)  
JACKSON, MISSISSIPPI



HAWKINS TOWER ★  
 119.65 257.8  
 GND CON  
 121.9 239.0  
 CLNC DEL 121.9  
 ASOS 120.625

AIRPORT DIAGRAM


08101

JACKSON, MISSISSIPPI  
JACKSON/HAWKINS FIELD (HKS)

08157

# AIRPORT DIAGRAM

JACKSON-EVERS INTL (JAN)  
JACKSON, MISSISSIPPI



# AIRPORT DIAGRAM

08157

JACKSON, MISSISSIPPI  
JACKSON-EVERS INTL (JAN)


09239

AIRPORT DIAGRAM

AFD-49 [USAF]

KEESLER AFB (KBIX)

BILOXI, MISSISSIPPI



AIRPORT DIAGRAM

WGS-84 DATUM

BILOXI, MISSISSIPPI

KEESLER AFB (KBIX)


09239

# AIRPORT DIAGRAM

AFD-918 [USN]

KINGSVILLE NAS (KNQI)

KINGSVILLE, TEXAS



# AIRPORT DIAGRAM

KINGSVILLE, TEXAS  
KINGSVILLE NAS (KNQI)




09239

# AIRPORT DIAGRAM

LA GRANGE/FAYETTE RGNL AIR CENTER (3T5)

AL-91.54 (FAA)

LA GRANGE, TEXAS



# AIRPORT DIAGRAM

09239

LA GRANGE, TEXAS  
LA GRANGE/FAYETTE RGNL AIR CENTER (3T5)




09295

AIRPORT DIAGRAM

AL-865 (FAA)

LAFAYETTE RGNL (L.F.T)  
LAFAYETTE, LOUISIANA



AIRPORT DIAGRAM

09295


LAFAYETTE, LOUISIANA  
LAFAYETTE RGNL (L.F.T)

09239

# AIRPORT DIAGRAM

AL-5111 (FAA)

LAKE CHARLES/CHENNAULT INTL (CWF)  
LAKE CHARLES, LOUISIANA



# AIRPORT DIAGRAM

09239


LAKE CHARLES, LOUISIANA  
LAKE CHARLES/CHENNAULT INTL (CWF)

08157

# AIRPORT DIAGRAM

AL-5083 (FAA)

LAKE CHARLES RGNL (LCH)  
LAKE CHARLES, LOUISIANA



# AIRPORT DIAGRAM

LAKE CHARLES, LOUISIANA  
LAKE CHARLES RGNL (LCH)

08157




09183

LAUGHLIN AFB (KDLF)

AIRPORT DIAGRAM

AFD-111 [USAF]

DEL RIO, TEXAS



AIRPORT DIAGRAM


DEL RIO, TEXAS  
LAUGHLIN AFB (KDLF)

09295

# AIRPORT DIAGRAM

AL-924 (FAA)

LAWTON-FORT SILL RGNL (L.A.W)  
LAWTON, OKLAHOMA



# AIRPORT DIAGRAM

09295

LAWTON, OKLAHOMA  
LAWTON-FORT SILL RGNL (L.A.W)




10070

AIRPORT DIAGRAM

AFD-738 [USAF]

LITTLE ROCK AFB (KLRF)

JACKSONVILLE, ARKANSAS



AIRPORT DIAGRAM

JACKSONVILLE, ARKANSAS


LITTLE ROCK AFB (KLRF)

10042

# AIRPORT DIAGRAM

AL-233 (FAA)

LITTLE ROCK/ADAMS FIELD (LIT)  
LITTLE ROCK, ARKANSAS



# AIRPORT DIAGRAM

10042


LITTLE ROCK, ARKANSAS  
LITTLE ROCK/ADAMS FIELD (LIT)

10098

AIRPORT DIAGRAM

AL-807 (FAA)

LONGVIEW/EAST TEXAS RGNL (GGG)  
LONGVIEW, TEXAS



AIRPORT DIAGRAM

10098

LONGVIEW, TEXAS  
LONGVIEW/EAST TEXAS RGNL (GGG)




09071

AIRPORT DIAGRAM

MC ALLEN MILLER INTL (MF'E)  
MC ALLEN, TEXAS

AL-985 (FAA)



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM

09071

MC ALLEN, TEXAS  
MC ALLEN MILLER INTL (MF'E)


09015

# AIRPORT DIAGRAM

AL-6002 (FAA)

MENA INTERMOUNTAIN MUNI (MEZ)

MENA, ARKANSAS



# AIRPORT DIAGRAM

09015

MENA, ARKANSAS  
MENA INTERMOUNTAIN MUNI (MEZ)


09071

# AIRPORT DIAGRAM

AL-254 (FAA)

MERIDIAN/KEY FIELD (M.E.I.)

MERIDIAN, MISSISSIPPI



ATIS  
126.475 291.675  
KEY TOWER \*  
119.8 257.8  
GND CON  
121.9 348.6

D

VAR 0.6° W  
JANUARY 2005  
ANNUAL RATE OF CHANGE  
0.1° W

RWY 1-19  
S105, D175, ST175, DT325,  
RWY 4-22  
S15, D35, DT60

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

# AIRPORT DIAGRAM

09071

MERIDIAN, MISSISSIPPI  
MERIDIAN/KEY FIELD (M.E.I.)

10098


MERIDIAN NAS (MC CAIN FIELD) (KNMM)

# AIRPORT DIAGRAM

[USN] AFD-5079

MERIDIAN, MISSISSIPPI

ATIS ★ 290.525  
 NAVY MC CAIN TOWER ★  
 126.2 340.2  
 GND CON  
 336.4  
 CLNC DEL  
 301.0



# AIRPORT DIAGRAM

MERIDIAN, MISSISSIPPI

MERIDIAN NAS (MC CAIN FIELD) (KNMM)




09127

AIRPORT DIAGRAM

AL-258 (FAA)

MIDLAND INTL (MAF)  
MIDLAND, TEXAS



AIRPORT DIAGRAM

09127

MIDLAND, TEXAS  
MIDLAND INTL (MAF)

09071

# AIRPORT DIAGRAM

AL-270 (FAA)


MONROE RGNL (MLU)  
MONROE, LOUISIANA

ATIS 125.05  
 MONROE TOWER ★  
 118.9 257.8  
 GND CON  
 121.9  
 CLNC DEL  
 121.65

**D**

RWY 4-22  
 S75, D170, ST175, DT290  
 RWY 14-32  
 S75, D170, ST175, DT290  
 RWY 18-36  
 S60, D75, ST95, DT130

JANUARY 2005  
 ANNUAL RATE OF CHANGE  
 0.1 ° W



# AIRPORT DIAGRAM

09071


MONROE, LOUISIANA  
MONROE RGNL (MLU)

09071

AIRPORT DIAGRAM

AL-6080 (FAA)

NEW BRAUNFELS MUNI (B.A.Z)  
NEW BRAUNFELS, TEXAS



AIRPORT DIAGRAM

09071


NEW BRAUNFELS, TEXAS  
NEW BRAUNFELS MUNI (B.A.Z)

09295

# AIRPORT DIAGRAM

AL-5040 (FAA)

NEW IBERIA/ACADIANA RGNL (A.R.A)  
NEW IBERIA, LOUISIANA



# AIRPORT DIAGRAM

09295


NEW IBERIA, LOUISIANA  
NEW IBERIA/ACADIANA RGNL (A.R.A)

10042

AIRPORT DIAGRAM

AL-288 (FAA)

NEW ORLEANS/LAKEFRONT (NEW)  
NEW ORLEANS, LOUISIANA



AIRPORT DIAGRAM


10042

NEW ORLEANS, LOUISIANA  
NEW ORLEANS/LAKEFRONT (NEW)

10098

**AIRPORT DIAGRAM**

NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)  
AL-609 (FAA) NEW ORLEANS, LOUISIANA



**AIRPORT DIAGRAM**

NEW ORLEANS, LOUISIANA  
NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)


10098

09239

AIRPORT DIAGRAM

NEW ORLEANS NAS JRB  
(ALVIN CALLENDER FLD) (KNBG)  
NEW ORLEANS, LOUISIANA

AFD-630 [USN]



AIRPORT DIAGRAM


WGS-84 DATUM

NEW ORLEANS, LOUISIANA  
NEW ORLEANS NAS JRB  
(ALVIN CALLENDER FLD) (KNBG)

09295

# AIRPORT DIAGRAM

NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)  
AL-5672 (FAA)  
NORMAN, OKLAHOMA



# AIRPORT DIAGRAM

09295


NORMAN, OKLAHOMA  
NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)



09295

# AIRPORT DIAGRAM

OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)  
AL-298 (FAA)  
OKLAHOMA CITY, OKLAHOMA



# AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA  
OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)

09295








10042

AIRPORT DIAGRAM

AFD-341 [USAF]

RANDOLPH AFB (KRND)

UNIVERSAL CITY, TEXAS



AIRPORT DIAGRAM

UNIVERSAL CITY, TEXAS


RANDOLPH AFB (KRND)

09015

# AIRPORT DIAGRAM

AL-367 (FAA)

SAN ANGELO RGNL/ MATHIS FIELD (SJT)  
SAN ANGELO, TEXAS



# AIRPORT DIAGRAM

09015


SAN ANGELO, TEXAS  
SAN ANGELO RGNL/ MATHIS FIELD (SJT)

09351

AIRPORT DIAGRAM

SAN ANTONIO INTL (SAT)  
SAN ANTONIO, TEXAS

AL-369 (FAA)



AIRPORT DIAGRAM

09351

SAN ANTONIO, TEXAS  
SAN ANTONIO INTL (SAT)


10098

# AIRPORT DIAGRAM

SAN ANTONIO/ STINSON MUNI (SSF)

AL-372 (FAA)

SAN ANTONIO, TEXAS



# AIRPORT DIAGRAM

10098

SAN ANTONIO, TEXAS  
SAN ANTONIO/ STINSON MUNI (SSF)




10098

AIRPORT DIAGRAM

SHERMAN/DENISON/NORTH TEXAS RGNL/PERRIN FIELD (GYI)

AL-389 (FAA)

SHERMAN/DENISON, TEXAS



AIRPORT DIAGRAM

10098


SHERMAN/DENISON, TEXAS  
SHERMAN/DENISON/NORTH TEXAS RGNL/PERRIN FIELD (GYI)

09183

AIRPORT DIAGRAM

AL-392 (FAA)

SHREVEPORT DOWNTOWN (DTN)  
SHREVEPORT, LOUISIANA



AIRPORT DIAGRAM

09183


SHREVEPORT, LOUISIANA  
SHREVEPORT DOWNTOWN (DTN)

09183

# AIRPORT DIAGRAM

AL-884 (FAA)

SHREVEPORT RGNL (SHV)  
SHREVEPORT, LOUISIANA



# AIRPORT DIAGRAM

09183


SHREVEPORT, LOUISIANA  
SHREVEPORT RGNL (SHV)

06215

AIRPORT DIAGRAM

AL-5165 (FAA)

SPRINGDALE MUNI (ASG)  
SPRINGDALE, ARKANSAS



AIRPORT DIAGRAM

06215


SPRINGDALE, ARKANSAS  
SPRINGDALE MUNI (ASG)

09183

AIRPORT DIAGRAM

STILLWATER RGNL (SWO)  
STILLWATER, OKLAHOMA

AL-5151 (FAA)



AIRPORT DIAGRAM

09183


STILLWATER, OKLAHOMA  
STILLWATER RGNL (SWO)

09071

AIRPORT DIAGRAM

AL-420 (FAA)

TEXARKANA RGNL-WEBB FIELD (TXK)  
TEXARKANA, ARKANSAS



AIRPORT DIAGRAM

09071


TEXARKANA, ARKANSAS  
TEXARKANA RGNL-WEBB FIELD (TXK)

10098

AIRPORT DIAGRAM

AFD-299 [USAF]

TINKER AFB (KTIK)  
OKLAHOMA CITY, OKLAHOMA



AIRPORT DIAGRAM


OKLAHOMA CITY, OKLAHOMA  
TINKER AFB (KTIK)

09295

# AIRPORT DIAGRAM

AL-5427 (FAA)

TULSA/RICHARD LLOYD JONES JR. (RVS)  
TULSA, OKLAHOMA



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

# AIRPORT DIAGRAM

09295

TULSA, OKLAHOMA  
TULSA/RICHARD LLOYD JONES JR. (RVS)






09183

# AIRPORT DIAGRAM

AL-854 (FAA)

TUPELO RGNL (TUP)  
TUPELO, MISSISSIPPI



# AIRPORT DIAGRAM

09183

TUPELO, MISSISSIPPI  
TUPELO RGNL (TUP)


09295

# AIRPORT DIAGRAM

TYLER POUNDS RGNL (TYR)

AL-622 (FAA)

TYLER, TEXAS



# AIRPORT DIAGRAM

09295

TYLER, TEXAS  
TYLER POUNDS RGNL (TYR)

10098


# AIRPORT DIAGRAM

[USAF] AFD-135

VANCE AFB (KEND)

ENID, OKLAHOMA

ATIS 115.4 263.15  
 VANCE TOWER ★  
 124.05 259.1  
 GND CON  
 121.8 289.4  
 CLNC DEL  
 225.4



# AIRPORT DIAGRAM


ENID, OKLAHOMA  
VANCE AFB (KEND)

09351

AIRPORT DIAGRAM

AL-579 (FAA)

WACO/TSTC WACO (C/NW)  
WACO, TEXAS



AIRPORT DIAGRAM

09351


WACO, TEXAS  
WACO/TSTC WACO (C/NW)

09295

# AIRPORT DIAGRAM

AL-439 (FAA)

WACO RGNL (ACT)  
WACO, TEXAS




# AIRPORT DIAGRAM

09295

WACO, TEXAS  
WACO RGNL (ACT)



NATIONAL WEATHER SERVICE (NWS)  
 UPPER AIR OBSERVING STATIONS (UAOS)  
 AND  
 WEATHER RADAR NETWORK



LEGEND

- △ AVIATION WEATHER SERVICE (MILITARY)
- ▲ AIR TRAFFIC CONTROL RADAR
- ★ UPPER AIR OBSERVING STATION/RADAR
- RADAR ONLY
- UAOS-BALLOON RELEASE AROUND 1100 UTC AND 2300 UTC DAILY
- OTHER NWS UPPER AIR STATIONS-BALLOON RELEASES TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE AND/OR EARLY AFTERNOON


NOTE: FOR RELEASE LATER THAN 1130 UTC AND 2330 UTC, AND FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED HOURS, AN AERONAUTICAL INFORMATION MESSAGE WILL BE FILED.



ENROUTE FLIGHT ADVISORY SERVICE (EFAS)

See Aeronautical Information Manual (AIM) for available services

(COU)



ALBUQUERQUE EFAS HIGH ALTITUDE FREQUENCY 127.625  
 FORTH WORTH EFAS HIGH ALTITUDE FREQUENCY 133.775  
 HOUSTON EFAS HIGH ALTITUDE FREQUENCY 126.625  
 MEMPHIS EFAS HIGH ALTITUDE FREQUENCY 133.675